




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification <sup>5</sup> : <b>G01S 17/88</b></p>	<p><b>A2</b></p>	<p>(11) International Publication Number: <b>WO 91/07672</b> (43) International Publication Date: <b>30 May 1991 (30.05.91)</b></p>
<p>(21) International Application Number: PCT/GB90/01731 (22) International Filing Date: 9 November 1990 (09.11.90) (30) Priority data: 8925384.3 9 November 1989 (09.11.89) GB (71)(72) Applicant and Inventor: MONTAGUE, Lewis [GB/GB]; Kendal Cottage, Hemnall Street, Epping, Essex CM5 9LN (GB). (74) Agent: HEPWORTH LAWRENCE BRYER &amp; BIZLEY; Gate House South, West Gate, Harlow, Essex CM20 1JN (GB). (81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH, CH (European patent), CM (OAPI patent), DE, DE (European patent), DK, DK (European patent), ES, ES (European patent), FI, FR (European patent), GA (OAPI patent), GB, GB (European patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC, MG, ML (OAPI patent), MR (OAPI patent), MW, NL, NL (European patent), NO, RO, SD, SE, SE (European patent), SN (OAPI patent), SU, TD (OAPI patent), TG (OAPI patent), US.</p>		<p><b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i></p>

(54) Title: REMOTE SENSING APPARATUS FOR A VEHICLE



(57) Abstract

Remote sensing apparatus for a vehicle (12) comprises means (13, 14, 15) for determining the separation between a vehicle and an object or other vehicle (11) in the region in front of the said vehicle sensitive to the speed of the vehicle for determining a threshold distance value which is greater at higher speeds, and means for comparing the thus determined distance of the detected vehicle with the said threshold value and for generating a warning signal (16) if the said determined distance is less than the said

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FI	Finland	ML	Mali
AU	Australia	FR	France	MN	Mongolia
BB	Barbados	GA	Gabon	MR	Mauritania
BE	Belgium	GB	United Kingdom	MW	Malawi
BF	Burkina Faso	GN	Guinea	NL	Netherlands
BG	Bulgaria	GR	Greece	NO	Norway
BJ	Benin	HU	Hungary	PL	Poland
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	JP	Japan	SD	Sudan
CF	Central African Republic	KP	Democratic People's Republic of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SN	Senegal
CH	Switzerland	LI	Liechtenstein	SU	Soviet Union
CI	Côte d'Ivoire	LK	Sri Lanka	TD	Chad
CM	Cameroon	LU	Luxembourg	TG	Togo
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark	MG	Madagascar		
ES	Spain				

REMOTE SENSING APPARATUS FOR A VEHICLE

The present invention relates generally to remote sensing apparatus for a vehicle, and particularly to such  
5 apparatus for providing a proximity signal to assist safe driving.

Various prior art systems for detecting the presence of remote obstacles have been described in the literature.  
10 Such obstacle detecting systems make use of some form of electromagnetic radiation transmitted from a system on board the vehicle with a suitable receiver for detecting reflected signals coming from objects in the path of the vehicle. One such system is described in U.S. Patent  
15 4,447,800 which relates to an obstacle detector mounted on a motor vehicle and having a light emitting element (in this case a semi-conductor infra-red laser) which transmits a light signal through an appropriate optical transmission system into the region immediately ahead of  
20 a vehicle. The optical signal thus transmitted is of a wavelength which is outside the spectrum of solar energy wavelengths or, if within the spectrum, in a region where the solar energy at this frequency is of very low intensity at ground level. An optical receiving system  
25 receives part of the light reflected from an obstacle in front of the vehicle and passes it to an optical filter which has a pass band width the central wavelength of

- 2 -

which is coincident with that of the wavelength of the light signal transmitted by the optical transmission system. The output of the filter is converted by a photo detector to a corresponding electrical signal for

5 processing by a data processor in order to determine the distance of the vehicle from the object in front of it. Means for calculating the height of the obstacle and the relative speed between the obstacle and the vehicle carrying the detecting system are also provided. Other

10 known systems include that described in French Patent 2,576,126 which is an optical device for measuring the distance separating two moving objects travelling along the same path, again having optical transmitting means and receiving means working to detect light reflected from an

15 object in front of the vehicle. In this case, however, it is envisaged that each vehicle would be provided with a reflective coded band at the back which reflects the incident light in a particular manner back to the vehicle behind so that it can process the received light with an

20 electronic circuit in order to obtain information relating to the distance separating the two moving objects and the relative speed between the two vehicles. Another proposal using remote sensors is that disclosed in U.S. Patent

25 infra-red sensor: This system, however, is adapted to direct the beam of radiation into the quadrant immediately behind and to one side of the vehicle to cover the region

- 3 -

which is not readily visible through the rear view mirror so as to avoid the necessity for those who are not physically one hundred per cent from having to rotate the body and the head to establish the presence of an  
5 overtaking vehicle in the so-called "blind spot" of the rear view mirror.

More generally, of course, many different remote sensing systems are known for various purposes, including air  
10 borne radar used in military and civilian aircraft to detect the presence of other aircraft in the vicinity of the aircraft carrying the radar set. All of these known systems, however, fail to provide a solution to the problem which is encountered in road driving, namely that  
15 of ensuring that drivers will maintain a safe distance behind a preceding vehicle travelling in the same direction. Especially when the driving conditions become congested there is a considerable temptation for drivers to maintain an inadequate separation between their vehicle  
20 and the one in front, especially if this may lead to the interposition of an overtaking vehicle. Strict guidelines are laid down by the Ministry of Transport based on the average time taken by a vehicle to come to rest from any given speed, and the distance travelled by the vehicle  
25 while the driver reacts to an emergency situation, which have been promulgated as recommended minimum vehicle separation distances at certain speeds in order to allow

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.