

Microsoft TerraServer: A Spatial Data Warehouse

Tom Barclay

Jim Gray

Don Slutz

June 1999

Technical Report

MS-TR-99-29

Microsoft Research

Advanced Technology Division

Microsoft Corporation

One Microsoft Way

Redmond, WA 98052

Microsoft TerraServer: A Spatial Data Warehouse

Tom Barclay, Jim Gray, Don Slutz
{TBarclay, Gray, [Dslutz](mailto:Dslutz@microsoft.com)}@microsoft.com

Microsoft Research, 301 Howard St., Suite 830, San Francisco, CA 94105
<http://research.microsoft.com/barc>

Abstract

Microsoft® TerraServer stores aerial, satellite, and topographic images of the earth in a SQL database available via the Internet. It is the world's largest online atlas, combining five terabytes of image data from the United States Geological Survey (USGS) and SPIN-2. Internet browsers provide intuitive spatial and text interfaces to the data. Users need no special hardware, software, or knowledge to locate and browse imagery. This paper describes how terabytes of "Internet unfriendly" geo-spatial images were scrubbed and edited into hundreds of millions of "Internet friendly" image tiles and loaded into a SQL data warehouse. Microsoft TerraServer demonstrates that general-purpose relational database technology can manage large scale image repositories, and shows that web browsers can be a good geospatial image presentation system.

1. Overview

The TerraServer is the world's largest public repository of high-resolution aerial, satellite, and topographic data. It is designed to be accessed by thousands of simultaneous users using Internet protocols via standard web browsers.

The TerraServer is a multi-media data warehouse. It differs from a traditional data warehouse in several ways: (1) it is accessed by millions of users, (2) the users extract relatively few records (thousands) in a particular session and, (3) the records are relatively large (10 kilobytes). By contrast, classic data warehouses are (1) accessed by a few hundred users via proprietary interfaces, (2) queries examine millions of records, to discover trends or anomalies, (3) the records themselves are generally less than a kilobyte. In addition, classic data warehouse queries may run for days before delivering results. Initial results typically cause users to modify and re-run queries to further refine results.

One thing the TerraServer has in common with classic data warehouses is that both manage huge databases: several terabytes of data. TerraServer's topographic maps cover all of the United States at 2 meter resolution (10 million square kilometers), the aerial photos cover 30% of the United States today (3 million square kilometers at one-meter resolution, and 1% of the urban areas outside the United States (1 million square kilometers) at 1.56 meter resolution.

This report describes the design of the TerraServer and its operation over the last year. It also summarizes what we have learned from building and operating the TerraServer.

Our research group explores scaleable servers. We wanted first-hand experience building and operating a large Internet server with a large database and heavy web traffic. To generate the traffic we needed to build an application that would be interesting to millions of web users. To have a huge database, we needed a huge data source: trillions of bytes that are relatively inexpensive to acquire and process.

Based on our exposure to the EOS/DIS project [Davis94], we settled on building a web site that serves aerial, satellite, and topographic imagery. We picked this application for three reasons:

1. The web is inherently a graphical environment, and these images of neighborhoods are recognizable and interesting throughout the world. We believed this application would generate the billions of web hits needed to test our scalability ideas.
2. The data was available. The USGS was cooperative, and since the cold war had ended, other agencies were more able to share satellite image data. The thaw relaxed regulations that had previously limited the access to high-resolution imagery on a global basis.
3. The solution as we defined it – a wide-area, client/server imagery database application stored in a commercially available SQL database system – had not been attempted before. Indeed, many people felt it was impossible without using an object-oriented or object-relational system.

This paper describes the application design, database design, hardware architecture, and operational experience of the TerraServer. The TerraServer has been operating for a year now. We are just deploying the third redesign of the database, user interface, and online image loading system.

Consequently, the TerraServer treats each 160km x 40km SPIN2 image as a separate scene. These scenes are not mosaiced together. Users can pan and zoom within a scene, and can jump from one scene to another.

2.2. TerraServer Grid System

Users can zoom and pan across a mosaic of tiles within a TerraServer scene. The tiles are organized in the database by theme, resolution, scene, and location within a scene.

TerraServer is designed to support a fixed number of resolutions in powers of 2 from 1/1024 meters per pixel (scale 0) through 4096 meter (scale 22). The scale is related to resolution in meters per pixel by

$$\text{Scale} = \log_2(\text{resolution}) + 10$$

The highest resolution images currently in the database are one meter per pixel, which is scale 10. Coarser resolutions are derived by sub-sampling fine-resolution images.

For UTM projection data-sets, the SceneID is the UTM zone assigned to the original image a tile's pixels were extracted from. For SPIN2 data-sets, a unique SceneID is assigned by TerraServer for as each scene is loaded.

Each TerraServer scene is planar. A tile can be identified by its position in the scene. The tile loading program assigns a relative X and Y tile identifier to each tile as it is loaded.

For UTM projected data, the X and Y tile address is the UTM coordinate of the top-left pixel in the tile divided by the tile image size in UTM units in meters. The following are the formulas:

$$X = \text{TopLeftUTM_X} / (\text{TilePixWidth} \cdot \text{Resolution})$$

$$Y = \text{TopLeftUTM_Y} / (\text{TilePixHeight} \cdot \text{Resolution})$$

For SPIN2 scenes, the X and Y tile addresses are relative to the upper left corner of the scene.

The six fields – Resolution, Theme, SceneID, X, and, Y - form the unique key by which any TerraServer image tile can be directly addressed. Each TerraServer web page contains image tiles from a single Theme, Scale, and SceneID combination. For example, our building in USGS DOQ theme (T=1), has scene UTM zone 10 (S=10), at scale 1 meter (Z=10) with X=2766 and Y=20913. The URL is:

<http://terraserverv.microsoft.com/tile.asp?S=10&T=1&Z=10&X=2766&Y=20913>.

The TerraServer search system performs the conversion from geographic coordinate systems to the TerraServer coordinate system. The TerraServer image display system uses TerraServer grid system coordinates to pan and zoom between tiles and resolutions of the same theme and scene.

2.3. Imagery Database Schema

Each theme has an *OriginalMeta* table. This table has a row for each image that is tiled and loaded into the TerraServer database. The *OrigMetaTag* field is the primary key. The meta-fields vary widely from theme to theme. Some of the meta fields are displayed by the Image Info Active Server Page (for example, see <http://terraserver.microsoft.com/GetOrigMeta.asp?OrigMetaId=104578&SrcId=1&Width=225&Height=150&ImgSize=0&DSize=0>)

All the image tiles and their metadata are stored in an SQL database. A separate table is maintained for each (theme, resolution) pair so that tiles are clustered together for better locality. USGS DOQs have resolutions from 1-meter through 64-meter. USGS DRG data supports 2-meter through 128-meter resolution. SPIN supports resolutions from 1-meter to 64-meter.

Each theme table has the same five-part primary key:

- *SceneID* – individual scene identifier
- *X* – tile's relative position on the X-axis
- *Y* – tile's relative position on the Y-axis
- *DisplayStatus* – Controls display of an image tile
- *OrigMetaTag* – image the tile was extracted from

There are 28 other fields that describe the geo-spatial coordinates for the image and other properties. One field is a large "blob" type that contains the compressed image.

These tile blobs are chosen to be about ten kilobytes so that they can be quickly downloaded via a standard modem (within three seconds via a 28.8 modem).

2.4. Gazetteer Database Schema




Figure 5: The image database is organized as a pyramid of 200x200 pixel tiles. Coarser images are sub-sampled from fine-resolution images.

The Gazetteer lets users find images by name. It contains the names for about 1.5 million places, with many alternate spellings. It is a simplified version of the Gazetteer found in the Encarta Virtual Globe™ and Microsoft Streets™ products.

The Gazetteer Schema has a snowflake structure. *Place* is the center table. It contains the formal name for a unique place on earth and maps the uniquely named location to the TerraServer Grid System. The *AltPlace* table contains all the synonyms of a unique place. The *State* and *Country* parent tables identify a place's state/province and country. The *AltState* and *AltCountry* tables contain the state/province and country synonyms.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.