

Docket No.: 079195-0566

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	:	Customer Number: 53080
	:	
Masafumi TSUTSUI, et al.	:	Confirmation Number: 1644
	:	
Application No.: 12/170,191	:	Group Art Unit: 2814
	:	
Filed: July 09, 2008	:	Examiner: Howard Weiss
	:	
For: SEMICONDUCTOR DEVICE INCLUDING MISFET HAVING INTERNAL STRESS FILM (as amended)	:	

AMENDMENT

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated May 10, 2010, wherein a three-month shortened statutory period for response is set to expire on August 10, 2010, Applicants respectfully request reconsideration of the above-identified application in view of the following amendments and remarks.

IN THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application

Listing of Claims

1-14. (Cancelled)

15. (Currently Amended) A semiconductor device, comprising a MISFET, wherein the MISFET includes:

an active region made of a semiconductor substrate;

a gate insulating film formed on the active region;

a gate electrode formed on the gate insulating film;

source/drain regions formed in regions of the active region located on both sides of the gate electrode; and

a silicon nitride film formed over from side surfaces of the gate electrode to upper surfaces of the source/drain regions, wherein:

~~the silicon nitride film is not formed on an upper surface of the gate electrode, and
the gate insulating film is formed only under a lower surface of the gate electrode, and
the source/drain regions include lightly doped impurity regions formed in regions of the active region located on both sides of the gate electrode, and heavily doped impurity regions formed in regions of the active region respectively extending outwardly from the lightly doped impurity regions to be in contact with the lightly doped impurity regions and having a higher impurity concentration than that of the lightly doped impurity regions~~

the gate electrode protrudes upward from a surface level of parts of the silicon nitride film located at both side surfaces of the gate electrode.

16. (Previously presented) The semiconductor device of claim 15, wherein the silicon nitride film is for generating a stress in a substantially parallel direction to the gate length direction in a channel region located in the active region under the gate electrode.

17. (Previously presented) The semiconductor device of claim 16, wherein the substantially parallel direction of the stress includes a direction tilted by an angle of less than 10 degree from a direction in which carriers move.

18. (Previously presented) The semiconductor device of claim 15, wherein the silicon nitride film is directly in contact with the source/drain regions,

19. (Previously presented) The semiconductor device of claim 15, wherein the silicon nitride film is formed above the source/drain regions with a thin film interposed therebetween.

20. (Currently amended) The semiconductor device of claim 15, wherein the source/drain regions include lightly doped impurity regions formed in regions of the active region located on both sides of the gate electrode, heavily doped impurity regions formed in regions of the active region respectively extending outwardly from the lightly doped impurity regions to be in contact with the lightly doped impurity regions and having a higher impurity concentration than that of the lightly doped impurity regions, and a silicide layer.

21. (Currently amended) The semiconductor device of claim 15, further comprising:

a sidewall formed on the side surface of the gate electrode, wherein
the silicon nitride film is formed over the side surfaces of the gate electrode with the
sidewall interposed between the silicon nitride film and the side surface of the gate electrode.

22. (Previously presented) The semiconductor device of claim 15, wherein
a principal surface of the semiconductor substrate is substantially a {100} plane, and
the gate length direction of the gate electrode is substantially a <011> direction.

23. (Previously presented) The semiconductor device of claim 15, further
comprising:
an interlevel insulating film formed on the silicon nitride film; and
a contact plug provided so as to pass through the interlevel insulating film and the silicon
nitride film and to be connected to the source/drain regions.

24. (Currently amended) The semiconductor device of claim 15, wherein;
the active region is divided by an isolation region formed in the semiconductor substrate,
and
the silicon nitride film is formed to extend over the isolation region as well as the
source/drain regions.

25. (Previously presented) The semiconductor device of claim 15, wherein
the gate insulating film is a silicon oxide film.

26. (Previously presented) The semiconductor device of claim 15, wherein the gate insulating film is a silicon oxynitride film.
27. (Previously presented) The semiconductor device of claim 15, wherein the gate electrode has a polysilicon film.
28. (Previously presented) The semiconductor device of claim 15, wherein the gate electrode has a metal film.
29. (Previously presented) The semiconductor device of claim 15, wherein the silicon nitride film is provided so as to cover at least part of at least one of the source/drain regions.
30. (Previously presented) The semiconductor device of claim 15, wherein the silicon nitride film covers at least respective parts of the source/drain regions.
31. (Previously presented) The semiconductor device of claim 15, wherein the silicon nitride film covers at least respective parts of both side surfaces of the gate electrode.
32. (Previously presented) The semiconductor device of claim 15, wherein the MISFET is an nMISFET and the source/drain regions are n-type source/drain regions.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.