

Volume

1

INTERNETWORKING with

TCP/IP

PRINCIPLES, PROTOCOLS, AND ARCHITECTURES

FOURTH EDITION



DOUGLAS E. COMER

Cisco Systems, Inc.

Exhibit 1020

Page 1 of 15

Library of Congress Cataloging-in-Publication Data

Comer, Douglas
Internetworking with TCP/IP / Douglas E. Comer. -- 4th ed.
p. cm.
Includes bibliographical references and index.
ISBN 0-13-018380-6
1. Principles, protocols, and architecture. 2. Client/server
computing. 3. Internetworking (Telecommunications) I. Title

Publisher: *Alan Apt*
Project Manager: *Ana Arias Terry*
Editorial Assistant: *Toni Holm*
Vice-president and director of production and manufacturing, ESM: *David W. Riccardi*
Vice-president and editorial director of ECS: *Marcia Horton*
Executive Managing Editor: *Vince O'Brien*
Managing Editor: *David A. George*
Editorial/production supervision: *Irwin Zucker*
Art Director: *Heather Scott*
Assistant to Art Director: *John Christiana*
Manufacturing Buyer: *Pat Brown*
Marketing manager: *Danny Hoyt*



©2000, 1995 Prentice Hall
Prentice-Hall, Inc.
Upper Saddle River, New Jersey 07458

Prentice Hall books are widely used by corporations and government agencies for training, marketing, and resale. The publisher offers discounts on this book when ordered in bulk quantities. For more information, contact Corporate Sales Department, Phone: 800-382-3419; Fax: 201-236-7141; E-mail: corpsales@prehall.com Or write: Prentice Hall PTR, Corp. Sales Dept., One Lake Street, Upper Saddle River, NJ 07458.

UNIX is a registered trademark of UNIX System Laboratories, Incorporated
proNET-10 is a trademark of Proteon Corporation
LSI 11 is a trademark of Digital Equipment Corporation
Microsoft Windows is a trademark of Microsoft Corporation
EUI-64 is trademark of the Institute of Electrical and Electronics Engineers (IEEE)

All rights reserved. No part of this book may be reproduced, in any form or by any means, without permission in writing from the publisher.

Printed in the United States of America
10 9 8 7 6 5 4

ISBN 0-13-018380-6

Prentice-Hall International (UK) Limited, *London*
Prentice-Hall of Australia Pty. Limited, *Sydney*
Prentice-Hall Canada Inc., *Toronto*
Prentice-Hall Hispanoamericana, S.A., *Mexico*
Prentice-Hall of India Private Limited, *New Delhi*
Prentice-Hall of Japan, Inc., *Tokyo*
Pearson Education Asia Pte Ltd
Editora Prentice-Hall do Brasil, Ltda., *Rio de Janeiro*

Cisco Systems, Inc.
Exhibit 1020
Page 2 of 15

Internetworking With TCP/IP

Vol I:

Principles, Protocols, and Architecture

Fourth Edition

DOUGLAS E. COMER

*Department of Computer Sciences
Purdue University
West Lafayette, IN 47907*

PRENTICE HALL
Upper Saddle River, New Jersey 07458

Cisco Systems, Inc.
Exhibit 1020
Page 3 of 15

28

Applications: World Wide Web (HTTP)

28.1 Introduction

This chapter continues the discussion of applications that use TCP/IP technology by focusing on the application that has had the most impact: the *World Wide Web* (WWW). After a brief overview of concepts, the chapter examines the primary protocol used to transfer a Web page from a server to a Web browser. The discussion covers caching as well as the basic transfer mechanism.

28.2 Importance Of The Web

During the early history of the Internet, FTP data transfers accounted for approximately one third of Internet traffic, more than any other application. From its inception in the early 1990s, however, the Web had a much higher growth rate. By 1995, Web traffic overtook FTP to become the largest consumer of Internet backbone bandwidth, and has remained the leader ever since. By 2000, Web traffic completely overshadowed other applications.

Although traffic is easy to measure and cite, the impact of the Web cannot be understood from such statistics. More people know about and use the Web than any other Internet application. Most companies have Web sites and on-line catalogs; references to the Web appear in advertising. In fact, for many users, the Internet and the Web are indistinguishable.

527

Cisco Systems, Inc.
Exhibit 1020
Page 4 of 15

28.3 Architectural Components

Conceptually, the Web consists of a large set of documents, called *Web pages*, that are accessible over the Internet. Each Web page is classified as a *hypermedia* document. The suffix *media* is used to indicate that a document can contain items other than text (e.g., graphics images); the prefix *hyper* is used because a document can contain *selectable links* that refer to other, related documents.

Two main building blocks are used to implement the Web on top of the global Internet. A *Web browser* consists of an application program that a user invokes to access and display a Web page. The browser becomes a client that contacts the appropriate *Web server* to obtain a copy of the specified page. Because a given server can manage more than one Web page, a browser must specify the exact page when making a request.

The data representation standard used for a Web page depends on its contents. For example, standard graphics representations such as *Graphics Interchange Format (GIF)* or *Joint Picture Encoding Group (JPEG)* can be used for a page that contains a single graphics image. Pages that contain a mixture of text and other items are represented using *HyperText Markup Language (HTML)*. An HTML document consists of a file that contains text along with embedded commands, called *tags*, that give guidelines for display. A tag is enclosed in less-than and greater-than symbols; some tags come in pairs that apply to all items between the pair. For example, the two commands `<CENTER>` and `</CENTER>` cause items between them to be centered in the browser's window.

28.4 Uniform Resource Locators

Each Web page is assigned a unique name that is used to identify it. The name, which is called a *Uniform Resource Locator (URL)*[†], begins with a specification of the *scheme* used to access the item. In effect, the scheme specifies the transfer protocol; the format of the remainder of the URL depends on the scheme. For example, a URL that follows the *http scheme* has the following form[‡]:

`http:// hostname [: port] / path [; parameters] [? query]`

where brackets denote an optional item. For now, it is sufficient to understand that the *hostname* string specifies the domain name or IP address of the computer on which the server for the item operates, *:port* is an optional protocol port number needed only in cases where the server does not use the well-known port (80), *path* is a string that identifies one particular document on the server, *;parameters* is an optional string that specifies additional parameters supplied by the client, and *?query* is an optional string used when the browser sends a question. A user is unlikely to ever see or use the optional parts directly. Instead, URLs that a user enters contain only a *hostname* and *path*. For example, the URL:

[†]A URL is a specific type of the more general *Uniform Resource Identifier (URI)*.

[‡]Some of the literature refers to the initial string, *http:*, as a *pragma*.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.