

(21) Application No 8628367

(22) Date of filing 27 Nov 1986

(71) Applicant  
**The Plessey Company plc**  
  
(Incorporated in United Kingdom)  
  
Vicarage Lane, Ilford, Essex

(72) Inventors  
**Michael Laurence Henning**  
**Christopher Lamb**  
**David Havard**

(74) Agent and/or Address for Service  
**E. Pritchard**  
**The Plessey Company plc,**  
**Intellectual Property Department,**  
**Vicarage Lane, Ilford, Essex**

(51) INT CL<sup>4</sup>  
G01S 3/86 G01H 9/00 G01V 1/36 H04R 1/44

(52) Domestic classification (Edition J):  
G1G 3A 3B 6A 9X ED  
H4D 265 72X 749 751 759 775 776 LOF  
H4J 30H 30N 31J AB  
U1S 1915 2141 G1G H4D H4J

(56) Documents cited  
GB A 2184237 GB 1088469

(58) Field of search  
G1G  
H4J  
Selected US specifications from IPC sub-classes  
G01H G01S G01V H04R

(54) **Acoustic Sensor**

(57) An acoustic sensor comprises a sensor element 1 and a compensation element 4, the two elements having different sensitivities to mechanical loads, such that element 1 is sensitive to ambient pressure changes and element 4 is not, and being positioned together such that they will both be subject to the same spectrum of disturbing phenomena, outputs from the two elements 1, 4 being applied to suitable circuit means to provide an acoustic output signal in which noise due to unwanted vibration effects is substantially reduced.

The sensor element 1 may be an optical fibre core surrounded by a jacket of a plastics material and the compensation element 4 may be a similar core with a rubber jacket. The construction is suitable for a linear or a planar optical fibre sensor array, e.g. hydrophones. Alternative sensor elements may be piezoelectric plastics or ceramic material or ceramic loaded rubber. Application to an optical fibre magnetometer is mentioned.




FIG. 4.

GB 2 197 953

1/2




FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.

2/2




FIG. 6.




FIG. 7.

ACOUSTIC SENSOR

This invention relates to an acoustic sensor. It relates particularly to a sensor construction that can be used to form a linear or a planar arrangement of sensitive pattern and in which the effect of one source of interference with the possible output of the sensor can be reduced.

In many applications of an acoustic sensor, the device is required to detect acoustic signals in an environment where there is a high ambient level of vibration, for example in the presence of machinery noise. One example of this is in the construction of a hydrophone which is intended to be towed behind a marine vessel or to be mounted in a planar arrangement as a flank array on a hull surface of the vessel. The output from such a hydrophone will be heavily influenced by vibration from the vessel's own machinery and this will make it difficult for any weaker signals to be detected. Sometimes it has been proposed that the sensing system which receives signals from the hydrophone will have a built-in capability for cancelling out the unwanted noise. The present invention provides an alternative approach in which the sensor itself has an inherent ability to reject the unwanted noise.

According to the invention, there is provided an acoustic sensor comprising a sensor element and a compensation element, the two elements having different sensitivities and being positioned together such that they will both be subject to the same spectrum of disturbing phenomena, outputs from the two elements being applied to suitable circuit means to provide an acoustic output signal in which noise due to unwanted vibration effects is substantially reduced.

Preferably, the elements comprise similar core constructions which are encapsulated in jacket materials having differing sensitivities to mechanical loads, such that one element is sensitive and the other element is insensitive to ambient pressure changes. The two elements may be located together in an interleaved arrangement whereby they will be subjected to similar acoustic and mechanical stresses when in operation.

The elements may be constructed in linear form such as an optical fibre, a length of piezoelectric plastics material or a piezoelectric rubber strip. Where the final sensor shape is required to be in a planar rather than a linear form, the shape may be formed from a spirally wound or folded arrangement of the linear form.

By way of example, some particular embodiments of the invention will now be described with reference to the

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.