


NUCLEOSIDE PHOSPHoramidate ProDrugs

The essential material for this application, including the background of the invention, the disclosure of the invention, including Preparations and Examples, is incorporated by reference from pending and commonly owned U.S. Provisional application No. 60/909,315, filed March 30, 2007, as well as references cited therein, under the provisions of MPEP 608.01(p).

EXAMPLES

Example numbers **13-55** are prepared using similar procedures described for examples **5-8**, as disclosed in U.S. Provisional application No. 60/909,315. The identification and NMR/MS details are shown below:



Example	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴
13	Ph	H	H	Me	Et
14	1-Naph	H	H	Me	Bn
15	Ph	H	H	H	Me
16	2,4-Cl-Ph	H	H	Me	Me
17	1-Naph	H	H	Me	Me
18	Ph	*	H	*	Me
19	Ph	H	H	Me	n-Bu
20	Ph	H	H	Me	Bn
21	4-F-Ph	H	H	Me	Me
22	4-Cl-Ph	H	H	Me	Me
23	3,4-Cl-Ph	H	H	Me	Me
24	Ph	H	H	Me	2-Bu
25	Ph	H	H	Me	i-Pr
26	4-MeO-Ph	H	H	Me	n-Bu
27	4-F-Ph	H	H	Me	Et
28	4-F-Ph	H	H	Me	i-Pr
29	4-F-Ph	H	H	Me	Bn
30	4-MeO-Ph	H	H	Me	i-Pr
31	2-Cl-Ph	H	H	Me	Bn
32	2,4-Cl-Ph	H	H	Me	n-Bu
33	4-Me-Ph	H	H	Me	i-Pr
34	4-F-Ph	H	H	Me	n-Bu
35	3,4-diCl-Ph	H	H	Me	Et
36	2-Cl-Ph	H	H	Me	i-Pr
37	4-MeO-Ph	H	H	Me	Bn
38	Ph	H	H	Me	n-Pen

Example	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴
39	4-Cl-Ph	H	H	Me	i-Pr
40	4-Cl-Ph	H	H	Me	n-Bu
41	4-Cl-Ph	H	H	Me	Et
42	4-Me-Ph	H	H	Me	n-Bu
43	4-Me-Phe	H	H	Me	Bn
44	Ph	H	H	Et	Me
45	Ph	H	H	Me	4-F-Bn
46	4-Cl-Ph	H	H	Me	n-Bu
47	Ph	H	H	Me	3-Me-1-Bu
48	3,4-diCl-Ph	H	H	Me	Bn
49	Ph	H	H	Me	c-Hex
50	Ph	H	Me	H	n-Bu
51	Ph	H	Me	H	i-Pr
52	Ph	H	Me	H	Bn
53	2-Cl-Ph	H	H	Me	n-Bu
54	4-Br-Ph	H	H	Me	i-Pr

*R² and R^{3b} together are -(CH₂)₃- as derived from L-proline

Example	NMR/MS
13	¹ H NMR (DMSO-d ₆) δ 1.12-1.16 (m, 3H), 1.20-1.28(m,6H), 3.70-3.90 (m, 2H), 4.00-4.08 (m, 3H), 4.18-4.45 (m, 2H), 5.52-5.58 (m, 1H), 5.85-5.98 (m, 1H), 6.00-6.20 (m, 2H), 7.16-7.23 (m, 3H), 7.37-7.40 (m, 2H) , 7.54-7.60 (m, 1H), 11.54 (s.1H) ; MS, m/e 516.1 (M+1)+
14	¹ H NMR (DMSO-d ₆) δ 1.18-1.30 (m, 6H), 3.78-4.10 (m, 3H), 4.38-4.49 (m, 2H), 4.99-5.11 (m, 2H), 5.28-5.40 (m, 1H), 5.85-6.10 (m, 2H), 6.30-6.41 (m, 1H), 7.28-7.32 (m, 5H), 7.41-7.60 (m, 5H), 7.73-7.76(m, 1H) , 7.94-8.11(m, 1H) , 8.13-8.15(m, 1H) , 11.50 (s.1H) ; MS, m/e 628.4 (M+1)+
15	¹ H NMR (DMSO-d ₆) δ 1.22 (d, J=22.4 Hz, 3H), 3.59(s, 3H), 3.63-3.69 (m, 2H), 3.74-3.8(m, 1H), 4.02(d, J=11.2 Hz, 1H), 4.23-4.28(m, 1H), 4.40-4.43 (m, 1H), 5.57-5.60 (m, 1H), 5.89(d, J=6.8 Hz, 1H), 6.00-6.06(m, 2H), 7.15-7.23 (m, 3H), 7.35-7.39 (m, 2H),7.52(d, J=8 Hz, 1H), 11.52(s, 1H) ; MS, m/e 487.97 (M+1)+
16	¹ H NMR (DMSO-d ₆) δ 1.22-1.28 (m, 6H), 3.57-3.60 (m, 3H), 3.84-3.92 (m, 2H), 4.00-4.04 (m, 1H), 4.31-4.44 (m, 2H), 5.54-5.61 (m, 1H), 5.85-6.10 (m, 2H), 6.32-6.43 (m, 1H), 7.44-7.54 (m, 3H), 7.72-7.75 (m, 1H), 11.54 (s.1H) ; MS, m/e 570.2 (M+1)+
17	¹ H NMR (DMSO-d ₆) δ 1.15-1.27 (m, 6H), 3.51-3.55 (d, 3H), 3.85-3.96 (m, 2H), 4.00-4.10(m, 1H), 4.30-4.46 (m, 2H), 5.31-5.39 (m, 1H), 5.89-6.05 (m, 2H), 6.22-6.34 (m, 1H), 7.44-7.60 (m, 5H), 7.73-7.77 (m, 1H), 7.93-7.96 (m, 1H), 8.12-8.14 (m, 1H),11.50(s.1H) ; MS, m/e 552.1 (M+1)+
18	¹ H NMR (DMSO-d ₆) δ 1.19 (d, J=22.8 Hz, 3H), 1.69-1.84 (m, 3H), 1.99-2.04 (m, 1H), 3.16-3.21 (m, 2H), 3.58 (s, 3H), 3.68-3.8 (m, 1H), 4.00 (m, 1H), 4.01-4.13 (m, 1H), 4.22-4.25 (m, 1 H), 4.5 (d, J = 11.2 Hz, 1H), 5.54 (d, J = 8.0 Hz, 1H), 5.86 (s, 1H), 5.6 (d, J = 19.6 Hz, 1H), 7.15-7.2 (m, 3H), 7.34 (t, J = 8.0 Hz, 2H), 7.51 (d, J = 8.0 Hz, 1H), 11.38 (s, 1H) ; MS, m/e 527.93(M+1)+

Example	NMR/MS
19	¹ H NMR (DMSO-d ₆) δ 0.80-0.90 (m, 3H), 1.20-1.35 (m, 8H), 1.48-1.55 (m, 2H), 3.78-3.88 (m, 2H), 3.95-4.08 (m, 3H), 4.22-4.45 (m, 2H), 5.55-5.57(t, 1H), 5.85-6.18 (m, 3H), 7.14-7.23 (m, 3H), 7.35-7.40 (m, 2H), 7.51-7.60 (d, 1H), 11.50 (s.1H) ; MS, m/e 544.2 (M+1) ⁺
20	¹ H NMR (DMSO-d ₆) δ 1.20-1.30 (m, 6H), 3.72-4.05 (m, 3H), 4.23-4.27 (m, 1H), 4.32-4.45 (m, 1H), 5.07-5.10(t, 2H), 5.52-5.56(t, 1H), 5.86-6.10 (m, 2H), 6.13-6.21(m,1H), 7.15-7.21 (m, 3H), 7.29-7.40 (m, 7H), 7.51-7.56 (d, 1H), 11.50 (s.1H) ; MS, m/e 578.2 (M+1) ⁺
21	¹ H NMR (DMSO-d ₆) δ 1.28-1.34 (m, 6H), 3.65(d, J= 4 Hz, 3H), 3.85-3.96 (m, 2H), 4.06-4.12 (m, 1H), 4.30-4.34 (m,1H), 4.40-4.47 (m, 1H), 5.62-5.67 (m, 1H), 5.94-6.01(m, 1H), 6.09 (d, J=18.8 Hz, 1H), 6.17-6.26 (m, 1H), 7.27-7.33(m, 4H), 7.62 (d, J = 7.6 Hz, 1H), 11.61 (s, 1H) ; MS, m/e 519.94(M+1) ⁺
22	¹ H NMR (DMSO-d ₆) δ 1.22-1.28 (m, 6H), 3.58 (d, 2H), 3.70-3.95(m,2H), 3.95-4.08 (m,1H), 4.23-4.45 (m, 2H), 5.55-5.61(t, 1H), 5.85-6.10 (m, 2H), 6.15-6.23(m,1H), 7.20-7.26 (m, 2H), 7.43-7.46 (m, 2H), 7.54-7.57 (d, 1H), 11.50 (s.1H) ; MS, m/e 536.1 (M+1) ⁺
23	¹ H NMR (DMSO-d ₆) δ 1.13 (m, 6H), 3.49 (s, 3H), 3.61-3.85 (m, 2H), 3.90-3.93 (m, 1H), 4.16-4.22 (m, 1H), 4.27-4.31 (m, 1H), 5.47-5.52 (m, 1H), 5.82 (d, J = 11.6 Hz, 1H), 5.93(d, J = 19.2 Hz, 1H), 6.15-6.25 (m, 1H), 7.13 (t, J = 9.6 Hz, 1H), 7.43 (d, J = 12Hz, 2H), 7.57 (d, J = 6.0 Hz, 1H), 11.43(s, 1H) ; MS, m/e 569.85 (M+1) ⁺
24	¹ H NMR (DMSO-d ₆) δ 0.83 (d, J = 6.8 Hz, 6H), 1.20-1.26 (m, 6H), 1.79-1.86 (m, 1H), 3.73-3.90 (m, 4H), 4.01 (t, J = 11.2 Hz, 1H), 4.21-4.28 (m, 1H), 4.33-4.42 (m, 1H), 5.54 (t, J = 7.6 Hz, 1H), 5.85-5.92 (m, 1H), 5.99-6.13 (m, 2H), 7.19 (t, J = 8 Hz, 3H), 7.36 (t, J = 7.6 Hz, 2H), 7.53 (d, J = 7.6 Hz, 1H), 11.52 (s, 1H) ; MS, m/e 544.00 (M+1) ⁺
25	¹ H NMR (DMSO-d ₆) δ 1.13-1.28 (m, 12H), 3.74-3.81 (m, 2H), 3.95-4.08 (m,1H), 4.20-4.45 (m, 2H), 4.83-4.87 (m, 1H), 5.52-5.58 (m, 1H), 5.84-6.15 (m, 3H), 7.17-7.23 (m, 3H), 7.35-7.39 (m, 2H), 7.54-7.57 (m, 1H), 11.50 (s.1H) ; MS, m/e 530.2 (M+1) ⁺
26	¹ H NMR (400MHz, DMSO): δ =0.78-0.82 (m, 3H), 1.29-1.47 (m, 8H), 1.49-1.54 (m, 2H), 3.66-3.87 (m, 5H), 3.96-4.02 (m, 3H), 4.21-4.39 (m, 2H), 5.57 (t, J= 12.0Hz, 1H), 5.84-6.05 (m, 3H), 6.90 (dd, J1 =8.0Hz, J2=4.0Hz, 2H), 7.09-7.14 (dd, J1=16.0Hz, J2=4.0Hz, 2H), 7.55 (d, J =8.0Hz, 1H), 11.48-11.62 (s, 1H)
27	¹ H NMR (DMSO-d ₆) δ 1.12-1.28 (m, 9H), 3.72-3.94(m,2H), 3.98-4.10 (m,3H), 4.21-4.42(m,2H), 5.55-5.61 (t, 1H), 5.85-6.20 (m, 3H), 7.18-7.25 (m,4H), 7.55-7.58 (d, 1H), 11.50 (s.1H) ; MS, m/e 533.90 (M+1) ⁺
28	¹ H NMR (DMSO-d ₆) δ 1.13-1.30 (m, 12H), 3.74-3.85(m,2H), 3.98-4.06 (m,1H), 4.23-4.41(m,2H), 4.83-4.87 (m, 1H), 5.55-5.61 (t, 1H), 5.85-6.12 (m, 3H), 7.18-7.24 (m,4H), 7.55-7.58 (d, 1H), 11.50 (s.1H) ; MS, m/e 547.91 (M+1) ⁺
29	¹ H NMR (DMSO-d ₆) δ 1.10-1.23 (m, 6H), 3.65-3.89(m,3H), 4.10-4.30 (m,2H), 4.96-5.00(m,2H), 5.46-5.50 (t, 1H), 5.75-5.96 (m, 2H), 6.04-6.12(m,1H), 7.05-7.11 (m,4H), 7.20-7.24 (d, 5H), 7.42-7.45(d,1H), 11.50 (s.1H) ; MS, m/e 595.94 (M+1) ⁺

Example	NMR/MS
30	¹ H NMR (400MHz, DMSO): δ=1.15-1.27 (m, 12H), 3.71-3.89 (m, 5H), 3.98-4.02 (m, 1H), 4.22-4.25 (m, 1H), 4.33-4.39 (m, 1H), 4.84-4.87 (m, 1H), 5.57 (t, J= 12.0Hz, 1H), 5.91-6.03 (m, 3H), 6.90 (d, J= 8.0Hz, 2H), 7.09-7.14 (m, 2H), 7.55 (d, J= 8.0Hz, 1H), 11.51 (s, 1H)
31	¹ H NMR (DMSO-d ₆) δ 1.23 (m, 6 H), 3.93-4.00 (m, 3 H), 4.27-4.40 (m, 2H), 5.0(t, J= 7.2 Hz, 2 H), 5.53 (m, 1 H), 5.80-6.0(m, 2 H), 6.30(m, 1H), 7.15 (d, J= 2.4 Hz, 1 H), 7.27 (m, 6 H), 7.51 (m, 3 H), 11.5 (s, 1 H) ; MS, m/e 579.87(M+1)+ / 596.78 (M+18)+
32	¹ H NMR (DMSO-d ₆) δ=0.82 (m, 3 H),1.23 (m, 8 H) , 1.47 (m, 2 H), 3.86 (m, 2 H), 3.84 (m, 3 H),4.27-4.43 (m, 2H), 5.5 (m, 1 H), 6.02 (m, 2 H), 6.35(m, 1H), 7.44 (m, 3 H), 7.77 (m, 1 H), 11.5 (s, 1 H) ; MS, m/e 611.87(M+1)+
33	¹ H NMR (DMSO-d ₆) δ 1.14-1.27 (m, 12H), 2.17-2.26 (m, 3H), 3.73-3.82 (m, 1H), 3.99-4.02 (m, 1H), 4.23-4.26 (m, 1H), 4.37-4.40 (m, 1H), 4.82-4.88 (m, 1H), 5.52-5.58 (m, 1H), 5.85-6.07 (m, 3H), 7.01-7.20 (m, 4H), 7.55 (d, J = 16Hz, 1H), 11.51 (s, 1H) ; MS, m/e 543.98 (M+1)+; 1108.86 (2M+23)+
34	¹ H NMR (DMSO-d ₆) δ 0.82-0.89 (m,3H), 1.20-1.31 (m, 8H), 1.48-1.53 (m,2H), 3.77-3.90 (m,2H) ,3.95-4.10 (m,3H), 4.21-4.45(m,2H), 5.56-5.61 (t, 1H), 5.83-6.20 (m, 3H), 7.18-7.25 (m,4H), 7.55-7.58 (d, 1H), 11.50 (s,1H) ; MS, m/e 584.1 (M+23)+
35	¹ H NMR (DMSO-d ₆) δ 1.12-1.31 (m, 9H), 3.77-3.92 (m,2H), 3.95-4.08 (m,3H), 4.21-4.45(m,2H), 5.56-5.62 (t, 1H), 5.80-6.11 (m, 2H), 6.18-6.33(m,1H), 7.18-7.25 (m,1H), 7.49-7.56 (d, 2H), 7.62-7.67(m,1H), 11.50 (s,1H) ; MS, m/e 606.1 (M+23)+
36	¹ H NMR (400MHz, DMSO): δ =1.12-1.16 (m, 6H), 1.21-1.27 (m, 6H), 3.79-3.85 (m, 2H), 4.00-4.07 (m, 1H), 4.28-4.32 (m, 1H), 4.38-4.43 (m, 1H), 4.83-4.87 (m, 1H), 5.56 (dd, J ₁ =16.0Hz, J ₂ =8.0Hz, 1H), 5.85-6.12 (m, 2H), 6.20-6.33 (m, 1H), 7.19-7.22 (m, 1H), 7.33 (t, J= 16.0Hz, 1H), 7.48-7.55 (m, 3H), 11.55 (s, 1H)
37	¹ H NMR(400MHz,DMSO): δ=1.19-1.26 (m, 6H), 3.69-3.70 (s, 3H), 3.87 (m, 2H), 3.99 (m, 1H), 4.20-4.21 (m, 1H), 4.35 (m, 1H), 5.07-5.09 (m, 2H), 5.54 (t, J = 16.0Hz, 1H), 5.85-5.92 (m, 1H), 6.04-6.10 (m, 2H), 6.86 (d, J= 8.0Hz, 2H), 7.09 (dd, J ₁ =16.0Hz, J ₂ =4.0Hz, 2H), 7.30-7.34 (m, 5H), 7.53 (s, 1H), 11.52 (s, 1H)
38	¹ H NMR (DMSO-d ₆) δ 0.79-0.81 (m, 3H), 1.17-1.23 (m, 10H), 3.74-3.81 (m, 2H), 3.94-3.96 (m, 3H), 4.19-4.36 (m, 2H), 5.49-5.54 (m, 1H), 5.87-6.08 (m,3H), 7.14-7.33 (m, 3H), 7.31-7.35 (m, 2H), 7.51 (d, J = 8Hz, 1H), 11.51 (s, 1H) ; MS, m/e 557.9 (M+1)+; 1136.88 (2M+23)+
39	¹ H NMR (DMSO-d ₆) δ 1.04-1.19 (m, 12H), 3.76-3.80 (m, 2H), 3.98-4.08 (m, 1H), 4.42-4.42 (m, 2H), 4.82-4.85 (m, 1H), 5.55-5.60 (m, 1H), 5.80-6.20 (m,3H),7.20-7.25(m, 2H), 7.43 (d, J = 8.8Hz, 1H), 7.54 (d, J = 8Hz, 1H), 11.51 (s, 1H) ; MS, m/e 563.88 (M+1)+; 1148.73 (2M+23)+

Example	NMR/MS
40	¹ H NMR (DMSO-d ₆) δ 0.85 (t, J = 7.2 Hz, 3H), 1.22-1.33 (m, 8H), 1.45-1.53 (m, 2H), 3.80-3.87 (m, 2H), 3.96-4.04 (m, 3H), 4.24-4.27 (m, 1H), 4.35-4.39 (m, 1H), 5.56-5.61 (m, 1H), 5.82-6.11 (m, 2H), 6.15-6.18 (m, 1H), 7.20-7.56 (m, 4H), 7.51-7.57 (m, 1H), 11.54 (s, 1H); MS, m/e 577.95(M+1) ⁺
41	¹ H NMR (DMSO-d ₆) δ 1.14 (t, J = 7.0 Hz, 3H), 1.20-1.28 (m, 6H), 3.77-3.88 (m, 2H), 3.99-4.07 (m, 3H), 4.24-4.28 (m, 1H), 4.34-4.43 (m, 1H), 5.56-5.61 (m, 1H), 5.86-6.13 (m, 2H), 6.15-6.24 (m, 1H), 7.20-7.26 (m, 2H), 7.44 (d, J = 7.6 Hz, 2H), 7.55 (d, J = 7.6 Hz, 1H), 11.55 (s, 1H); MS, m/e 549.11(M+1) ⁺
42	¹ H NMR (DMSO-d ₆) δ 0.79-0.83 (m, 3H), 1.17-1.28 (m, 8H), 1.45-1.47 (m, 2H), 2.22 (d, J = 2.8 Hz, 1H), 3.70-3.90 (m, 2H), 3.95-3.98 (m, 3H), 4.10-4.40 (m, 2H), 5.51 (t, 1H), 5.80-5.90 (m, 1H), 5.95-6.05 (m, 2H), 7.02-7.06 (m, 2H), 7.51 (t, J = 4.2 Hz, 4H), 7.51 (d, 1H), 11.51 (s, 1H); MS, m/e 557.99(M+1) ⁺ ; 1136.84(2M+23) ⁺
43	¹ H NMR (DMSO-d ₆) δ 1.16-1.24 (m, 6H), 2.22 (s, 3H), 3.65-4.03 (m, 3H), 4.11-4.38 (m, 2H), 5.04-5.05 (m, 2H), 5.48-5.50 (m, 1H), 5.77-5.87 (m, 1H), 5.90-6.11 (m, 2H), 6.98-7.10 (m, 4H), 7.28-7.32 (m, 5H), 7.50 (t, 1H), 11.48 (s, 1H); MS, m/e 592.00 (M+1) ⁺ .
44	¹ H NMR (DMSO-d ₆) δ 0.70-0.80 (m, 3H), 1.11-1.26 (m, 3H), 1.42-1.61 (m, 2H), 3.50-3.54 (m, 3H), 3.58-3.80 (m, 2H), 3.91-4.02 (m, 1H), 4.12-4.38 (m, 2H), 5.47-5.52 (m, 1H), 5.90-6.03 (m, 2H), 7.08-7.16 (m, 3H), 7.26-7.35 (m, 2H), 7.48 (t, 1H), 11.45 (s, 1H); MS, m/e 515.95 (M+1) ⁺ ; 1052.82 (2M+23) ⁺
45	¹ H NMR (400 MHz, DMSO): δ 1.20-1.26 (m, 6H), 3.80-3.93 (m, 2H), 3.98 (s, 1H), 4.25-4.26 (m, 1H), 4.36-4.37 (m, 1H), 5.07 (s, 2H), 5.52-5.55 (m, 1H), 5.86-5.87 (m, 1H), 5.98-6.04 (m, 1H), 6.14-6.17 (m, 1H), 7.15-7.20 (m, 5H), 7.36 (dd, J = 20.0, 8.0 Hz, 4H), 7.54 (s, 1H), 11.55 (s, 1H)
46	¹ H NMR (400 MHz, DMSO): δ 1.21-1.28 (m, 6H), 3.71-3.88 (m, 1H), 3.91-3.98 (m, 1H), 4.00-4.01 (m, 1H), 4.23-4.27 (m, 1H), 4.35-4.38 (m, 1H), 5.08 (d, J = 4.0 Hz, 2H), 5.57 (dd, J = 12.0, 8.0 Hz, 1H), 5.91 (d, J = 8.0 Hz, 1H), 6.01 (d, J = 8.0 Hz, 1H), 6.22-6.24 (m, 1H), 7.17-7.23 (m, 2H), 7.31-7.40 (m, 7H), 7.53 (s, 1H), 11.50 (s, 1H)
47	¹ H NMR (DMSO-d ₆) δ 0.80-0.82 (m, 6H), 1.18-1.40 (m, 8H), 1.50-1.58 (m, 1H), 3.71-3.82 (m, 3H), 3.97-3.4.01 (m, 3H), 4.21-4.40 (m, 2H), 5.30 (t, J = 8.6 Hz, 1H), 5.81-6.10 (m, 3H), 7.15-7.20 (m, 3H), 7.32-7.36 (m, 2H), 7.48 (d, J = 8.4 Hz, 1H), 11.38 (s, 1H); MS, m/e 557.98 (M+1) ⁺ ; 1136.88 (2M+23) ⁺
48	¹ H NMR (DMSO-d ₆) δ 1.05-1.37 (m, 6H), 3.71-3.82 (m, 1H), 3.87-4.02 (m, 2H), 4.28-4.29 (m, 1H), 4.36-4.38 (m, 1H), 5.04 (d, J = 5.2 Hz, 2H), 5.55-5.64 (m, 1H), 5.85-5.94 (m, 1H), 6.00-6.05 (m, 1H), 6.29-6.40 (m, 1H), 7.17-7.24 (m, 1H), 7.30-7.41 (m, 5H), 7.45-7.58 (m, 2H), 7.61 (d, J = 4.0 Hz, 1H), 11.53 (s, 1H); MS, m/e 545.80(M+1) ⁺ ;

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.