

OXFORD DICTIONARY OF

Biochemistry and Molecular Biology

REVISED EDITION

Managing Editor

Professor R. Cammack King's College London

General Editors

Professor T.K. Attwood University of Manchester

Professor P.N. Campbell University College London

Dr J.H. Parish University of Leeds

Dr A.D. Smith University College London

Dr J.L. Stirling King's College London

Professor F. Vella University of Saskatchewan

OXFORD
UNIVERSITY PRESS

Gilead 2013
I-MAK v. Gilead
IPR2018-00125

Editors

Teresa K. Attwood Professor of Bioinformatics,
Faculty of Life Sciences & School of Computer Science,
University of Manchester

Richard Cammack (Managing Editor) Professor of
Biochemistry, King's College London

Peter N. Campbell (deceased) Emeritus Professor of
Biochemistry and Honorary Research Fellow,
University College London

J. Howard Parish Life Fellow, University of Leeds

Anthony D. Smith Emeritus Reader in Biochemistry,
University College London

John L. Stirling Senior Lecture in Molecular Genetics,
King's College London

Francis Vella Former Professor of Biochemistry,
Faculty of Medicine, University of Saskatchewan,
Saskatoon, Canada

OXFORD DICTIONARY OF
**Biochemistry and
Molecular Biology**

OXFORD
UNIVERSITY PRESS

Great Clarendon Street, Oxford OX2 6DP

Oxford University Press is a department of the University of Oxford.
It furthers the University's objective of excellence in research, scholarship,
and education by publishing worldwide in

Oxford New York

Auckland Cape Town Dar es Salaam Hong Kong Karachi
Kuala Lumpur Madrid Melbourne Mexico City Nairobi
New Delhi Shanghai Taipei Toronto

With offices in

Argentina Austria Brazil Chile Czech Republic France Greece
Guatemala Hungary Italy Japan Poland Portugal Singapore
South Korea Switzerland Thailand Turkey Ukraine Vietnam

Oxford is a registered trade mark of Oxford University Press
in the UK and in certain other countries

Published in the United States
by Oxford University Press Inc., New York

© The General Editors. 1997, 2000, 2006

The moral rights of the authors have been asserted
Database right Oxford University Press (maker)

First edition published 1997
Revised edition 2000
Reprinted 2001, 2003
Second edition published 2006

All rights reserved. No part of this publication may be reproduced,
stored in a retrieval system, or transmitted, in any form or by any means,
without the prior permission in writing of Oxford University Press,
or as expressly permitted by law, or under terms agreed with the appropriate
reprographics rights organization. Enquiries concerning reproduction
outside the scope of the above should be sent to the Rights Department,
Oxford University Press, at the address above

You must not circulate this book in any other binding or cover
and you must impose the same condition on any acquirer

British Library Cataloguing in Publication Data
Data available

Library of Congress Cataloging in Publication Data
Data available

Typeset by Market House Books Ltd.
Printed on acid-free paper

ISBN 0-19-852917-1 978-0-19-852917-0

10 9 8 7 6 5 4 3 2 1


chenodeoxycholate

strate to an enzyme by 50%, to the dissociation constant, K_i , of the enzyme-inhibitor complex; it is:

$$I_{50} = K_i (1 + S/K_m),$$

where S is the substrate concentration and K_m the Michaelis constant for the enzyme-substrate complex.


chenodeoxycholate or **chenodiol** the anion of (3 α ,5 β ,7 α)-3,7-dihydroxycholan-24-oic acid; a major component of bile in some species (hens, geese) but a minor component in humans. It is used therapeutically to decrease the synthesis of cholesterol and to help dissolve cholesterol gallstones.



Cherenkov counter or **Cerenkov counter** a device for counting charged particles, or radionuclides emitting them, that depends on **Cherenkov radiation**.

Cherenkov radiation or **Cerenkov radiation** a radiation of bluish light, consisting of photons, emitted when charged particles, especially high-energy beta particles, pass through either a solid or liquid medium at velocities greater than that at which light passes through the same medium. The effect is analogous to the creation of a sonic boom that occurs when an object exceeds the speed of sound in a medium. [After Pavel Alekseyevich Cherenkov (1904–1990), Russian-born Soviet physicist.]

Ches *abbr.* for 2-(cyclohexylamino)ethanesulfonic acid; a compound with similar properties to a **Good buffer substance**; pK_a (25°C) = 9.3.



chewing gum *see* **chicle**.

chi *symbol:* χ (lower case) or X (upper case); the twenty-second letter of the Greek alphabet. For uses *see* **Appendix A**.

chiasma (*pl.* **chiasmata**) **1** (*in genetics*) a connection formed between **chromatids**, visible during **meiosis**, thought to be the point of the interchange involved in crossing-over. **2** (*or (esp. US) chiasm* (*pl.* **chiasm**s)) (*in anatomy*) a decussation or intersection, as of two nerves; e.g. optic chiasma.

chicle a mixture of *cis*- and *trans*-1,4-polyprenoids obtained from the evergreen tree, *Achras sapota*; the original chewing gum base.

Chico an insulin receptor phosphatidylinositol 3-kinase and then protein kinase B and protein synthesis. A mutation of the corresponding gene results in fruit flies less than half the normal size.

chimera or (*esp. Brit.*) **chimaera** (*in genetics*) an organism comprising tissues of two or more **genotypes**. Chimeras can occur as a result of mutation, abnormal distribution of chromosomes, grafting, or genetic manipulation. For example, a chimera can be created by mixing the cells from embryos of two different animal species at the blastocyst stage of development and implanting the chimeric embryo in a surrogate mother to continue development. When the species are sheep and goats, the resulting chimeric progeny are called 'geep', or 'shoats'. Alternatively, in mice, genetically manipulated mouse embryonic stem (ES) cells are injected into the blastocoe of a blastocyst. Later stages of development are completed in the reproductive tract of a surrogate mother to produce chimeric mice. These are readily identified if the strain from which the ES

chi sequence

cells are derived has a different coat colour from that of the strain producing the blastocyst. Production of chimeras is a step in the generation of mice carrying gene knockouts produced by homologous recombination in ES cells. *See* **mosaic**, **transgenic**, **chimeric molecule**. —**chimeric** or **chimaeric** *adj.*

chimeraplast any RNA-DNA chimeric oligonucleotide used to induce base pair conversions at the genomic level and used in gene repair strategies for gene therapy. —**chimeraplastic** *adj.*

chimeric molecule **1** any of the hybrid DNA molecules formed when DNAs from different sources are digested with the same **restriction endonuclease** and the digests are mixed. The DNA fragments in the mixture become associated by hydrogen bonds between complementary sequences to form new arrangements, which may be converted into covalently linked molecules by the action of DNA ligase. This process can produce **chimeric plasmids** and other chimeric structures. **2** a **chimeric protein** (*or* **fusion protein**) is a protein obtained by the insertion or substitution of a partial sequence from one protein into another, typically using cDNA technology. The resultant protein thus has elements of both the original proteins. Such proteins frequently form naturally as a result of chromosomal translocations during neoplastic transformation. *See* **acute myeloid leukemia**. **3** a recombinant antibody that has, e.g., structural characteristics of both human and mouse antibodies.

chimerin any of several related proteins that function as GTPase-activating proteins, specific for the p21 Ras-related Rac GTPase. They include n-chimerin, and α - and β -chimerins. n-Chimerin is a cerebellar protein, and β -chimerin is expressed in testis. They are phorbol ester receptors, with an N-terminal domain similar to the zinc-finger region of protein kinase C, and a C-terminal domain similar to the product of **BCR**. Through their action on Rac, they lead to changes in cytoskeletal organization.

chimyl alcohol glycerol 1-hexadecyl ether, (+)-3-(hexadecyloxy)-1,2-propanediol; a hydrolysis product of **ether lipids**.

Chinese restaurant syndrome *see* **monosodium glutamate**.

CHIP *abbr.* for chromatin immunoprecipitation.

CHIP 28 *abbr.* for channel-forming integral membrane protein 28; *also called* AQP 1 (*see* **aquaporin**).

chiral describing a chemical compound that displays **chirality**.

chiral drug a single pure enantiomer of a specified drug rather than the racemate; the enantiomers may have very different pharmacological effects, e.g. in the case of propoxyphene and levopropoxyphene.

chirality topological handedness; the property of nonidentity of an object with its mirror image. A chiral chemical compound, i.e. one that possesses chirality, is one that cannot be superimposed on its mirror image, either as a result of simple reflection or after rotation and reflection. If superposition can be achieved then the molecule is said to be **achiral**. Chirality is most commonly due to the presence of one or more **chiral centres** (formerly referred to as asymmetric carbon atoms) or the presence of a **chiral axis** (as in allene structures, some of which are found in natural products). Rarely, chirality may also result from the presence of a chiral plane. *See also* **prochiral**. [From Greek *kheir*, hand.]

chiral methyl a carbon atom carrying the three hydrogen isotopes, i.e. $-C^1H^2H^3H$.

chiral recognition the differentiation of the enantiomers of a compound. This can be achieved by living organisms, chiral molecules, enzymes, drug receptors, etc.

chiroid (*rare*) any molecule that has **chirality**.

chiroptical describing any of the phenomena that depend on the ability of chiral and other intrinsically asymmetric molecules to rotate the plane of polarized light, known collectively as **optical activity**. Such phenomena include **optical rotation**, **optical rotatory dispersion**, and **circular dichroism**. The term is also applied to any of the techniques used for investigating these phenomena.

chi sequence or **chi site** a sequence of base pairs first discovered in a phage lambda mutant, called *chi*. These mutants were found to have single base pair changes creating sites that stimulate **recombination**. Characteristic of chi sites is a nonsymmetrical sequence of eight base pairs, consensus sequence:



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.