




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁵ : G06F 9/46</p>	<p>A1</p>	<p>(11) International Publication Number: WO 94/11814 (43) International Publication Date: 26 May 1994 (26.05.94)</p>
<p>(21) International Application Number: PCT/GB93/02315 (22) International Filing Date: 10 November 1993 (10.11.93) (30) Priority data: 9223521.7 10 November 1992 (10.11.92) GB (71) Applicant (for all designated States except US): INTERNATIONAL BUSINESS MACHINES CORPORATION [US/US]; Armonk, NY 10504 (US). (72) Inventors; and (75) Inventors/Applicants (for US only) : ALDRED, Barry, Keith [GB/GB]; Dolphins, Malmesbury Gardens, Winchester, Hampshire SO22 5LE (GB). BONSALL, Gordon, William [GB/GB]; 2 Court Road, Kings Worthy, Winchester, Hampshire SO23 7QJ (GB). LAMBERT, Howard [GB/GB]; 22 Nordik Gardens, Hedge End, Southampton, Hampshire SO3 4LQ (GB). MITCHELL, Harry, Davidd [GB/GB]; 18 The Hermitage, Richmond Upon Thames, Surrey TW10 6SH (GB).</p>		<p>(74) Agent: BURT, Roger, James; IBM United Kingdom Limited, Intellectual Property Department, Hursley Park, Winchester, Hampshire SO21 2JN (GB). (81) Designated States: JP, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>

(54) Title: COLLABORATIVE WORKING IN A NETWORK



(57) Abstract

A programmable workstation for collaborative working in a network comprises a conventional operating system and a network control program layer. Additionally, the workstation includes a collaborative application support subsystem for interfacing with application programs. The subsystem is responsive to predetermined application program calls to create a logical network model of a collaborative environment. The model comprises sharing sets of application programs, which share data and resources across nodes and logical dedicated data channels connecting members of the sharing set. The subsystem cooperates with the network layer to establish the physical links necessary to implement the model in a physical network, transparently to the application program.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RQ	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LJ	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Viet Nam
GA	Gabon				

COLLABORATIVE WORKING IN A NETWORK

DESCRIPTION

This invention relates to collaborative working in a network and more specifically to a programmable workstation and a method for use in such a collaborative working environment.

Background of the Invention

Personal computers are now widespread throughout the business community and many are able to intercommunicate, either through fixed connections e.g. local area networks, or through dynamically established links e.g. ISDN or async lines over the public switched telephone network. Increasingly, these connected personal computers can be used to enhance collaborative working between remote individuals; a typical example being the use of desk top conferencing software. Successful collaborative work generally requires more than a simple data link between the participants; voice capabilities are normally essential and video links are frequently required. Thus remote collaborative working can often be regarded as an extension to the traditional telephone call - it being enhanced with the data and programs available at the desktop via the personal computer - and, on occasions, enriched with video services.

A broad spectrum of collaborative applications can be envisaged, ranging from utilities taking advantage of the data and applications on a workstation, e.g. sharing of screen windows and files, through to new collaborative applications designed to meet the needs of specific classes of remote user e.g. just-in-time education, remote presentations, executive broadcasts or help desk. The common requirements behind these examples are:

- o the support of a wide variety of personal computer platforms - both hardware and software.
- o operation over the existing communication networks.
- o group communications and multi-media data services.

Although desk top conferencing systems employing multi-media devices and communications channels exist, generally they are provided with a fixed set of system software and utility applications which is insufficiently

SUBSTITUTE SHEET

flexible to meet the needs of all potential applications.

Accordingly the present invention provides a programmable workstation for collaborative working in a network of workstations forming the nodes of the network, the network being connected by physical links for the transmission of data between nodes;

the workstation comprising an operating system;

a network control program layer, running on the operating system, for controlling physical routing of multi-media data between nodes; and

a collaborative application support program layer for interfacing with application programs running on the workstation and responsive to predetermined application program calls to create a logical network model of a collaborative environment comprising sharing sets of application programs, which share data and resources within and across nodes, and logical dedicated data channels connecting members of a sharing set of application programs, each data channel being defined by a sending port and a receiving port each associated with an application program, the collaborative application support program layer being adapted to cooperate with the network control program layer to establish the physical links necessary to implement the logical network model in a physical network, transparently to the application programs.

According to another aspect, the invention also provides A method in which, in response to a predetermined program call by a first application program through which data is being transferred, via receiving and sending ports of the first application, between two other applications, the receiving port of the first application is reversibly directly connected to its sending port so that the data transfer bypasses the first application programs.

The invention will now be described by way of example only with reference to Figures 1-25 of the accompanying drawings.

Detailed Description of the Invention

In Figure 1 are shown two programmable workstations 10 and 12 connected by link 11 in a network, such as a LAN or WAN. The principal components of the workstations are conventionally described as layers, starting with the hardware 13. The hardware which is not illustrated in detail, consists of a processor unit with main memory, secondary storage such as a disk file, a display unit and input/output devices such as keyboard and mouse. Device support software 14 enables the hardware devices to function within a known operating system 15, such as IBM's Operating System/2 (OS/2).

SUBSTITUTE SHEET

Also part of a conventional workstation, when used in a network, is networking software 16 for supporting connection to the network 11 and communication over the network between workstations. Typical networking software 16 could be the Netbios program product from IBM. Up to this point all that has been described is a conventional networking workstation capable of executing application programs 18.

In order to implement the present invention, each workstation also includes collaborative application support system software 17 which facilitates the development of application programs for creating a distributed collaborative working environment. In this environment, end-users of the workstation may communicate with users of other workstations in the network over multi-media channels and may work collaboratively on shared data and tasks.

The overall structure of support system 17 in relation to other software components of the workstation with which it interfaces directly is shown in Figure 2. Further details of the internal structure of the support system are shown in Figure 10. Broadly speaking, the main functional components of system 17 lie between two interfaces 20 and 21, illustrated by dashed lines.

An application programming interface 20 allows applications 18 to request support services. A device driver interface 21 allows the system to support an extensible range of software and hardware communications subsystems through device drivers such as token ring driver 25, ISDN driver 26, RS232 driver 27 and other device drivers 28. Link support modules 228, 229 interface with the device drivers. These are replaceable, (Figure 10 shows only a possible selection) depending on the hardware options available at the workstation, and serve to isolate the support system from needing to know precisely which hardware is present. Through an implicit resources interface, (not illustrated) details of the communications network, such as node addresses and directory data may be requested by both the support system, the applications and the device drivers from resource files 29.

The API 20 allows applications 18 to initiate peer applications and share resources, on a variety of hardware and software platforms, located on nodes across a diverse and complex communications networks. It allows them to define multiple dedicated logical data channels between shared applications, suitable to a broad range of multi-media traffic, independently of the structure of the underlying physical network. It

SUBSTITUTE SHEET

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.