

# 3G TS 27.007 V3.1.0 (1999-07)

---

*Technical Specification*

## **3rd Generation Partnership Project; Technical Specification Group Terminals; AT command set for 3GPP User Equipment (UE) (3G TS 27.007 version 3.1.0)**



Unified v Uniloc  
IPR2018-00199  
Unified 1025

The present document has been developed within the 3<sup>rd</sup> Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.  
The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented.

~~This Specification is provided for future development work within 3GPP only. The Organisational Partners accept no liability for any use of this~~

---

Reference

DTS/TSG<name abbrev>-0<WG no><spec no> U

---

Keywords

<keyword[, keyword]>

**3GPP**

---

Postal address

---

3GPP support office address

650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE  
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

---

Internet

<http://www.3gpp.org>

# Contents

Foreword .....	7
Introduction .....	7
1 Scope .....	8
2 References .....	8
3 Abbreviations and definitions .....	10
3.1 Abbreviations .....	10
3.2 Definitions .....	11
4 AT command syntax .....	11
4.1 Command line .....	11
4.2 Information responses and result codes .....	12
4.3 ITU-T V.25ter [14] TE-TA interface commands .....	12
5 General commands .....	13
5.1 Request manufacturer identification +CGMI .....	13
5.2 Request model identification +CGMM .....	14
5.3 Request revision identification +CGMR .....	14
5.4 Request product serial number identification +CGSN .....	15
5.5 Select TE character set +CSCS .....	15
5.6 Request international mobile subscriber identity +CIMI .....	16
5.7 Multiplexing mode +CMUX \$(MUX MS-TE)\$ .....	16
5.8 ITU-T V.25ter [14] generic TA control commands .....	18
5.9 PCCA STD-101 [17] select wireless network +WS46 .....	18
5.10 Informative examples .....	19
6 Call control commands and methods .....	20
6.1 Select type of address +CSTA .....	20
6.2 ITU-T V.25ter [14] dial command D .....	20
6.3 Direct dialling from phonebooks .....	21
6.4 Call mode +CMOD .....	22
6.5 Hangup call +CHUP .....	22
6.6 Alternating mode call control method .....	23
6.7 Select bearer service type +CBST .....	24
6.8 Radio link protocol +CRLP .....	26
6.9 Service reporting control +CR .....	27
6.10 Extended error report +CEER .....	28
6.11 Cellular result codes +CRC .....	28
6.12 HSCSD device parameters +CHSD .....	29
6.13 HSCSD transparent call configuration +CHST .....	30
6.14 HSCSD non-transparent call configuration +CHSN .....	30
6.15 HSCSD current call parameters +CHSC .....	31
6.16 HSCSD parameters report +CHSR\$(AT R98)\$ .....	32
6.17 HSCSD automatic user initiated upgrading +CHSU\$(AT R98)\$ .....	32
6.18 HSCSD non-transparent asymmetry configuration +CHSA .....	33
6.19 Single numbering scheme +CSNS .....	33
6.20 Voice Hangup Control +CVHU \$(AT R97)\$ .....	34
6.21 V.120 rate adaption protocol +CV120 .....	34
6.22 ITU-T V.25ter [14] call control commands .....	36
6.23 ITU-T V.25ter [14] data compression commands .....	36
6.24 Informative examples .....	36
7 Network service related commands .....	37
7.1 Subscriber number +CNUM .....	37
7.2 Network registration +CREG .....	38
7.3 Operator selection +COPS .....	39
7.4 Facility lock +CLCK .....	40

7.5	Change password +CPWD .....	42
7.6	Calling line identification presentation +CLIP .....	43
7.7	Calling line identification restriction +CLIR .....	44
7.8	Connected line identification presentation +COLP .....	44
7.9	Closed user group +CCUG .....	45
7.10	Call forwarding number and conditions +CCFC .....	46
7.11	Call waiting +CCWA .....	47
7.12	Call related supplementary services +CHLD .....	49
7.13	Call deflection +CTFR .....	49
7.14	Unstructured supplementary service data +CUSD .....	50
7.15	Advice of Charge +CAOC .....	51
7.16	Supplementary service notifications +CSSN .....	52
7.17	List current calls +CLCC .....	53
7.18	Preferred operator list +CPOL \$(AT R97)\$ .....	55
7.19	Read operator names +COPN \$(AT R97)\$ .....	55
7.20	Informative examples .....	56
8	Mobile Equipment control and status commands .....	57
8.1	Phone activity status +CPAS .....	58
8.2	Set phone functionality +CFUN .....	59
8.3	Enter PIN +CPIN .....	60
8.4	Battery charge +CBC .....	61
8.5	Signal quality +CSQ .....	61
8.6	Mobile Equipment control mode +CMEC .....	62
8.7	Keypad control +CKPD .....	63
8.8	Display control +CDIS .....	64
8.9	Indicator control +CIND .....	65
8.10	Mobile Equipment event reporting +CMER .....	66
8.11	Select phonebook memory storage +CPBS .....	67
8.12	Read phonebook entries +CPBR .....	68
8.13	Find phonebook entries +CPBF .....	69
8.14	Write phonebook entry +CPBW .....	70
8.15	Clock +CCLK .....	70
8.16	Alarm +CALA .....	71
8.17	Generic SIM access +CSIM .....	72
8.18	Restricted SIM access +CRSM .....	72
8.19	Secure control command +CSCC .....	73
8.20	Alert sound mode +CALM \$(AT R97)\$ .....	74
8.21	Ringer sound level +CRSL \$(AT R97)\$ .....	75
8.22	Vibrator mode +CVIB \$(AT R97)\$ .....	75
8.23	Loudspeaker volume level +CLVL \$(AT R97)\$ .....	76
8.24	Mute control +CMUT \$(AT R97)\$ .....	76
8.25	Accumulated call meter +CACM \$(AT R97)\$ .....	77
8.26	Accumulated call meter maximum +CAMM \$(AT R97)\$ .....	77
8.27	Price per unit and currency table +CPUC \$(AT R97)\$ .....	78
8.28	Call Meter maximum event +CCWE \$(AT R98)\$ .....	78
8.29	Power class +CPWC\$(AT R98)\$ .....	79
8.30	Set Language +CLAN\$(AT R98)\$ .....	80
8.31	Language Event +CLAE\$(AT R98)\$ .....	81
8.32	Set Greeting Text +CSGT\$(AT R98)\$ .....	81
8.33	Set Voice Mail Number +CSVMS\$(AT R98)\$ .....	82
8.34	Ring Melody Playback +CRMP\$(AT R98)\$ .....	83
8.35	Master Reset +CMAR\$(AT R98)\$ .....	83
8.36	List all available AT commands +CLAC\$(AT R98)\$ .....	84
8.37	Informative examples .....	84
9	Mobile Equipment errors .....	88
9.1	Report Mobile Equipment error +CMEE .....	88
9.2	Mobile Equipment error result code +CME ERROR .....	88
9.2.1	General errors .....	89
9.2.2	GPRS-related errors .....	90

9.2.2.1	Errors related to a failure to perform an Attach.....	90
9.2.2.2	Errors related to a failure to Activate a Context.....	91
9.2.2.3	Other GPRS errors .....	91
9.3	Informative examples.....	91
10	Commands for GPRS.....	91
10.1	Commands specific to MTs supporting the GPRS.....	92
10.1.1	Define PDP Context +CGDCONT.....	92
10.1.2	Quality of Service Profile (Requested) +CGQREQ .....	94
10.1.3	Quality of Service Profile (Minimum acceptable) +CGQMIN .....	95
10.1.4	GPRS attach or detach +CGATT .....	96
10.1.5	PDP context activate or deactivate +CGACT .....	96
10.1.6	Enter data state +CGDATA .....	98
10.1.7	Configure local Octet Stream PAD parameters +CGCLOSP .....	99
10.1.8	Show PDP address +CGPADDR .....	100
10.1.9	Automatic response to a network request for PDP context activation +CGAUTO .....	101
10.1.10	Manual response to a network request for PDP context activation +CGANS.....	102
10.1.11	GPRS mobile station class +CGCLASS.....	103
10.1.12	Configure local triple-X PAD parameters +CGCLPAD .....	104
10.1.13	GPRS event reporting +CGEREP .....	105
10.1.14	GPRS network registration status +CGREG .....	106
10.1.15	Select service for MO SMS messages +CGSMS .....	107
10.2	Modem compatibility commands.....	108
10.2.1	MT originated PDP context activation.....	108
10.2.1.1	Request GPRS service 'D'.....	108
10.2.2	Network requested PDP context activation .....	109
10.2.2.1	Automatic response to a network request for PDP context activation 'S0'.....	109
10.2.2.2	Manual acceptance of a network request for PDP context activation 'A'.....	109
10.2.2.3	Manual rejection of a network request for PDP context activation 'H' .....	109
<b>Annex A (normative):</b>	<b>Summary of commands from other standards.....</b>	<b>110</b>
<b>Annex B (normative):</b>	<b>Summary of result codes.....</b>	<b>112</b>
<b>Annex C (informative):</b>	<b>Commands from TIA IS-101.....</b>	<b>113</b>
C.1	Introduction.....	113
C.2	Commands .....	114
C.2.1	Select mode +FCLASS .....	114
C.2.2	Buffer threshold setting +VBT.....	114
C.2.3	Calling number ID presentation +VCID .....	115
C.2.4	Receive gain selection +VGR .....	115
C.2.5	Transmit gain selection +VGT .....	115
C.2.6	Initialise voice parameters +VIP .....	116
C.2.7	Inactivity timer +VIT .....	116
C.2.8	Line selection +VLS.....	116
C.2.9	Receive data state +VRX .....	117
C.2.10	Select compression method +VSM .....	118
C.2.11	DTMF and tone generation +VTS .....	118
C.2.12	Tone duration +VTD.....	119
C.2.13	Transmit data state +VTX.....	119

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.