

LIS007980736B2

(12) United States Patent

Soderman et al.

(54) LIGHT FIXTURE ASSEMBLY HAVING IMPROVED HEAT DISSIPATION CAPABILITIES

(75) Inventors: Daryl Soderman, Fort Lauderdale, FL

(US); Dale B. Stepps, Mountain Ranch,

CA (US)

(73) Assignee: Inteltech Corporation, Fort Lauderdale,

FL (US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 11/985,056

(22) Filed: Nov. 13, 2007

(65) Prior Publication Data

US 2009/0122553 A1 May 14, 2009

(51) **Int. Cl.**

F21V 29/00 (2006.01)

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

5,738,436	Α	*	4/1998	Cummings et al.	 362/294
6,375,338	В1		4/2002	Cummings et al.	
6,388,388	В1		5/2002	Weindorf et al.	
6.472.828	В1		10/2002	Pruett et al.	

(10) Patent No.:

US 7,980,736 B2

(45) **Date of Patent:**

Jul. 19, 2011

7,183,727 B2 7,186,000 B2 7,252,385 B2 7,722,227 B2 * 2005/0213047 A1 2007/0139923 A1 2007/0223230 A1 2007/0242461 A1 1	2/2007 3/2007 8/2007 5/2010 9/2005 6/2007 9/2007 0/2007	Liao et al. Ferguson et al. Lebens et al. Engle et al. Zhang et al
--	--	--

FOREIGN PATENT DOCUMENTS

WO WO 2009/064433 A1 5/2009 WO WO 2009/064434 A1 5/2009


* cited by examiner

Primary Examiner — John A Ward (74) Attorney, Agent, or Firm — Malloy & Malloy, P.A.


(57) ABSTRACT


A light fixture assembly including an illumination assembly in the form of one or more light emitting diodes is interconnected to an electrical energy source by control circuitry. A mounting assembly supports the illumination assembly and a cover structure is disposed in heat transferring relation to the mounting assembly, wherein both the mounting assembly and the cover structure are formed of conductive material, thereby effectively dissipating the heat generated by the LED illumination assembly. The illumination assembly is connected to a source and electric energy by a conductor assembly comprising one or more conductive material connectors mechanically interconnecting components of the light fixture into an assembled orientation. A non-conductive insulation assembly isolates each of the one or more conductive connectors from the mounting assembly to avoid electrical contact there between.

22 Claims, 6 Drawing Sheets














FIG. 3






FIG. 4











DOCKET A L A R M

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

