

signed for

crosoft

ndows NT° ndows°95

 \bigcirc

cluded

The Ultimate Computer Reference

The Comprehensive Standard for Business, School, Library, and Home

Over 7,600 7,600 Terms Additional Terms Additional Terms Additional Terms Quarterly

Microsoft Press Computer Dictoparty high

- Over 300 illustrations and diagrams
- Extensive Internet coverage
- Featured in Microsoft[®] Bookshelf[®]
- Covers software, hardware, concepts, and more!

Microsoft Press Computer Dictionary

Third Edition

Microsoft Press

Find authenticated court documents without watermarks at docketalarm.com.

PUBLISHED BY Microsoft Press A Division of Microsoft Corporation One Microsoft Way Redmond, Washington 98052-6399

Copyright © 1997 by Microsoft Corporation

All rights reserved. No part of the contents of this book may be reproduced or transmitted in any form or by any means without the written permission of the publisher.

Library of Congress Cataloging-in-Publication Data Microsoft Press Computer Dictionary. -- 3rd ed.

p. cm.
ISBN 1-57231-446-X
1. Computers--Dictionaries.
2. Microcomputers--Dictionaries.
I. Microsoft Press.
QA76.15.M54 1997
004'.03--dc21
97-

97-15489 CIP

Printed and bound in the United States of America.

23456789 QMQM 210987

Distributed to the book trade in Canada by Macmillan of Canada, a division of Canada Publishing Corporation.

A CIP catalogue record for this book is available from the British Library.

Microsoft Press books are available through booksellers and distributors worldwide. For further information about international editions, contact your local Microsoft Corporation office. Or contact Microsoft Press International directly at fax (425) 936-7329.

Macintosh, Power Macintosh, QuickTime, and TrueType are registered trademarks of Apple Computer, Inc. Intel is a registered trademark of Intel Corporation. DirectInput, DirectX, Microsoft, Microsoft Press, MS-DOS, Visual Basic, Visual C++, Win32, Win32s, Windows, Windows NT, and XENIX are registered trademarks and ActiveMovie, ActiveX, and Visual J++ are trademarks of Microsoft Corporation. Java is a trademark of Sun Microsystems, Inc. Other product and company names mentioned herein may be the trademarks of their respective owners.

Acquisitions Editor: Kim Fryer

Project Editor: Maureen Williams Zimmerman, Anne Taussig Technical Editors: Dail Magee Jr., Gary Nelson, Jean Ross, Jim Fuchs, John Conrow, Kurt Meyer, Robert Lyon, Roslyn Lutsch

Contents

Introduction



Appendix A

ASCII Character Set

5**%**20

Appendix **B**

IBM Extended Character Set

Appendix C

Apple Macintosh Extended Character Set

5924

Appendix D

EBCDIC Character Set

Appendix E

Numeric Equivalents 534

DOCKET

RM

Δ

PCL

DOCKE

time, depending on the implementation, and it allows intelligent, PCI-compliant adapters to perform tasks concurrently with the CPU using a technique called bus mastering. The PCI specification allows for multiplexing, a technique that permits more than one electrical signal to be present on the bus at one time. *See also* local bus. *Compare* VL bus.

PCL $P^C-L' n$. See Printer Control Language. **PCM** $P^C-M' n$. See pulse code modulation.

PCMCIA \P`C-M`C-I-A`\ *n*. Acronym for **P**ersonal Computer Memory Card International Association. A group of manufacturers and vendors formed to promote a common standard for PC Card-based peripherals and the slot designed to hold them, primarily on laptop, palmtop, and other portable computers, as well as for intelligent electronic devices. PCMCIA is also the name of the standard for PC Cards, first introduced in 1990 as release 1. *See also* PC Card, PCMCIA slot.

PCMCIA card P^C-M^C-I-A' kärd n. See PC card.

- **PCMCIA connector** \P`C-M`C-I-A´ kə-nek`tər\ *n*. The 68-pin female connector inside a PCMCIA slot designed to hold the 68-pin male connector on a PC Card. *See also* PC Card, PCMCIA slot.
- **PCMCIA slot** \P`C-M`C-I-A´ slot`\ *n*. An opening in the housing of a computer, peripheral, or other intelligent electronic device designed to hold a PC Card. *Also called* PC Card slot. *See also* PC Card, PCMCIA connector.
- **PC memory card** \P-C` mem´ər-ē kärd`\ *n.* **1.** An add-in circuit card that increases the amount of RAM in a system. *See also* memory card. **2.** A Type I PC Card as specified by PCMCIA. In this context,

such a card consists of conventional static RAM chips powered by a small battery and is designed to provide additional RAM to the system. *See also* PC Card. *Compare* flash memory.

p-code \P'kōd\ *n. See* pseudocode.

- **PCT** \P`C-T'\ *n*. Acronym for **p**rogram **c**omprehension **t**ool. A software engineering tool that facilitates the process of understanding the structure and/or functionality of computer programs.
- **.pcx** $\det P^{-} x^{-} n$. The file extension that identifies bitmapped images in the PC Paintbrush file format.
- **PC/XT** \P`C-X-T`\ *n*. The original IBM Personal Computer, introduced in 1981, which used the Intel 8088 CPU. *See also* IBM PC.
- **PC/XT keyboard** \P`C-X-T' kē`bōrd\ *n*. The original keyboard for the IBM Personal Computer. Strong, reliable, and equipped with 83 keys, the PC/XT keyboard offers a typist an audible click. See the illustration. *See also* IBM PC, PC/XT.
- PDA \P`D-A`\ n. Acronym for Personal Digital Assistant. A lightweight palmtop computer designed to provide specific functions like personal organization (calendar, note taking, database, calculator, and so on) as well as communications. More advanced models also offer multimedia features. Many PDA devices rely on a pen or other pointing device for input instead of a keyboard or mouse, although some offer a keyboard too small for touch typing to use in conjunction with a pen or pointing device. For data storage, a PDA relies on flash memory instead of power-hungry disk drives. See also firmware, flash memory, PC Card, pen computer.

PDC $P^D-C^ n$. See Primary Domain Controller.

