

MOST[®]

Media Oriented Systems Transport

**Multimedia and Control
Networking Technology**


OS8104

Preliminary Product Data Sheet

DS8104PP2


Sept. 2000

© Copyright 1997-2000 Oasis SiliconSystems AG



OS8104

Ordering Information



Valid Part Numbers:

Order Number	Grade		Package
	Temperature	Supply	
OS8104AQ	-40 to +85° C	4.5 to 5.5 V	44-pin TQFP
OS8104AQR	-40 to +85° C	4.5 to 5.5 V	44-pin TQFP, Tape and Reel

This table represents parts that were available at the time of printing and may not represent parts that are currently available. For the latest list of valid ordering numbers for this product, please contact your local sales office.

Support and Further Information

For more information on the MOST technology, product line, and custom IC development using MOST tools, contact one of our offices below.

Oasis SiliconSystems AG
 1101 S. Capital of Texas Highway
 Building B, Suite 101
 Austin, Texas 78746 USA

Tel: (+1) 512 306-8450
 Fax: (+1) 512 306-8442
 america@oasis.com

Oasis SiliconSystems AG
 Bannwaldallee 48
 D-76185 Karlsruhe
 Germany

Tel: (+49) (0) 721 6 25 37 - 0
 Fax: (+49) (0) 721 6 25 37 - 119
 europe@oasis.de

Oasis SiliconSystems AG
 4-16 Oomaru Tsuzuki-ku
 Yokohama 224-0061, Japan

Tel: (+81) (90) 2757 1419
 Fax: (+81) (45) 941 7818
 pacrim@oasis.de

Technical Support

For technical support please refer to one of the following email addresses:

support@oasis.de
 support@oasis.com



Intellectual Property

Duplication of this document without permission is prohibited. All rights reserved. The information within this document is confidential and Oasis SiliconSystems intellectual property.

Trademarks

MOST is a registered trademark of Oasis SiliconSystems. All other trademarks used in this document are the property of their respective owners.

Patents

There are a number of patents and patents pending on the MOST technology. The rights to these patents are not granted without any specific Agreement between the users and the patent owners.

Preliminary Product Data Sheet

A Preliminary Product Data Sheet describes a product which is in limited production and subject to change. Oasis SiliconSystems has worked diligently to ensure that the information in this document is accurate and reliable. However, the information in this document is subject to change without notice and is provided "as is" without warranty of any kind (expressed or implied).

Conventions

Within this manual, the following abbreviations and symbols are used for improving readability:

	Comment
<i>PIN</i>	Name of a PIN
BIT	Name of a single bit within a register
x..y	Range from x to y. Used as abbreviation e.g. for a group of bits like <i>D7..0</i>
[a,b,c]	List of alternative elements to choose from.
0xzz	Hexadecimal number (value zz)
bREG	Single-byte (8-bit) register
wREG	Single-word register (16-bit)
mREG	Multi-byte register (e.g. message buffer)
rsvd	The respective bit or register is reserved for future use
/	Inverter. Attached pin or bit uses inverted logic (low or 0 active)
x	Don't care
↑	Rising edge
↓	Falling edge

Revision History

Revision	Date	Description
1.1		Initial Data Sheet
2	Sept. 2000	Fully revised.

TABLE OF CONTENTS

LIST OF FIGURES	10
LIST OF TABLES	12
1 INTRODUCTION	17
2 GENERAL OVERVIEW	17
2.1 Functional Description	17
2.2 Network Interface & Compatibility	18
2.3 On-Chip Network Management	18
2.3.1 Channel Allocation	19
2.3.2 Physical Position Sensing	19
2.3.3 Network Delay Detection	20
2.3.4 Node Alive Supervision	20
2.4 On-Chip Power Management	20
2.4.1 Low-Power Mode	20
2.4.2 Zero Power Mode	20
2.5 Data Transfer Methods	20
2.5.1 Bandwidth	21
2.5.1.1 Control Messaging	21
2.5.1.2 Synchronous (Stream) Data	22
2.5.1.3 Asynchronous (Packet) Data	23
2.6 MOSTNetServices API	24
3 MAIN FUNCTIONAL BLOCKS	25
4 OS8104 CONFIGURATION	27
5 CONTROL PORT IN SERIAL MODE	29
5.1 I ² C Mode	29
5.1.1 Writing To Control Port	30
5.1.2 Reading From Control Port	31
5.2 SPI Mode	32
5.2.1 Writing To Control Port	32
5.2.2 Reading From Control Port	32
6 NETWORK INTERFACE	33
6.1 MOST Frame Structure	33
6.2 Network Configuration	34
6.2.1 bXCR (Transceiver Control Register)	35
6.2.2 bXSR (Transceiver Status Register)	36
6.2.3 bXSR2 (Transceiver Status Register 2)	36
6.2.4 Capturing Error Events	37
6.2.5 bSBC (Synchronous Bandwidth Control register)	37
6.2.6 bNDR (Node Delay Register)	39
6.2.7 bNPR (Node Position Register)	39
6.2.8 bMPR (Maximum Position Register)	39
6.2.9 bMDR (Maximum Delay Register)	40
6.2.10 Network Registers After Lock	40
7 SOURCE DATA PORTS IN SERIAL MODE	41
7.1 General Description	41
7.1.1 Source Data Port Registers	41

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.