

## US005978972A

# United States Patent [19]

### Stewart et al.

5,978,972 [11] **Patent Number:** 

**Date of Patent:** \*Nov. 9, 1999 [45]

HELMET SYSTEM INCLUDING AT LEAST THREE ACCELEROMETERS AND MASS MEMORY AND METHOD FOR RECORDING IN REAL-TIME ORTHOGONAL ACCELERATION DATA OF A HEAD

[75] Inventors: Walter Stewart, Baltimore; Nicholas Jones, Monkton; Wolfger Schneider,

Columbia, all of Md.

[73] Assignee: Johns Hopkins University, Baltimore,

Notice: Under 35 U.S.C. 154(b), the term of this

patent shall be extended for 00 days.

[21] Appl. No.: 08/872,675

Jun. 11, 1997 [22] Filed:

Related U.S. Application Data

[60] Provisional application No. 60/020,271, Jun. 14, 1996.

[52]

340/669

340/669; 455/100; 73/488, 489, 491, 492,

514.01, 514.02, 514.35

[56] References Cited

U.S. PATENT DOCUMENTS

Re. 27,532 12/1972 Morris 7/1950 Meredith . 2,514,250

2,643,869 6/1953 Clark.

3,036,469 5/1962 Di Giovanni .

3,069,573 12/1962 Van Liew

(List continued on next page.)

## FOREIGN PATENT DOCUMENTS

700591 1/1966 Italy.

46-38389	11/1971	Japan .
612349	6/1978	Russian Federation .
1035523A	8/1983	Russian Federation .
2 061 502	5/1981	United Kingdom .

#### OTHER PUBLICATIONS

R. Shea et al, "Computing Body Segment Trajectories in the Hybrid III Dummy Using Linear Accelerometer Date", Journal of Biomechanical Engineering, Feb. 1994, vol. 116, pp. 37-43.

D. Cesari et al, "Evaluation of Human Tolerance in Frontal Impacts", Society of Automotive Engineers, Inc. 1979, pp. 875-914.


(List continued on next page.)

Primary Examiner—Peter Nerbun Attorney, Agent, or Firm-Pillsbury Madison & Sutro LLP

#### **ABSTRACT**

A system designed to measure and record in real time data relating to translational and angular acceleration of an individual's head during normal sporting activity. One embodiment of the device includes at least three orthogonal accelerometers mounted within a sports helmet together with means for recording, in real-time, the data output from the accelerometers. The data is either recorded on a memory card or other mass memory means installed in the helmet, or is transmitted to a nearby receiver for reception and storage on a computer's hard drive or other conventional mass storage device. The device provides real-time storage of translational and angular acceleration data over a length of time such that cumulative exposure effects and thus limits can be established for the individual's further or future participation in the sport. The data also allows detection of the precise motions of the head which precede the occurrence of a severe head injury.

### 20 Claims, 7 Drawing Sheets





U.S. PA	TENT DOCUMENTS	5,065,626 11/1991 Hanson .
2 076 242 - 2/1062	Dumes et al	5,065,627 11/1991 Stewart .
3,076,343 2/1963 3,113,463 12/1963	Dumas et al	5,090,243 2/1992 Holdren et al 5,115,291 5/1992 Stokes .
	Cohen .	5,115,291 5/1992 Stokes . 5,126,813 6/1992 Greiff .
	Voutsas .	5,144,184 9/1992 Greiff .
	Alibrandi et al	5,166,571 11/1992 Konno et al
	Davies et al	5,179,947 1/1993 Meyerson et al
	Stewart .	5,195,371 3/1993 Greiff.
	Erdley .	5,241,861 9/1993 Hulsing, II .
	Evans .	5,249,465 10/1993 Bennett et al
3,840,726 10/1974	Harrison .	5,253,526 10/1993 Omura et al
, , , , , , , , , , , , , , , , , , ,	Ferriss .	5,331,854 7/1994 Hulsing, II . 5,341,682 8/1994 Hulsing, II .
, , ,	Villari .	5,383,363 1/1995 Kulmaczewski .
	Hubert et al	5,473,945 12/1995 Grieff et al
	Kawashima . Specker et al	5,487,305 1/1996 Ristic et al
	Hanson .	5,490,411 2/1996 Hogan .
	Engdahl .	5,539,935 7/1996 Rush, III
	Besson .	5,546,609 8/1996 Rush, III
	Hanson .	5,631,427 5/1997 Bridges
	Rappleyea .	OTHER PUBLICATIONS
	Petersen et al	OTHER TOBERCHIONS
	Sato .	F. A. Pintar et al, "Experimental Production of Head-Neck
	Salzman et al Craig et al	Injuries Under Dynamic Forces", Head and Neck Injuries in
	Shutt .	Sports, ASTM STP 1229, American Society for Testing and
	Matsuoka et al	Materials, Philadelphia, 1994, pp. 203–211.
	Fischell et al	W. H. Muzzy III et al, "Comparison of Kinematic Param-
4,457,173 7/1984	Hunter.	eters Between Hybrid II and Neck System With Human
	Doerr et al	Volunteers for $-G_x$ Acceleration Profiles", Naval Aerospace
, ,	Schultz .	Medical Research Laboratory Detachment, 20th Stapp Car
	Burdess et al  Obenauf et al	Crash Conference, pp. 43–74.
, , , , , , , , , , , , , , , , , , ,	Rider .	
· · ·	Salzman .	D.C. Schneider et al, "Impact Studies of Facial Bones and
	Bigelow et al	Skull", (720965) Impact Studies, pp. 186–203.
	Emerson .	Alan M. Nahum et al, "Impact Tolerance of the Skull and
· · · · · · · · · · · · · · · · · · ·	Merhav .	Face", (680785), Proceedings of Twlfth Stapp Car Crash
· · ·	Pittman .	Conference, pp. 302–316, (Oct. 22–23).
	Church .	Gerald W. Nyquist et al, "Facial Impact Tolerance and
	Mukohjima et al Burdess .	Response", (861896) Thirtieth Stapp Car Crash, pp.
	Comparetto .	379–400, Oct. 1986.
	Peters .	C. Got et al, "Results of Experimental Head Impacts on
		C. Got et al, Results of Experimental flead impacts on
	Nakayama et al	
	Nakayama et al Stewart .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99,
4,691,556 9/1987	Nakayama et al Stewart . Mellander et al	Cadavers: The Various Data Obtained and Their Relations to
4,691,556 9/1987 4,694,687 9/1987	Nakayama et al Stewart . Mellander et al Bonin et al	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc. Channing L. Ewing et al, "Dynamic Response of the Head
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc. Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration",
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,736,629 4/1988	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to –G <sub>x</sub> Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Confer-
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,736,629 4/1988 4,743,200 5/1988	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc. Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,736,629 4/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,736,629 4/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,769,629 9/1988	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to –G <sub>x</sub> Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,736,629 4/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,769,629 9/1988 4,774,679 9/1988	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to –G <sub>x</sub> Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to –G <sub>x</sub> Impact Acceleration", 20th Stapp Car
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,736,629 4/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,769,629 9/1988 4,774,679 9/1988 4,777,965 10/1988	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,736,629 4/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,769,629 9/1988 4,774,679 9/1988 4,777,965 10/1988 4,841,773 6/1989	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,736,629 4/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,769,629 9/1988 4,777,965 10/1988 4,841,773 6/1989 4,869,509 9/1989	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart . Lee .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc. Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to G–II Accelerations Measured on the Head and Neck",
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,769,629 9/1988 4,777,965 10/1988 4,841,773 6/1989 4,869,509 9/1989 4,872,342 10/1989	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to G–II Accelerations Measured on the Head and Neck", (690817) 13th Stapp Car Crash Conference, pp. 400–415,
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,774,679 9/1988 4,777,965 10/1988 4,841,773 6/1989 4,872,342 10/1989 4,873,867 10/1989	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart . Lee . Hanson et al	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to G–II Accelerations Measured on the Head and Neck", (690817) 13th Stapp Car Crash Conference, pp. 400–415, 1969.
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,743,200 5/1988 4,744,249 5/1988 4,769,629 9/1988 4,774,679 9/1988 4,777,965 10/1988 4,841,773 6/1989 4,872,342 10/1989 4,873,867 10/1989 4,873,867 10/1989 4,873,509 1/1990 4,922,756 5/1990	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart . Lee . Hanson et al McPherson et al MacIver et al	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to G–II Accelerations Measured on the Head and Neck", (690817) 13th Stapp Car Crash Conference, pp. 400–415, 1969.  C. L. Ewing et al, "Torque Versus Angular Displacement
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,774,679 9/1988 4,777,965 10/1988 4,841,773 6/1989 4,872,342 10/1989 4,873,867 10/1989 4,873,867 10/1989 4,893,509 1/1990 4,922,756 5/1990 4,926,689 5/1990	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart . Lee . Hanson et al MacIver et al Henrion . Hanson .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to G–II Accelerations Measured on the Head and Neck", (690817) 13th Stapp Car Crash Conference, pp. 400–415, 1969.  C. L. Ewing et al, "Torque Versus Angular Displacement Response to Human Head to $-G_x$ Impact Acceleration",
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,769,629 9/1988 4,774,679 9/1988 4,777,965 10/1988 4,841,773 6/1989 4,869,509 9/1989 4,872,342 10/1989 4,873,867 10/1989 4,893,509 1/1990 4,922,756 5/1990 4,926,689 5/1990 4,930,351 6/1990	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart . Lee . Hanson et al McPherson et al MacIver et al Henrion . Hanson . Macy et al	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to G–II Accelerations Measured on the Head and Neck", (690817) 13th Stapp Car Crash Conference, pp. 400–415, 1969.  C. L. Ewing et al, "Torque Versus Angular Displacement Response to Human Head to $-G_x$ Impact Acceleration", (730976) Response to Human Head.
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,774,679 9/1988 4,777,965 10/1988 4,841,773 6/1989 4,869,509 9/1989 4,872,342 10/1989 4,873,3867 10/1989 4,893,509 1/1990 4,926,689 5/1990 4,930,351 6/1990 4,939,935 7/1990	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart . Lee . Hanson et al McPherson et al MacIver et al Henrion . Hanson . Macy et al Amand .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to G–II Accelerations Measured on the Head and Neck", (690817) 13th Stapp Car Crash Conference, pp. 400–415, 1969.  C. L. Ewing et al, "Torque Versus Angular Displacement Response to Human Head to $-G_x$ Impact Acceleration",
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,774,679 9/1988 4,774,679 9/1988 4,841,773 6/1989 4,869,509 9/1989 4,872,342 10/1989 4,872,342 10/1989 4,873,867 10/1989 4,930,351 6/1990 4,930,351 6/1990 4,930,351 6/1990 4,941,354 7/1990	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart . Lee . Hanson et al McPherson et al MacIver et al Henrion . Hanson . Macy et al Amand . Russell et al	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to G–II Accelerations Measured on the Head and Neck", (690817) 13th Stapp Car Crash Conference, pp. 400–415, 1969.  C. L. Ewing et al, "Torque Versus Angular Displacement Response to Human Head to $-G_x$ Impact Acceleration", (730976) Response to Human Head.
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,774,679 9/1988 4,774,679 9/1988 4,841,773 6/1989 4,869,509 9/1989 4,872,342 10/1989 4,872,342 10/1989 4,873,867 10/1989 4,922,756 5/1990 4,922,756 5/1990 4,939,935 7/1990 4,939,935 7/1990 4,941,354 7/1990 4,996,877 3/1991	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart . Lee . Hanson et al McPherson et al MacIver et al Henrion . Hanson . Macy et al Amand .	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to G–II Accelerations Measured on the Head and Neck", (690817) 13th Stapp Car Crash Conference, pp. 400–415, 1969.  C. L. Ewing et al, "Torque Versus Angular Displacement Response to Human Head to $-G_x$ Impact Acceleration", (730976) Response to Human Head.  N. R. Ordway et al, "The Effect of Head Position on the Analysis of Cervical Motion", Head and Neck Injuries in Sports, ASTM STP 1229, Earl F. Hoerner, Ed. American
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,774,679 9/1988 4,777,965 10/1988 4,841,773 6/1989 4,872,342 10/1989 4,872,342 10/1989 4,873,867 10/1989 4,930,351 6/1990 4,922,756 5/1990 4,926,689 5/1990 4,930,351 6/1990 4,930,351 6/1990 4,941,354 7/1990 4,996,877 3/1991 5,000,817 3/1991	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart . Lee . Hanson et al McPherson et al MacIver et al Henrion . Hanson . Macy et al Amand . Russell et al Stewart et al	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to G–II Accelerations Measured on the Head and Neck", (690817) 13th Stapp Car Crash Conference, pp. 400–415, 1969.  C. L. Ewing et al, "Torque Versus Angular Displacement Response to Human Head to $-G_x$ Impact Acceleration", (730976) Response to Human Head.  N. R. Ordway et al, "The Effect of Head Position on the Analysis of Cervical Motion", Head and Neck Injuries in Sports, ASTM STP 1229, Earl F. Hoerner, Ed. American Society for the Testing and Materials, Philadelphia, 1994,
4,691,556 9/1987 4,694,687 9/1987 4,699,006 10/1987 4,732,647 3/1988 4,743,200 5/1988 4,744,249 5/1988 4,750,364 6/1988 4,774,679 9/1988 4,777,965 10/1988 4,877,367 10/1989 4,872,342 10/1989 4,873,867 10/1989 4,873,867 10/1989 4,922,756 5/1990 4,922,756 5/1990 4,926,689 5/1990 4,930,351 6/1990 4,930,351 6/1990 4,941,354 7/1990 4,996,877 3/1991 5,000,817 3/1991 5,007,290 4/1991	Nakayama et al Stewart . Mellander et al Bonin et al Boxenhorn . Aine . Cole . Welch et al Stewart . Kawamura et al Tigwell . Carlin . Allison et al Stewart . Lee . Hanson et al McPherson et al MacIver et al Henrion . Hanson . Macy et al Amand . Russell et al Stewart et al Stewart et al	Cadavers: The Various Data Obtained and Their Relations to Some Measured Physical Parameters", (780887) pp. 57–99, 1978 Society of Automotive Engineers, Inc.  Channing L. Ewing et al, "Dynamic Response of the Head and Neck of the Living Human to $-G_x$ Impact Acceleration", (680792), Proceedings of Twelfth Stapp Car Crash Conference, pp. 424–439, 1968.  C. L. Ewing et al, "The Effect of the Initial Position of the Head and Neck on the Dynamic Response of the Human Head and Neck to $-G_x$ Impact Acceleration", 20th Stapp Car Crash Conference, pp. 487–512, 1975.  C. L. Ewing et al, "Living Human Dynamic Response to G–II Accelerations Measured on the Head and Neck", (690817) 13th Stapp Car Crash Conference, pp. 400–415, 1969.  C. L. Ewing et al, "Torque Versus Angular Displacement Response to Human Head to $-G_x$ Impact Acceleration", (730976) Response to Human Head.  N. R. Ordway et al, "The Effect of Head Position on the Analysis of Cervical Motion", Head and Neck Injuries in Sports, ASTM STP 1229, Earl F. Hoerner, Ed. American

- L. W. Schneider et al, "Prediction of Head/Neck Dynamic Response of Selected Military Subjects to  $-G_x$  Acceleration", Aviation, Space and Environmental Medicine, Jan. 1978, pp. 211–223.
- W. H. Zangemeister et al, "Cerebral Potentials Evoked by Fast Head Accelerations", Neurological University Clinic Hamburg, Hamburg, FRG, Neurological Research, Sep. 1990, vol. 12, pp. 137–146.
- C. S. Tien et al, "Numerical Advances in Gross-Motion Simulations of Head/Neck Dynamics", Journal of Biomechanical Engineering, May 1987, vol. 109, pp. 163–168.
- J. W. Melvin et al, "Angular Acceleration Measurement Techniques for Head Impact", Biomedical Science Dept., General Motors Research Laboratories, Warren, MI, pp. 31–37.
- Robert W. Mann et al, "Gait Analysis—Precise, Rapid Automatic, 3–D Position and Orientation Kinematics and Dynamics", Newman Laboratory.
- A. J. Padgaonkar et al, Measurement of Angular Acceleration of a Rigid Body Using Linear Accelerometers, Biomechanics Research Center, Transactions of the ASME, Sep. 1975, pp. 552–556.
- Y. King Liu, "Measurement of Angular Acceleration of a Rigid Body Using Linear Accelerometers", Journal of Applied Mechanics, Jun. 1976, pp. 377–378.
- Werner Goldsmith et al, "Numerical Evaluation of the Three–Dimensional Response of a Human Head–Neck Model to Dynamic Loading", (840861), Dept. of Mechanical Engineering, University of California, Berkeley, pp. 10.05

- A.H.S. Holboum, "Mechanics of Head Injuries", Lewis B. Flinn Library, Delaware Academy of Medicine, Oct. 9, 1943, pp. 438–441.
- L. Schmid et al, "Experience With Headgear in Boxing", Sports Medicine, 1968, pp. 171–176.
- J. Johnson, "Peak Accelerations of the Head Experienced in Boxing", Medical and Biological Engineering, May 1975, pp. 396–404.
- F. Unterhamscheidt, "The Historical and Medical Aspects—Boxing", American Society for Testing and Materials, Philadelphia, 1994, pp. 257–286.
- D. F. Meaney et al, "Diffuse Axonal Injury in the Miniature Pig: Biomechanical Development and Injury Threshold", AMD, vol. 169/Med, vol. 25, Crashworthiness and Occupant Protection in Transportation Systems ASME 1993, pp. 169–175.
- F. Unterhamscheidt, "30 Plus Years of Head and Neck Injuries—Primate and Human Models' Responses to Energy Load and Forces", American Society for Testing Materials, Philadelphia, 1994, pp. 177–257.
- David C. Viano et al, Measurement of Head Dynamics and Facial Contact Forces in the Hybrid III Dummy, General Motors Research Labs. Biomedical.






FIG. 1




FIG. 2A

# DOCKET

# Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

# **Real-Time Litigation Alerts**



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

# **Advanced Docket Research**



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

# **Analytics At Your Fingertips**



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

### **LAW FIRMS**

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

### **FINANCIAL INSTITUTIONS**

Litigation and bankruptcy checks for companies and debtors.

## **E-DISCOVERY AND LEGAL VENDORS**

Sync your system to PACER to automate legal marketing.

