

03-05-01

A
5



Express Mail" mailing label number EL669269646US.
Date of Deposit March 2, 2001

Case No. 8864/20

PATENT APPLICATION TRANSMITTAL LETTER

To the Commissioner for Patents:

Transmitted herewith for filing is the patent application of: Griffith D. Neal for : STATOR ASSEMBLY MADE FROM A PLURALITY OF TOROIDAL CORE ARC SEGMENTS AND MOTOR USING SAME. Enclosed are:

- Six (6) sheet(s) of drawings, twenty-four (24) pages of application (including title page), and the following Appendices : _____.
- Declaration.
- Power of Attorney.
- Verified statement to establish small entity status under 37 CFR §§ 1.9 and 1.27.
- Assignment transmittal letter and Assignment of the invention to : Encap Motor Corporation.
- _____.

JC996 U.S. PTO
09/798511
03/02/01

Claims as Filed	Col. 1	Col. 2
For	No. Filed	No. Extra
Basic Fee		
Total Claims	29-20	9
Indep. Claims	5-3	2
Multiple Dependent Claims Present		

Small Entity	
Rate	Fee
	\$ 355
x\$9=	\$81
x\$40=	\$40
+\$135=	\$
Total	\$516

Other Than Small Entity	
Rate	Fee
	\$ 710
x\$18=	\$
x\$80=	\$
+\$270=	\$
Total	\$

*If the difference in col. 1 is less than zero, enter "0" in col. 2.

- Please charge my Deposit Account No. 23-1925 in the amount of \$: _____. A duplicate copy of this sheet is enclosed.
- A check in the amount of \$: 516 to cover the filing fee is enclosed.
- The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 23-1925. A duplicate copy of this sheet is enclosed.
 - Any additional filing fees required under 37 CFR § 1.16.
 - Any patent application processing fees under 37 CFR §1.17.
- The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. 23-1925. A duplicate copy of this sheet is enclosed.
 - Any filing fees under 37 CFR § 1.16 for presentation of extra claims.
 - Any patent application processing fees under 37 CFR § 1.17.
 - The issue fee set in 37 CFR § 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 CFR § 1.311(b).

Date 3/2/01

Sailesh Patel
Sailesh K. Patel
BRINKS HOFER GILSON & LIONE
Registration No. 46,982

STATOR ASSEMBLY MADE FROM A PLURALITY OF TOROIDAL CORE SEGMENTS AND MOTOR USING SAME

FIELD OF THE INVENTION

5 The present invention relates generally to a stator assembly used in a motor. It relates particularly to a spindle motor such as used in a hard disc drive, and to the construction and arrangement of a stator assembly made from a plurality of arc segments.

BACKGROUND OF THE INVENTION

10 Computers commonly use disc drives for memory storage purposes. Disc drives include a stack of one or more magnetic discs that rotate and are accessed using a head or read-write transducer. Typically, a high speed motor such as a spindle motor is used to rotate the discs.

15 In conventional spindle motors, stators have been made by laminating together stamped pieces of steel. These stamped pieces of steel are generally circular in nature, but also have "poles" extending either inwardly or outwardly, depending on whether the rotor is on the inside or surrounds the stator. The stamped pieces are laminated together and then coated with insulation. Wire is then wound around the poles to form stator windings.

20 An example of a conventional spindle motor 1 is shown in FIG. 1. The motor 1 includes a base 2 which is usually made from die cast aluminum, a stator 4, a shaft 6, bearings 7 and a disc support member 8, also referred to as a hub. A magnet 3 and flux return ring 5 are attached to the disc support member 8. The stator 4 is separated from the base 2 using an insulator (not shown) and attached to the base 2 using a glue. Distinct structures are
25 formed in the base 2 and the disc support member 8 to accommodate the bearings 7. One end of the shaft 6 is inserted into the bearing 7 positioned in the base 2 and the other end of the shaft 6 is placed in the bearing 7 located in the hub 8. A separate electrical connector 9 may also be inserted into the base 2.

FILED FOR

Each of these parts must be fixed at predefined tolerances with respect to one another. Accuracy in these tolerances can significantly enhance motor performance.

5 In operation, the disc stack is placed upon the hub. The stator windings are selectively energized and interact with the permanent magnet to cause a defined rotation of the hub. As hub 8 rotates, the head engages in reading or writing activities based upon instructions from the CPU in the computer.

10 Manufacturers of disc drives are constantly seeking to improve the speed with which data can be accessed. To an extent, this speed depends upon the efficiency of the spindle motor, as existing magneto-resistive head technology is capable of accessing data at a rate greater than the speed offered by the highest speed spindle motor currently in production. The efficiency of the spindle motor is dependent upon the dimensional consistency or tolerances between the various components of the motor. Greater
15 dimensional consistency between components leads to a smaller gap between the stator 4 and the magnet 3, producing more force, which provides more torque and enables faster acceleration and higher rotational speeds.

20 The conventional method of forming stators has a number of drawbacks. First, most steel is manufactured in rolled sheets and thus has a grain orientation. The grain orientation has an effect on the magnetic flux properties of the steel. In circular stamped pieces of steel, the grain orientation at different points around the circle differs. Compared from the radius line of the circle, the grain orientation is sometimes aligned along the radius, sometimes transverse to it, and mostly at a varying angle to the radius.
25 The un-aligned grain structure of conventional stators causes the magnetic flux values to differ in parts of the stator and thus the motor does not have consistent and uniform torque properties as it rotates.

30 Another drawback with using circular steel pieces is that, especially for inward facing poles, it has been difficult to wind the wire windings tightly because of the cramped space to work inside of the laminated stator core. The cramped working space creates a lower limit on the size of the stator and

thus the motor. The limited working space also results in a low packing density of wire. The packing density of wire coiled around the poles affects the amount of power generated by the motor. Increasing packing density increases the power and thus the efficiency of the spindle motor.

5 An important factor in motor design is to reduce stack up tolerances in the motor. Stack up tolerances reduce the overall dimensional consistency between the components. Stack up tolerances refer to the sum of the variation of all the tolerances of all the parts, as well as the overall tolerance that relates to the alignment of the parts relative to one another. One source of stack up tolerances is from the circular stator body. Generally, the 10 thickness of rolled steel is not uniform across the width of the roll. Sometimes the edges are thicker or thinner than the center. In a stator made from circular stamped pieces, the thickness of individual laminations are thus different from one side to the other. When stacked together, this creates a stack up tolerance problem. Furthermore, the circular stampings leave a lot of 15 wasted steel that is removed and must be recycled or discarded.

 Another important factor in motor design is the lowering of the operating temperature of the motor. Increased motor temperature affects the electrical efficiency of the motor and bearing life. As temperature increases, 20 resistive losses in wire increase, thereby reducing total motor power. Furthermore, the Arrhenius equation predicts that the failure rate of an electrical device is exponentially related to its operating temperature. The frictional heat generated by bearings increases with speed. Also, as bearings 25 get hot they expand, and the bearing cages get stressed and may deflect, causing non-uniform rotation reducing bearing life. This non-uniform rotation causes a further problem of limiting the ability of the servo system controlling the read/write heads to follow data tracks on the magnetic media. One drawback with existing motor designs is their limited effective dissipation of the heat, and difficulty in incorporating heat sinks to aid in heat dissipation. In 30 addition, in current motors the operating temperatures generally increase as the size of the motor is decreased.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.