Docket No.: 241957.000595 (TRACK 1)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of: William H. McKenna et al.

Application No.: 14/729,634

Filed: June 3, 2015

For: TAMPER RESISTANT DOSAGE FORMS

Customer No. 06980

Confirmation No.: 8100

Art Unit: 1642

Examiner: AKHOON, Kauser M.

SUPPLEMENTAL AMENDMENT

MS Amendment

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

Prior to examination on the merits, please amend this U.S. patent application as follows.

Amendments to the Claims begin on page 2 of this paper.

Remarks/arguments begin on page 8 of this paper.

27954068v1



Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all previous claims, and listings of claims, in the application.

1-169. (Cancelled)

170. (Currently Amended) A cured shaped pharmaceutical tablet comprising:

(1) at least a first compression shaped and then air cured matrix, wherein said curing is by heated air having a temperature of at least about 62 ° C for a duration of at least about 5 minutes, said matrix comprising oxycodone or a pharmaceutically acceptable salt thereof in combination with at least one high molecular weight polyethylene oxide having, based on rheological measurements, an approximate molecular weight selected from the group consisting of 4,000,000, 7,000,000, and a combination thereof, and optionally further comprising at least one low molecular weight polyethylene oxide having, based on rheological measurements, an approximate molecular weight selected from the group consisting at least one low molecular weight polyethylene oxide having, based on rheological measurements, an approximate molecular weight of less than 1,000,000;

(2) optionally a second air cured matrix comprising oxycodone or a pharmaceutically acceptable salt thereof in combination with at least one low molecular weight polyethylene oxide having, based on rheological measurements, an approximate molecular weight of less than 1,000,000; and

(3) optionally a coating,

wherein, in said tablet:

(i) <u>said oxycodone or pharmaceutically acceptable salt thereof is provided in a</u> dose selected from the group consisting of 10 mg, 15, mg, 20 mg, and 30 mg;

the total combined weight of said low molecular weight polyethylene oxide, if present, and said high molecular weight polyethylene oxide is at least 79 % by weight of the total weight of said tablet, excluding the weight of any coatings; and said high molecular weight polyethylene oxide is at least 54 % by weight of the total weight of said uncoated tablet;

said low molecular weight polyethylene oxide, if present, is at least 10 % by weight of the total weight of said uncoated tablet, <u>excluding the weight of any coatings</u>; and <u>or</u>

(ii) said oxycodone or pharmaceutically acceptable salt thereof is provided in a dose selected from the group consisting of 40 mg, 60 mg, and 80 mg;

the total combined weight of said low molecular weight polyethylene oxide, if present, and said high molecular weight polyethylene oxide is at least 65 % by weight of the total weight of said tablet, excluding the weight of any coatings; and

said low molecular weight polyethylene oxide, if present, is at least 10 % by weight of the total weight of said tablet, excluding the weight of any coatings; and

said tablet provides a <u>dosage form for</u> twice-daily extended release <u>administration</u> of oxycodone or pharmaceutically acceptable salt thereof.

171. (Previously Presented) A cured shaped tablet as defined in claim 170, wherein said oxycodone or pharmaceutical salt thereof comprises at least 5 % by weight, based upon the total weight of said uncoated tablet.

172. (Previously Presented) A cured shaped tablet as defined in claim 170, wherein each shaped and cured matrix has been cured by heated air having a temperature of about 62 $^{\circ}$ C to about 90 $^{\circ}$ C for a duration of about 15 minutes to about 10 hours, and then is subsequently cooled.

173. (Previously Presented) A cured shaped tablet as defined in claim 172, wherein said heated air temperature is from about 65 ° C to about 90 ° C, said duration is about 15 minutes to about 8 hours, and said cooling comprises exposure to an air temperature of less than about 62 ° C.

174. (Previously Presented) A cured shaped tablet as defined in claim 170, wherein said shaped tablet is coated at least one of before or after being cured.

175. (Previously Presented) A cured shaped tablet as defined in claim 173, wherein one or both of said first matrix and second matrix further comprise a coating.

176. (Previously Presented) A cured shaped tablet as defined in claim 170, wherein, said second matrix is not present, said oxycodone or pharmaceutically acceptable salt thereof is provided in a dose selected from 10 mg, 15, mg, 20 mg, and 30 mg, and the total combined weight of said high and low molecular weight polyethylene oxide is at least 79 % by weight of the total weight of said uncoated tablet.

177. (Previously Presented) A cured shaped tablet as defined in claim 170, wherein, said second matrix is not present, the dosage amount of oxycodone is selected from 40 mg, 60 mg, and 80 mg, and the total combined weight of said high and low molecular weight polyethylene oxide is at least 65 % by weight of the total weight of said uncoated tablet.

178. (Previously Presented) A cured shaped tablet as defined in claim 176, wherein said low molecular weight polyethylene oxide is not present.

179. (Previously Presented) A cured shaped tablet as defined in claim 177, wherein said low molecular weight polyethylene oxide is not present.

180. (Cancelled)

181. (Previously Presented) A cured shaped tablet as defined in claim 174, wherein the total combined weight of said high and low molecular weight polyethylene oxide is at least 80 % by weight, based upon the total weight of said uncoated tablet.

182. (Previously Presented) A cured shaped tablet as defined in claim 174, wherein the total combined weight of said high and low molecular weight polyethylene oxide is at least 85 % by weight, based upon the total weight of said uncoated tablet.

183. (Previously Presented) A cured shaped tablet as defined in claim 174, wherein the total combined weight of said high and low molecular weight polyethylene oxide is at least 90 % by weight, based upon the total weight of said uncoated tablet.

184. (Previously Presented) A cured shaped tablet as defined in claim 174, wherein said tablet further comprises magnesium stearate.

185. (Previously Presented) A cured shaped tablet as defined in claim 184, wherein said tablet further comprises butylated hydroxytoluene.

186. (Previously Presented) A cured shaped tablet as defined in claim 184, wherein said tablet further comprises at least one of lactose, microcrystalline cellulose and hydroxypropyl cellulose.

187. (Previously Presented) A cured shaped tablet as defined in claim 170, wherein said tablet, when subjected to an indentation test, has at least one of (i) a cracking force of at least 110 N; and (ii) a penetration depth to crack distance of at least 1.0 mm.

188. (Previously Presented) A cured shaped tablet as defined in claim 170, wherein said tablet can be flattened to a thickness that is no more than about 60% of the initial tablet thickness without breaking; and said flattened tablet swells upon exposure to water or ethanol.

189. (Previously Presented) A cured shaped tablet according to claim 170, wherein, after a plurality of at least 100 of the same tablets are stored at 40° C and 75% relative humidity for at least 3 months, a set of at least ten of said stored tablets, on average, when measured in a

DOCKET A L A R M



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.