UNITED STATES INTERNATIONAL TRADE COMMISSION WASHINGTON, D.C. 20436

In the Matter of

CERTAIN MOBILE ELECTRONIC DEVICES AND RADIO FREQUENCY AND PROCESSING COMPONENTS THEREOF

Investigation No. 337-TA-1065

INITIAL DETERMINATION AND RECOMMENDED DETERMINATION Administrative Law Judge Thomas B. Pender

Pursuant to the notice of investigation, 82 Fed. Reg. 37899 (Aug. 14, 2017), this is the initial determination on violation and recommended determination on remedy and bonding in *Certain Mobile Electronic Devices and Radio Frequency and Processing Components Thereof*, United States International Trade Commission Investigation No. 337-TA-1065.

It is held that a violation of section 337 of the Tariff Act, as amended, has occurred in the importation into the United States, the sale for importation, or the sale within the United States after importation, of certain mobile electronic devices and radio frequency and processing components thereof, with respect to asserted claim 31 of U.S. Patent No. 9,535,490.



TABLE OF CONTENTS

Page

I.	Background						
	A.	Institution of the Investigation					
	B.	Procedural History					
	C.	The Private Parties					
	D.	Ownership of the Asserted Patents					
II.	Juriso	diction and Importation					
III.	The '	The '558 Patent					
	Α.	Claim Construction					
	B.	Infri	Infringement				
		1.	Gene	ral Principles of Law6			
		2.	The '	558 Accused Products8			
		3.	Clain	n 69			
			a.	An apparatus for wireless communication, comprising: a power amplifier operative to receive and amplify an input radio frequency (RF) signal and provide an output RF signal; and			
			b.	a supply generator operative to receive an envelope signal and a first supply voltage, to generate a boosted supply voltage having a higher voltage than the first supply voltage, and to generate a second supply voltage for the power amplifier based on the envelope signal and the boosted supply voltage,9			
			c.	wherein the supply generator incorporates an operational amplifier (op-amp) operative to receive the envelope signal and provide an amplified signal,			
			d.	a driver operative to receive the amplified signal and provide a first control signal and a second control signal,10			



TABLE OF CONTENTS (CONT'D)

Page

	·	e.	a P-channel metal oxide semiconductor (PMOS) transistor having a gate receiving a first control signal, a source receiving the boosted supply voltage or the first supply voltage, and a drain providing the second supply voltage, and	11	
		f.	an N-channel metal oxide semiconductor (NMOS) transistor having a gate receiving the second control signal, a drain providing the second supply voltage, and a source coupled to circuit ground.	16	
	4.	Claim	7	18	
		a.	The apparatus of claim 6,	18	
		b.	wherein the supply generator is operative to generate the second supply voltage based on the envelope signal and either the boosted supply voltage or the first supply voltage	18	
C.	Technical Prong				
	1.	General Principles of Law			
	2.	The '558 Domestic Industry Products			
	3.	Claim	6	23	
		a.	An apparatus for wireless communication, comprising: a power amplifier operative to receive and amplify an input radio frequency (RF) signal and provide an output RF signal; and	23	
		b.	a supply generator operative to receive an envelope signal and a first supply voltage, to generate a boosted supply voltage having a higher voltage than the first supply voltage, and to generate a second supply voltage for the power amplifier based on the envelope signal and the boosted supply voltage,	23	
		c.	wherein the supply generator incorporates an operational amplifier (op-amp) operative to receive the envelope signal and provide an amplified signal,	24	
		d.	a driver operative to receive the amplified signal and provide a first control signal and a second control signal,		



TABLE OF CONTENTS (CONT'D)

Page

		e.	a P-channel metal oxide semiconductor (PMOS) transistor having a gate receiving a first control signal, a source receiving the boosted supply voltage or the first supply voltage, and a drain providing the second supply voltage, and	24		
		f.	an N-channel metal oxide semiconductor (NMOS) transistor having a gate receiving the second control signal, a drain providing the second supply voltage, and a source coupled to circuit ground.	26		
	4.	Clain	ı 7	28		
		a.	The apparatus of claim 6,	28		
		b.	wherein the supply generator is operative to generate the second supply voltage based on the envelope signal and either the boosted supply voltage or the first supply voltage	28		
D.	Validity					
	1.	Gene	General Principles of Law			
	•	a.	Obviousness	29		
		b.	Lack of a Written Description	31		
		c.	Indefiniteness	31		
	2.	Conception and Reduction to Practice				
	3.	Kang: Obviousness				
	4.	Chu: Obviousness				
	5.	Secondary Considerations				
	6.	Indefiniteness and Written Description				
The '	936 Pat	ent		39		
A.	Clain	Claim Construction4				
R	Infrin	ngement				



IV.

TABLE OF CONTENTS (CONT'D)

		· r	age			
1.	The '9	36 Accused Products	.40			
2.	Claim 19					
	a.	A device comprising: a controller	41			
	b.	configured to receive a graphics instruction for execution within a programmable streaming processor,	41			
	c.	wherein the indication of the data precision is contained within the graphics instruction and	42			
	d.	wherein the graphics instruction is a first executable instruction generated by a compiler that compiles graphics application instructions,	42			
		i. Literal Infringement	. 42			
		ii. Doctrine of Equivalents	. 45			
	e.	to receive an indication of a data precision for execution of the graphics instruction, and to receive a conversion instruction that, when executed by the programmable streaming processor, converts graphics data associated, with the graphics instruction, from a first data precision to converted graphics data having a second data precision, wherein the conversion instruction is different than the graphics instruction and wherein the conversion instruction is generated by the compiler; and	48			
	f.	a plurality of execution units within the processor,				
	g.	wherein the controller is configured to select one of the execution units based on the indicated data precision and cause the selected execution unit to execute the graphics instruction with the indicated data precision using the converted graphics data associated with the graphics instruction.				
3.	Claim	25	52			
	a.	The device of claim 19,	52			



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

