

UNITED STATES PATENT AND TRADEMARK OFFICE

---

BEFORE THE PATENT TRIAL AND APPEAL BOARD

---

INTUITIVE SURGICAL, INC.,  
Petitioner,

v.

ETHICON LLC,  
Patent Owner.

---

Case IPR2018-01247 (Patent 8,479,969 B2)  
Case IPR2018-01248 (Patent 8,479,969 B2)  
Case IPR2018-01254 (Patent 8,479,969 B2)  
Case IPR2018-01703 (Patent 8,616,431 B2)<sup>1</sup>

---

Before JOSIAH C. COCKS, BENJAMIN D. M. WOOD, and  
MATTHEW S. MEYERS, *Administrative Patent Judges*.

MEYERS, *Administrative Patent Judge*.

ERRATA

---

<sup>1</sup> Because this Order addresses issues that are the same in each of the proceedings, we issue one Order to be entered in each proceeding. The parties are not authorized to use this caption unless later permitted.

IPR2018-01247 (Patent 8,479,969 B2)  
IPR2018-01248 (Patent 8,479,969 B2)  
IPR2018-01254 (Patent 8,479,969 B2)  
IPR2018-01703 (Patent 8,616,431 B2)

A Trial Order, was issued on September 19, 2019 with an error indicating that “[o]ral argument will commence at 10:00 am Eastern Time on October 17, 2019, on the 9th floor of Madison Building East, 600 Dulany Street, Alexandria Virginia.” Paper 32, 2; *see also id.* at 4 (stating “it is: ORDERED that the oral hearing, conducted pursuant to the procedures outlined above, shall commence at 10:00 am Eastern Time on October 17, 2019).<sup>2</sup>

The Trial Order should have indicated that “[o]ral argument will commence at 9:00 am Eastern Time on October 17, 2019.”

Accordingly, the Trial Order of September 19, 2019 for IPR2018-01247, 01248, -01254, and -01703, is modified as follows:

on page 2, it should read “[o]ral argument will commence at 9:00 am Eastern Time on October 17, 2019, on the 9th floor of Madison Building East, 600 Dulany Street, Alexandria Virginia”; and

on page 4, it should read “ORDERED that the oral hearing, conducted pursuant to the procedures outlined above, shall commence at 9:00 am Eastern Time on October 17, 2019.”

In all other respects, the Order is unchanged.

---

<sup>2</sup> IPR2018-01247 is representative of IPR2018-01248, -01254, and 01703.

IPR2018-01247 (Patent 8,479,969 B2)  
IPR2018-01248 (Patent 8,479,969 B2)  
IPR2018-01254 (Patent 8,479,969 B2)  
IPR2018-01703 (Patent 8,616,431 B2)

PETITIONER:

Steven katz  
katz@fr.com

John Phillips  
phillips@fr.com

Ryan O'Connor  
oconnor@fr.com

PATENT OWNER:

Anish Desai  
anish.desai@weil.com

Elizabeth Weiswasser  
elizabeth.weiswasser@weil.com

Adrian Percer  
adrian.percer@weil.com

Christopher Marando  
christopher.marando@weil.com

Christopher Pepe  
christopher.pepe@weil.com