Qualcomm

Patent Owner's Hearing Demonstratives IPR2018-01281, -1282


U.S. Patent No. 8,768,865

October 30, 2019

DQ A L	iencies in the Art			
C	าร	Term	Wang	Louch
₽Ĥ	<u>46</u>	"Identifying a first pattern"	Not Disclosed	
I	<u>46</u>	"Fixing by associating" under any construction	Not Disclosed	
Find authenticated court documents without wa	<u>46</u>	"Fixing by associating" under PO's construction	Not Disclosed	Not Disclosed
	27	"initiat[ing] a process to attempt a recognition of a second pattern based, at least in part, on said first identified pattern		Not Disclosed
	3	"said second pattern is [recognizing in] / [associated with] a reduced set of varying parameters [in response] / [due], at least in part, to said fixing"	Not Disclosed	Not Disclosed
	48	"captur[ing] a snapshot in response to said detection of said at least one condition"		Not Disclosed

DOCKET A L A R M

Patent | Technology Overview




'865 Patent (-1281, Ex. 1001) at 1*

^{*}Except for slides specific to the Wang reference, all citations herein to -1281 have parallel content in the -1282 proceeding

he '865 Patent addresses a data and processing overload problem

s alluded to previously, continually tracking or monitorall or most varying parameters or variables that may be ciated with a multi-dimensional stream of sensor inforon may be a computationally intensive, resource-coning, at times intractable, or otherwise less than efficient or tive approach for pattern matching or recognition.

nt at 7:58-63 (cited in -1281 POR at 8); ix. 2004 at ¶ 20 (cited in -1281 POR at 4)



'865 Patent at Figure 2

(annotated) (cited in

-1281 POR at 5)

First Stage

Link Condition and First Pattern

1. A method comprising:

monitoring, at a mobile device, input signals from a plurality of information sources associated with said mobile device;

detecting at least one condition based, at least in part, on at least one of said monitored input signals;

identifying a first pattern based, at least in part, on said at least one detected condition; and

Set Scope of Analysis for Second Stage fixing a subset of varying parameters associated with said first pattern by associating at least one parameter of said subset of varying parameters with said first pattern to represent said at least one detected condition, said varying parameters derived, at least in part, from said monitored input signals.

'865 Patent at Claim 1 (cited in -1281 POR at 14)

DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

