INTERNATIONAL HELLENIC UNIVERSITY School of Science and Technology

 $\begin{tabular}{ll} Virtual\ Labs\ \#2:\\ "Fading\ Processes-Channel\ Characterization":\\ Documentation \end{tabular}$

Referring to Courses:
Mobile Communication Networks,
MSc in Information and Communication Technology Systems

prepared by

Liaskos Christos

Computer Architecture and Communications Lab

Department of Informatics

Aristotle University of Thessaloniki

Dr. Koutitas George School of Science and Technology International Hellenic University

September 2010



Table of Contents

1.0 Pr	reface	1
2.0 In	troduction: Theoretical concepts	2
2.1	Fading processes	2
2.2	Rayleigh Fading	7
2.3	Rician Fading	12
2.4	Further reading	12
3.0 Us	ser's Manual	13
3.1	Requirements	13
3.2	Installation Notes	13
3.3	Application execution and usage	14
3.4	Simulating and obtaining results	22
3.5	Characterizing the wireless channel	22
3.6	Uninstalling the application	23
4.0 Su	pervisor's Manual	2 4
4.1	Extending the application	24
5.0 Pr	ogrammer's Manual	2 5
5.1	Portability	25
5.2	Explaining the directory structure	25
5.3	Conventions	27
5.4	Architecture	27
5.5	List of MATLAB function files	29
Refere	nces	31



List of Figures

Figure 1 —	Densely-built Manhattan has been shown to approach a Rayleigh fad-		
	ing environment.	8	
Figure 2 —	One second of Rayleigh fading with a maximum Doppler shift of $10Hz$.	Ĝ	
Figure 3 —	One second of Rayleigh fading with a maximum Doppler shift of $100 Hz$.	Ĝ	
Figure 4 —	The autocorrelation function of the 10Hz Doppler Rayleigh fading		
	channel	10	
Figure 5 —	The normalized Doppler power spectrum of Rayleigh fading with a		
	maximum Doppler shift of 10Hz	12	
Figure 6 —	The simulation setup form.	14	
Figure 7 —	The 3D visualization form	15	
Figure 8 —	Navigation Panel	18	
Figure 9 —	Navigation through mouse	19	
Figure 10 —	A signal source is modulated, altered (in terms of gain) by the trans-		
	mitting antenna, endures losses according to the selected medium		
	model, suffers the effect of shadowing (only when obstructed by one of		
	the four buildings) and fading (according to selected LOS rice factor,		
	number of paths, and RMS environment). White noise is then added		
	at the entry point of the receiving antenna (selected $\frac{E_b}{N_0}$ is used). The		
	gain of the receiving antenna is taken into account (geometry and ve-		
	hicle relative position counts). The signal is then demodulated and		
	the number of erroneous bits and symbols ir measured	21	
Figure 11 —	Gain forms. This forms shows the antenna gains, the shadowing losses		
	and their aggregation as a function of the vahicle's position	22	



Figure 12 — Results forms.	Three distinct panels are visible or not, depending on	
the choices of t	he user in the "Simulation" panel described above. In	
this figure, all I	panels are visible and active. The topmost panel shows	
the time-varian	t impulse response. The user may move the "window"	
slider to obtain	n a histogram of values inside the red window. This	
can be used for	r checking that the values follow the rice distribution.	
By altering the	sensitivity slider, the green line denoting the receiver's	
sensitivity is sh	nifted proportionately. This affects the Average Fade	
Duration and L	evel Crossing Frequency values at the lower most panel.	
Notice that the	SER/BER values correspond to a receiver of unlimited	
sensitivity, and	the extraction of their practical values is left as an	
exercise to the	user. The power delay profile is shown in the middle	
panel. NOTICI	E: this form may not show if the simulation is stopped	
prematurely, du	ue to lack of sufficient number of results	3
Figure 13 — The rayleighAV	VGN Simulink Model	8

1.0 Preface

This report constitutes the documentation of the 2^{nd} virtual laboratory environment that was developed for the "Mobile Communication Networks" and "Sensor Networks" courses of the MSc in Information and Communication Technology Systems, International Hellenic University.

Purpose of the present work is to familiarize the user with the concepts of E/M fading processes with regard to user mobility and modulation-encoding configurations, and enable the user to characterize a channel as narrowband or wideband depending on its characteristics.

The report consists of four main sections.

The fist section outlines the basics of E/M propagation theory that are examined in the context of this lab. This is not intended to be a thorough study or teaching material in any case, but rather a starter for more in-depth research and study.

The following three sections provide usage information for the simple user (student of an MSc program in Telecommunications), the supervisor (academic assistant with some knowledge of programming in MATLAB) and the programmer (expert in generic object oriented programming and particularly in MATLAB). The provided information in this leaflet intends to familiarize the simple user with the graphical interface and its potential, endow the supervisor with enough knowledge to create custom exercise scenarios and program expansions, and provide a blueprint for the programmer that has been bestowed with the task of heavily modifying/expanding the original program.

Finally a list of the main MATLAB files/functions that comprise the program is supplied.

September 8, 2010

Liaskos Christos, Electrical Engineer, Dpt. of Informatics, A.U.Th.



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

