

Exhibit C-12: “Splash 2: FPGAs in a Custom Computing Machine,” D.A. Buell et al., 1996 (“Buell”)


A book chapter entitled, “Splash 2: FPGAs in a custom Computing Machine,” by D.A. Buell, J. M. Arnold, and W. J. Kleinfelder, (“Buell”) was published in 1996, and is therefore prior art to U.S. Patent No. 7,225,324 (“’324 Patent”) at least under 35 U.S.C. §§ 102(a) and (b).

The citations presented herein are exemplary and not exclusive; each prior art reference as a whole discloses each and every limitation of the claims. A citation to a figure or figure reference numeral incorporates by reference the discussion and/or explication of such figure or feature/component referenced by the reference numeral. Further, the mapping in this chart is based on Amazon’s present understanding of Plaintiffs’ interpretation of the asserted claims of the patent-in-suit as reflected in Plaintiffs’ infringement contentions. Nothing in the chart should be regarded as necessarily reflecting how the prior art references would apply to claim elements of the asserted patent under a proper interpretation of the claims. Disclosures cited for dependent claims incorporate by reference the disclosure included herein for the corresponding independent claim.

Asserted Claim of ’324 Patent	Exemplary Disclosure of Buell
<p>[1A] A method for data processing</p>	<p>Buell at 97: “With the onset of the Human Genome Initiative [3] and constant advances in genetic sequencing technology, <i>genetic sequence data</i> are being generated at an ever increasing rate. As a result, biologists are faced with an influx of new sequences that they would like to classify and study by comparing them to <i>existing databases</i>. The analysis of a newly generated sequence typically involves <i>searching the databases</i> for similar sequences. <i>With the enormous size of the databases, fast methods are needed for comparing sequences</i> [11].</p> <p>In this chapter, we describe <i>two systolic array architectures for sequence comparison...</i>”</p> <p>Buell at 100: “The locality of reference shown in Figure 8.3 can be exploited to produce systolic algorithms in which communication is limited to adjacent <i>processors</i>....</p> <p>The systolic architecture and <i>data flow</i> shown in Figure 8.5 were used in the design of P-NAC of Lipton and Lopresti [12], a custom VLSI chip for DNA sequence comparison. Each <i>processing</i> element (PE) computes the distances along a particular diagonal of the distance matrix.”</p>

Exhibit C-12: "Splash 2: FPGAs in a Custom Computing Machine," D.A. Buell et al., 1996 ("Buell")

Asserted Claim of '324 Patent	Exemplary Disclosure of Buell
	Buell at Figure 8.1:

Asserted Claim of '324 Patent	Exemplary Disclosure of Buell
	<div style="text-align: center;">  <pre> graph TD A[TCTAGACC] -- "Substitute G for T at position 1" --> B[GCTAGACC] B -- "Insert A at position 3" --> C[GCATAGACC] C -- "Delete G at position 6" --> D[AACC] D -- "Substitute G for C at position 7" --> E[GCATAAGC] </pre> </div> <p>FIGURE 8.1 Listing of Operations to Transform <i>TCTAGACC</i> into <i>GCATAAGC</i>. Character matches are assumed to have a cost of 0 and are not shown. Assigning a cost of 2 for a substitution, 1 for deletion, and 1 for insertion, the cost of the transformation is 6.</p> <p>Buell at Figure 8.9 [emphasis added]:</p>

Asserted Claim of '324 Patent Exemplary Disclosure of Buell




FIGURE 8.9 Data Flow through the Unidirectional Systolic Array. The source sequence is first loaded into the array. The target sequences are then streamed through the array. The tag acts as a simple instruction telling each PE how to process the incoming data. The SR tag instructs an empty PE to load the source character and distance from the input stream. The PR tag marks the end of the source stream. The TG tag signals a target character. Multiple source and target sequences can be carried on the input stream for uninterrupted pipelined processing.

Buell showing a method for processing data at Figure 8.12:

Asserted Claim of '324 Patent	Exemplary Disclosure of Buell
	<pre> loop if (TAGin = SR) then if (SRCch = ∅) then SRCch ← CHRin CHRout ← ∅ DSTout ← PDSTin else CHRout ← CHRin endif PDSTout ← PDSTin else-if (TAGin = PR) then if (SRCch = ∅) then DSTout ← PDSTin endif PDSTout ← DSTin CHRout ← CHRin else-if (TAGin = TG) then if (SRCch ≠ ∅) and (CHRin ≠ ∅) then DSTout ← min { PDSTout+ψ(SRCch,CHIRin), DSTin+ψ(SRCch,∅), DSTout+ψ(∅,CHRin) } else-if (SRCch = ∅) then DSTout ← DSTin endif PDSTout ← DSTin CHRout ← CHRin endif TAGout ← TAGin endloop </pre> <p>FIGURE 8.12 Code executed by each PE in the unidirectional array</p> <p>Buell showing a method for processing data at Figure 8.7:</p>

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.