

(12) **United States Patent**  
**Tanenhaus et al.**

(10) **Patent No.:** **US 6,469,639 B2**  
(45) **Date of Patent:** **Oct. 22, 2002**

(54) **METHOD AND APPARATUS FOR LOW POWER, MICRO-ELECTRONIC MECHANICAL SENSING AND PROCESSING**

JP 09093207 4/1997  
WO WO98/00932 8/1998

**OTHER PUBLICATIONS**

(75) Inventors: **Martin Tanenhaus**, Orlando, FL (US);  
**Robert McDowell**, Orlando, FL (US);  
**Tom Nelson**, Orlando, FL (US)

Dong, Michael J. et al, Low Power Signal Processing Architecture for Network Microsensor ISLPED97, International Symposium on Low Power Electronics and Design, Jan. 1998.\*

(73) Assignee: **System Excelerator, Inc.**, Orlando, FL (US)

(List continued on next page.)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

*Primary Examiner*—Michael Horabik  
*Assistant Examiner*—Albert K. Wong  
(74) *Attorney, Agent, or Firm*—Allen, Dyer, Dopelt, Milbrath & Gilchrist, P.A.

(21) Appl. No.: **09/897,748**

(57) **ABSTRACT**

(22) Filed: **Jul. 2, 2001**

(65) **Prior Publication Data**

US 2002/0011937 A1 Jan. 31, 2002

**Related U.S. Application Data**

(62) Division of application No. 09/080,038, filed on May 15, 1998, now Pat. No. 6,255,962.

(51) **Int. Cl.<sup>7</sup>** ..... **G08B 21/00**

(52) **U.S. Cl.** ..... **340/870.16; 340/870.07; 340/539; 340/690; 73/786; 73/577; 702/14; 702/16; 52/1**

(58) **Field of Search** ..... **340/870.11, 870.07, 340/870.16, 870.39, 539, 690; 73/597, 803, 786, 577; 702/16, 14, 41; 52/1**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,319,241 A 3/1982 Mount  
4,497,031 A 1/1985 Froehling et al.


(List continued on next page.)

**FOREIGN PATENT DOCUMENTS**

JP 62064804 3/1987  
JP 06054910 1/1994

A method and apparatus for low-power sensing and processing are provided. A method preferably includes collecting a plurality of sensor signals. The plurality of sensors include sensed data representative of at least shock and vibration. The method also includes converting the plurality of sensor signals into digital data, processing the digital data, generating a data communications protocol for communicating the digital data, and simultaneously and remotely detecting the generated communications protocol having the processed data to determined the occurrence of at least one predetermined condition. An apparatus preferably includes a low-power, data acquisition processing circuit responsive to a plurality of sensor signals representative of at least shock and vibration for acquiring and processing the sensed data. The data acquisition processing circuit preferably includes a plurality of data inputs, an analog-to-digital converter responsive to the plurality of data inputs for converting each of the plurality of sensor signals from an analog format to a digital format, a digital signal processor responsive to the analog-to-digital converter for processing the digitally formatted data, a data communications processor responsive to said digital signal processor for generating and processing data communications, a battery, and a power management controller at least connected to the battery, the digital signal processor, and the data communications processor for controlling power management of the data acquisition processing circuit.

**40 Claims, 7 Drawing Sheets**



## U.S. PATENT DOCUMENTS

|                |         |                        |           |
|----------------|---------|------------------------|-----------|
| 4,559,828 A    | 12/1985 | Liszka                 |           |
| 4,912,471 A    | 3/1990  | Tyburski               |           |
| 4,942,386 A *  | 7/1990  | Willis .....           | 200/61.49 |
| 5,061,917 A    | 10/1991 | Higgs et al.           |           |
| 5,068,850 A    | 11/1991 | Moore                  |           |
| 5,160,925 A    | 11/1992 | Dailey                 |           |
| 5,317,620 A    | 5/1994  | Smith                  |           |
| 5,428,638 A    | 6/1995  | Cioffi et al.          |           |
| 5,445,347 A    | 8/1995  | Ng                     |           |
| 5,448,230 A    | 9/1995  | Schanker et al.        |           |
| 5,467,083 A *  | 11/1995 | McDonald et al. ....   | 340/854.4 |
| 5,481,245 A    | 1/1996  | Moldavsky              |           |
| 5,524,021 A    | 6/1996  | Scotton et al.         |           |
| 5,555,276 A    | 9/1996  | Koenck et al.          |           |
| 5,557,258 A    | 9/1996  | Eslambolchi            |           |
| 5,559,484 A    | 9/1996  | Nowicki                |           |
| 5,602,749 A    | 2/1997  | Vosburgh               |           |
| 5,604,928 A    | 2/1997  | Hamano et al.          |           |
| 5,625,882 A    | 4/1997  | Vook et al.            |           |
| 5,659,302 A    | 8/1997  | Cordier                |           |
| 5,708,417 A *  | 1/1998  | Tallman et al. ....    | 340/425.5 |
| 5,801,314 A    | 9/1998  | Irwin et al.           |           |
| 5,842,149 A    | 11/1998 | Harrell                |           |
| 5,897,606 A    | 4/1999  | Miura                  |           |
| 6,047,380 A    | 4/2000  | Nolan                  |           |
| 6,208,247 B1 * | 3/2001  | Agre et al. ....       | 340/511   |
| 6,255,962 B1 * | 7/2001  | Tanenhaus et al. ....  | 246/169 R |
| 6,259,372 B1 * | 7/2001  | Taranowski et al. .... | 340/539   |


## OTHER PUBLICATIONS


Lin, Tsung-Hsien et al, wireless Integrated Network Sensor for Tactical Information systems, Rockwell Science Center. Jan. 1998.\*

Bult, K. et al, Low Power Systems for Wireless Microsensors, Proceedings of the International Symposium on Low Power Electronics and Design, Aug. 12-14 1996.\*

Bult, K et al, Wireless Integratd Microsensors, Hilton Head Transducer Conference, Jun. 1996.\*

\* cited by examiner








FIG. 3.

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.