

**UNITED STATES INTERNATIONAL TRADE COMMISSION
WASHINGTON, D.C.**

Before The Honorable Charles E. Bullock

Chief Administrative Law Judge


In the Matter of

**CERTAIN ELECTROCHEMICAL
GLUCOSE MONITORING SYSTEMS
AND COMPONENTS THEREOF**

Inv. No. 337-TA-1075

**EXPERT REPORT OF RICHARD T. MIHRAN, PH.D., REGARDING
INFRINGEMENT OF U.S. PATENT NOS. 9,724,045 AND 9,750,460**

Dated: April 12, 2018



Richard Mihran, Ph.D.

TABLE OF CONTENTS

	Page
I. INTRODUCTION	1
II. QUALIFICATIONS	3
III. INFORMATION CONSIDERED IN FORMING OPINION	6
IV. LEGAL STANDARDS	6
A. Legal Standards for Direct Infringement	7
B. Legal Standards for Infringement under the Doctrine of Equivalents	7
C. Legal Standards for Inducement	10
D. Legal Standards for Contributory Infringement	10
E. Violations of 19 U.S.C. § 1337.....	11
V. OVERVIEW OF THE ASSERTED PATENTS.....	12
VI. The Patent Prosecution History	25
A. Prosecution history of the ‘045 patent	25
B. Prosecution history of the ‘460 patent	28
VII. CLAIM CONSTRUCTION.....	30
VIII. Person Having Ordinary Skill in the Art.....	37
IX. SUMMARY OF OPINIONS	38
X. OverView of the Accused Products.....	39
A. KeyNote Product Family – AgaMatrix Presto.....	40
B. Jazz Product Family – CVS Health Advanced Glucose Meter.....	44
C. Jazz Wireless 2 (Kronos) Family of Products – AgaMatrix Jazz Wireless 2	47
D. Common Analytical Platform across Accused Products	52
E. Alpha Analytical Platform	53
1. Overview of Test Strips	55
2. Test Strip Components and Configuration	59
3. Electrochemical Assay.....	64
XI. INFRINGEMENT OF THE ‘045 PATENT	82
A. Claim 16 – ‘045 Patent	82
1. Claim 16(a): A glucose sensor system, the system comprising:	83

TABLE OF CONTENTS

(continued)

	Page
2. Claim 16(b): an electrochemical glucose sensor configured to be in contact with a biological sample for measuring a glucose concentration, wherein the electrochemical glucose sensor comprises a first electrode, a second electrode, and an enzyme-containing film;	95
3. Claim 16(c): sensor electronics comprising a processor for executing a computer program code stored in a memory to cause the sensor electronics to:	124
4. Claim 16(d): apply a voltage to the electrochemical glucose sensor at a first setting,.....	143
5. Claim 16(e): switch the voltage applied to the electrochemical sensor to a different setting,.....	186
6. Claim 16(f): measure a signal response of the electrochemical glucose sensor responsive to the switching,	217
7. Claim 16(g): evaluate a severity associated with a signal artifact based on the measured signal response of the electrochemical glucose sensor to the switching,.....	251
8. Claim 16(h): wherein the signal artifact is associated with a non-glucose rate limiting phenomenon, and.....	272
9. Claim 16(i): generate an estimated glucose concentration value when the severity associated with the signal artifact is evaluated to be under a predetermined threshold,.....	274
10. Claim 16(j): wherein the estimated glucose concentration value accounts for the severity associated with the signal artifact; and	280
11. Claim 16(k): a user interface configured to display the estimated glucose concentration value.	284
B. Claim 17 – ‘045 Patent.....	290
C. Claim 20 – ‘045 Patent: The system of claim 16, wherein the measured signal response is a voltage response of the electrochemical glucose sensor.	294
1. KeyNote Product Family - AgaMatrix Presto: Claim 20	294
2. Jazz Product Family – CVS Health: Claim 20	305
3. Jazz Wireless 2 Product Family – AgaMatrix Jazz Wireless 2: Claim 20	314
4. Computation of sample mobility, $v_{t_{mob}}$	326
5. Calculation of final glucose concentration.....	328

..

TABLE OF CONTENTS

(continued)

	Page
D. Claim 23 – ‘045 Patent: The system of claim 16, wherein the non-glucose rate limiting phenomenon is associated with a temperature.	330
2. Computation of sample mobility, $v_{t_{mob}}$.....	331
E. Claim 24 – ‘045 Patent: The system of claim 16, wherein the non-glucose rate limiting phenomenon is associated with an available electrode surface area.	335
F. Claim 37 – ‘045 Patent.....	336
1. Claim 37(a): A glucose sensor system, the system comprising:	337
2. Claim 37(b): an electrochemical glucose sensor configured to be in contact with a biological sample for measuring a glucose concentration, wherein the electrochemical glucose sensor comprises a first electrode, a second electrode, and an enzyme-containing film;	337
3. Claim 37(c): sensor electronics comprising a processor for executing a computer program code stored in a memory to cause the sensor electronics to:	337
4. Claim 37(d): apply a voltage to the electrochemical glucose sensor at a first setting,.....	337
5. Claim 37(e): switch the voltage applied to the electrochemical sensor to a different setting,.....	337
6. Claim 37(f): measure a signal response of the electrochemical glucose sensor responsive to the switching,	338
7. Claim 37(g): wherein the measured signal response is a time-varying voltage response of the electrochemical glucose sensor.....	338
8. Claim 37(h): evaluate a severity associated with a signal artifact based on the measured signal response of the electrochemical glucose sensor to the switching,.....	361
9. Claim 37(i): wherein the signal artifact is associated with a non-glucose rate limiting phenomenon, and.....	361
10. Claim 37(j): generate an estimated glucose concentration value when the severity associated with the signal artifact is evaluated to be under a predetermined threshold,.....	361
11. Claim 37(k): wherein the estimated glucose concentration value accounts for the severity associated with the signal artifact; and	361
12. Claim 37(l): a user interface configured to:	361

...

TABLE OF CONTENTS

(continued)

	Page
13. Claim 37(m): display a first screen presenting generated glucose concentration data over a first time period,.....	367
14. Claim 37(n): display a second screen presenting generated glucose concentration data over a second time period,	374
15. Claim 37(o): where the second time period is different in length from the first time period,	382
16. Claim 37(p): display a third screen presenting estimated glucose concentration value,	393
17. Claim 37(q): allow a user to toggle between the first screen, the second screen, and the third screen,	402
18. Claim 37(r): and generate an alert responsive to the detection of a hyperglycemic condition or hypoglycemic condition.	412
G. Claim 38 – ‘045 Patent: The system of claim 37, wherein the biological sample is blood.	424
H. Claim 41 – ‘045 Patent: The system of claim 37, wherein the non-glucose rate limiting phenomenon is associated with a temperature.	424
I. Claim 42 – ‘045 Patent: The system of claim 37, wherein the non-glucose rate limiting phenomenon is associated with an available electrode surface area.	424
XII. INFRINGEMENT OF THE ‘460 PATENT	424
A. Claim 20 – ‘460 Patent.....	424
1. Claim 20(a): A glucose sensor system, the system comprising:	425
2. Claim 20(b): an electrochemical glucose sensor configured to be in contact with a biological fluid to obtain a glucose measurement, wherein the electrochemical glucose sensor comprises a first electrode, a second electrode, and an enzyme-containing film; and	437
3. Claim 20(c): sensor electronics comprising a processor for executing computer program code stored in a memory to cause the processor to:	466
4. Claim 20(d): apply a voltage to the electrochemical glucose sensor, wherein applying the voltage comprises at least one process selected from the group consisting of switching, cycling, and pulsing a voltage applied to the electrochemical glucose sensor,	484
5. Claim 20(e): measure a signal response of the electrochemical glucose sensor responsive to the applying,.....	560

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.