

- [54] **PROCESS FOR PURIFICATION OF PHOSPHOLIPIDS**
- [75] Inventors: **John J. Kearns**, Princeton; **Paul A. Tremblay**, Mercerville, both of N.J.; **Raymond J. Robey**, Macungie; **Swaminathan Sunder**, Allentown, both of Pa.
- [73] Assignee: **Air Products and Chemicals, Inc.**, Allentown, Pa.
- [*] Notice: The portion of the term of this patent subsequent to Dec. 22, 2004 has been disclaimed.
- [21] Appl. No.: **928,508**
- [22] Filed: **Nov. 7, 1986**

Related U.S. Application Data

- [60] Division of Ser. No. 698,668, Feb. 6, 1985, Pat. No. 4,714,571, which is a continuation-in-part of Ser. No. 579,535, Feb. 13, 1984, abandoned.
- [51] Int. Cl.⁴ **C11C 1/00**

- [52] U.S. Cl. 260/403; 260/412.4
- [58] Field of Search 260/403, 412.4

References Cited

U.S. PATENT DOCUMENTS

4,466,923 8/1984 Friedrich 260/412.4

Primary Examiner—J. E. Evans

Attorney, Agent, or Firm—Richard A. Dannells, Jr.; William F. Marsh; James C. Simmons

ABSTRACT

A process for the separation and purification of individual phospholipids, especially phosphatidylcholine or lecithin and phosphatidylethanolamine, from mixtures containing members of the sub-class of phosphatides, incorporating methods of solvent extraction appropriate to the scale of the sample and utilizing an acetonitrile, acetonitrile-hydrocarbon, or acetonitrile-fluorocarbon solvent, which exhibit differential solubility properties towards the individual phospholipids.

4 Claims, 3 Drawing Sheets




FIG. 1




FIG. 2





FIG. 3



PROCESS FOR PURIFICATION OF PHOSPHOLIPIDS

This application is a division of application Ser. No. 5 698,668, filed Feb. 6, 1985, now U.S. Pat. No. 4,714,571 which in turn is a continuation-in-part of Ser. No. 579,535, filed Feb. 13, 1984 now abandoned.

TABLE OF CONTENTS

1.	Field of the Invention	
2.	Background of the Invention	
2.1	Phospholipids	
2.2	Phospholipid Purification	
3.	Summary of the Invention	
4.	Brief Description of the Figures	
5.	Detailed Description of the Invention	
5.1	Partition Coefficient of PC and PE in Mixed Acetonitrile-Hexane Solvent	
6.	Examples	
6.1	Phospholipid Purification Using Acetonitrile Solvent	
6.1.1	Direct Extraction of Phospholipids from Egg Yolk Using Acetonitrile	
6.1.2	Direct Acetonitrile Extraction of Phospholipids from Acetone-Washed Egg Yolks	25
6.1.3	Purification of Egg Yolk Derived PC with Acetonitrile After Initial Extraction of Phospholipids by Conventional Methods	
6.1.4	Removal of Egg Yolk Neutral Lipids by Supercritical CO ₂ Before or After Extraction With Acetonitrile	30
6.2	Phospholipid Purification at Different Scale Levels and Using Countercurrent Extraction	
6.2.1	Large Scale Purification of Phosphatides from Chicken Egg Yolks	35
6.2.2	Microgram and Milligram Scale Countercurrent Purification of Egg Yolk Derived PC and PE	
6.2.3	Gram Scale Purification of Egg Yolk Derived PC and PE	40
6.2.4	Gram to Kilogram Scale Purification of Egg Yolk Derived PC and PE by Extraction Using Packed Column Method	
6.2.5	Pilot Plant Scale Purification of Egg Yolk Derived PC and PE by Extraction Using Countercurrent Reciprocating Plate Karr Column	45

1. FIELD OF THE INVENTION

The present invention relates to a process for the 50 production of high-purity, individual phospholipids from mixtures thereof, by means of separation techniques utilizing solvents novel for this purpose. More specifically, this invention concerns a process for separating and purifying phospholipids, especially those of 55 the sub-class of phosphatides, including, but not limited to the variant fatty acid chain members of the phosphatidylcholine ("PC") or lecithin, phosphatidylethanolamine ("PE"), phosphatidylserine ("PS") and phosphatidylglycerol ("PG") groups.

Particular embodiments of this invention incorporate 60 various known solvent-based separation methods using the solvent systems here disclosed to be most effective in this novel application. Specific phospholipids can be extracted in high purity from mixtures of phospholipids 65 derived from egg yolks, soya beans or other sources because of the different degrees of solubility of the phospholipids in the solvent used. This invention

teaches the novel use of a solvent selected from the group consisting of acetonitrile, and mixtures of acetonitrile and one or more hydrocarbons of the group consisting of pentane, hexane, isohexane, heptane and octane, and mixtures of hydrocarbons such as petroleum ether or mixtures of acetonitrile and fluorocarbons.

The present invention is advantageous in that it is 10 both less time consuming and less costly than other known methods.

2. BACKGROUND OF THE INVENTION

2.1 Phospholipids

Phospholipids, including PC, which is commonly 15 known as lecithin, are members of the class of phosphatides. They are of significant commercial importance because of their wetting and emulsifying properties. They are widely used as ingredients in food products, cosmetics, pharmaceuticals, insecticides, paints, plastics and textiles, and have also found numerous applications 20 in the petroleum industry. Because of its widespread occurrence in nature, PC is known colloquially as "nature's emulsifier." The occurrence of PC as a component of cell membranes has been the subject of much recent scientific research. Emphasis in this research has been on the determination of the physical properties and functional characteristics of PC.

Purified egg phospholipids are currently used as a 25 starting material to synthesize other compounds such as glycerophosphocholine; saturated, unsaturated, single and mixed fatty acids, phosphatidylcholines, phosphatidylethanolamines, phosphatidylglycerols, phosphatidylserines, phosphatidic acids, and diether lipids, etc.

2.2 Phospholipid Purification

At present, high purity PC is typically obtained by 30 time consuming, expensive methods such as high pressure liquid chromatography (HPLC), solid-liquid column chromatography (SLCC), flash chromatography, and thin layer chromatography (TLC).

These methods involve the separation of the lipids, 35 typically by solvent extraction or by other solvent-based techniques. Neutral lipids can be separated from the phospholipid class by precipitation with cold acetone. A form of chromatography is then used to separate the individual lipid components. HPLC and flash chromatography on silica gel or alumina represent the 40 state of the art in chromatography. For example, Jungalwala et al. [Biochem. J. 155:55 (1976)] have described HPLC in silica-gel, using a mixture of acetonitrile, methanol and water as eluant, to separate phosphatidylcholine from sphingomyelin. These methods, because they are relatively faster than conventional 45 column chromatography, permit higher solvent flow-rates through the column (throughput) than are attainable with slow conventional column chromatography. Chromatographic means are, however, generally slow and costly. On a large scale, especially, the large quantity of column packing required and the high associated 50 instrumentation costs limit the use of column chromatography to the separation and purification of only the most valuable and expensive compounds.

U.S. Pat. No. 2,651,646, issued to Goldsmith, discloses a method of purifying monoglycerides from diglycerides, using multiple solvent systems including 55 methanol-hydrocarbon, methanol-water-hydrocarbon,

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.