# TravTek Global Evaluation and Executive Summary

Publication No. FHWA-RD-96-031

March 1996





U.S. Department of Transportation

Federal Highway Administration

Research and Development Turner-Fairbank Highway Research Center 6300 Georgetown Pike McLean, Virginia 22101-2296



#### **FOREWORD**

This report is one of eight reports produced as part of the evaluation of the TravTek operational field test, conducted in Orlando, Florida, during 1992-1993. TravTek, short for Travel Technology, was an advanced driver information and traffic management system that provided a combination of traveler information services and route navigation and guidance support to the driver. Twelve individual but related studies were conducted during the evaluation. Evaluation goals and objectives were represented by the following basic questions: (1) Did the TravTek system work? (2) Did drivers save time and avoid congestion? (3) Will drivers use the system? (4) How effective was voice guidance compared to moving map and turn-by-turn displays? (5) Was TravTek safe? (6) Could TravTek benefit travelers who do not have the TravTek system? (7) Will people be willing to pay for TravTek features?

Evaluation data were obtained from more than 4,000 volunteer drivers during the operation of 100 specially equipped automobiles for a l-year period. Results of the evaluation demonstrated and validated the concept of in-vehicle navigation and the provision of traveler information services to the driver. The test also provided valuable results concerning the drivers' interaction with and use of the in-vehicle displays. This project has made many important contributions supporting the goals and objectives of the Intelligent Transportation Systems Program.

Samuel C. Tignor, Ph.D., P.E.
Acting Director, Office of Safety and
Traffic Operations Research and
Development

## NOTICE

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no liability for the contents or the use thereof. This report does not constitute a standard, specification, or regulation.

The United States Government does not endorse products of manufacturers. Trade and manufacturers' names appear in this report only because they are considered essential to the object of the document.



**Technical Report Documentation Page** 

1. Report No.	2. Government Accession No.	3. Recipient's Catalog No.
FHWA-RD-96-031		, ,
4. Title and Subtitle		5. Report Date
		Mar-96
TRAVTEK GLOBAL EVALUATION AND EXECUTIVE SUMMARY		6. Performing Organization Code
7. Author(s)		8. Performing Organization Report No.
V. W. Imnan, J. I. Peters		
9. Performing Organization Name and Address		10. Work Unit No. (TRAIS)
Science Applications International Corporation		3B7A
3045 Technology Pkwy		11. Contract or Grant No.
Orlando, FL 32826		DTFH61-91-C-00106
12. Sponsoring Agency Name and Addres	SS	13. Type of Report and Period Covered
Office of Safety and Traffic Operations R&D		Final Report, Nov. 1991, June 1994
Federal Highway Administration		14. Sponsoring Agency Code
6300 Georgetown Pike		
McLean, VA 22102-2296		

### 15. Supplementary Notes

Contracting Officer's Technical Representative: FrankMammano, HSR-12

#### 16. Abstract

TravTek was an operational field test of an advanced traveler information systems (ATIS) and advanced traffic management systems (ATMS) technologies. This paper summarizess the findings from the series of studies that constituted the TravTek evaluation. Two field studies, three field experiments, and four analytical studies are summarized. The Rental User Study and Local User Study were naturalistic field studies of the use of the TravTek system by rental drivers and high-mileage local area residents respectively. The Yoked Driver Study, Orlando Test Network Study, and Camera Car Study were field experiments that empirically assessed the in-vehicle TravTek subsystem with respect to measures of performance that included trip planning time, travel time, subjective workload, wrong turns, glance location, and glance duration. The Modeling Study extrapolated expected system performance from field studies and experiments for various levels of market penetration, traffic conditions not observed in the field, and measures of performance not directly measured in the field. The Modeling Study projected effects on fuel consumption, vehicle emissions, accident risk, and other measures for market penetration levels of 1 to 100 percent. The Safety Study reviewed and integrated safety-related statistics across all TravTek studies and expanded on Modeling Study methods to project safety benefits. The Architecture Study thoroughly documented the TravTek system and evaluated system components that included: communications, data bases, hardware, software, and system staffing. Study results showed that the TravTek system was reliable. The distributed information processing system was found to be viable. The system helped drivers save substantial trip planning and travel time. It also was effective in helping drivers avoid congestion. Both visitors and local users used the system frequently, and provided a median estimate of the value of the system in a new car of about \$1000. The turn-by-turn Guidance Display and Voice Guide were very well received. Visitors and local users used these features for the majority of their trips, and results of field experiments suggest that the Guidance Display and Voice Guide yielded improved driving and navigation performance over navigating to unfamiliar destinations by conventional means. The Safety Study showed that the system was safe, and suggested a small safety benefit for a fully deployed system. The Modeling Study findings suggest that a TravTek system would benefit not only system users, but also non-equipped vehicles that share the road with system users. The TravTek operational test was a success. The TravTek evaluation demonstrated that users found the system useful, easy to use, and safe. Field experiments showed that the system reduced trip planning and travel time, and improved driving and navigation performance. System users indicated that they were willing to pay for a system such

17. Key Words	18. Distribution Statement		
	No restrictions. This document is available	to the public through	
TravTek, ATIS, ATMS, IVHS, ITS, Evaluation	the National Technical Information Service, Springfield, Virginia 22161		
19. Security Classif. (of this report)	20.Security Classif. (of this page)	21. No of Pages	22. Price
111	11	404	



as the one they drove during the operational test.

```
METRIC/ENGLISH CONVERSION FACTORS
                    ENGLISH TO METRIC
                                                                                          METRIC TO ENGLISH
                    LENGTH (APPROXIMATE)
                                                                                          LENGTH (APPROXIMATE)
                1 inch (in) = 2.5 centimeters (cm)
                                                                                1 millimeter (mm) = 0.04 inch (in)
                                                                                1 centimeter (cm) = 0.4 inch (in)
                1 foot (ft) = 30 centimeters (cm)
                                                                                       1 \text{ meter (m)} = 3.3 \text{ feet (ft)}
                1 yard (yd 0.9 meter (m)
                1 mile (mi) = 1.6 kilometers (km)
                                                                                       1 \text{ meter } (m) = 1.1 \text{ yards } (yd)
                                                                                 1 kilometer (km) = 0.6 mile (mi)
                                                                                             AREA (APPROXIMATE)
                    AREA (APPROXIMATE)
1 square inch (sq in, in<sup>2</sup> = 6.5 square centineters (cm<sup>2</sup>)
                                                                       1 square centimeter (cm<sup>2</sup>) = 0.16 square inch (sq in, in<sup>2</sup>)
1 square foot (sq ft, ft<sup>2</sup> = 0.09 square meter (m<sup>2</sup>)
                                                                             1 square meter (m^2) = 1.2 square yards (sq yd, yd)
                                                                        1 square kilometer (km^2) = 0.4 square mile (sq mi, mi^2)
1 square yard (sq yd, yd<sup>2</sup>) = 0.8 square meter (m^2)
                                                                         1 hectare (he) = 10,000 square meters (m^2) = 2.5 acres
1 square mile (sq mi, mi<sup>2</sup>) = 2.6 square kilometers (km<sup>2</sup>)
1 acre = 0.4 hectares (he) = 4,000 square meters (m^2)
                                                                                MASS · WEIGHT (APPROXIMATE)
             MASS · WEIGHT (APPROXIMATE)
              1 \text{ ounce (oz)} = 28 \text{ grans (gr)}
                                                                                      1 gram (gr) = 0.036 ounce (oz)
              1 pound (lb) = .45 kilogram (kg)
                                                                                  1 kilogram (kg) = 2.2 pounds (lb)
     1 short ton = 2,000 pounds (Lb) = 0.9 tonne (t)
                                                                          1 tonne (t) = 1,000 kilograms (kg) = 1.1 short tons
              VOLUME (APPROXIMATE)
                                                                                      VOLUME (APPROXIMATE)
          1 teaspoon (tsp) = 5 milliliters (ml)
                                                                               1 milliliters (ml) 0.03 fluid ounce (fl oz)
      1 tablespoon (tbsp o 15 milliliters (ml)
                                                                                      1 liter (1) = 2.1 pints (pt)
    1 fluid ounce (fl oz) = 30 milliliters (ml)
                                                                                      1 liter (1) = 1.06 quarts (qt)
                                                                                      1 liter (1) = 0.26 gallon (gal)
                 1 \text{ cup } (c) = 0.24 \text{ liter } (1)
                                                                               1 cubic meter (m³) = 36 cubic feet (cu ft, ft³)
               1 pint (pt) = 0.47 liter (1)
                                                                               1 cubic meter (m^3) = 1.3 cubic yards (cu yd, yd<sup>3</sup>)
              1 quart (qt) = 0.96 liter (l)
            1 gallon (gal) = 3.8 liters (l)
   1 cubic foot (cu ft, ft^3) = 0.03 cubic meter (m<sup>3</sup>)
1 cubic yard (cu yd, yd<sup>3</sup>) = 0.76 cubic meter (m<sup>3</sup>)
             TEMPERATURE (EXACT)
                                                                                          TEMPERATURE (EXACT)
      [(x-32)(5/9)] <sup>0</sup>F _{\Box} y <sup>0</sup>C
                                                                                [(9/5) y + 32] OC x OF
                                            QUICK INCH-CENTIMETER LENGTH CONVERSION
                                                                                                                                10
  INCHES
                         1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
CENTI METERS
                                       QUICK FAHRENHEIT-CELSIUS TEMPERATURE CONVERSION
            - 22<sup>0</sup>
                                             50°
                                                                                        140°
                                                                                                          176°
                                                                                                                   194°
                                                                                                                            212°
                                                                                                 158°
                                               100
                                                                                 500
                                                                                          GO°
                                                                                                  709
                                                                                                           SU.
                                                                                                                             1000
                           -100
For more exact and or other conversion factors, see NBS Miscellaneous Publication 286, Units of Weights and
            Price $2.50. SD Catalog No. Cl3 10286.
```



## TABLE OF CONTENTS

Section Section	<b>Page</b>
EXECUTIVE SUMMARY	1
INTRODUCTION	1
The TravTek Partnership	1
The TravTek System	1
The TravTek In-Vehicle System	2
The Traffic Management Center	3
The TravTek Information and Services Center	3
The TravTek Network	3
THE TRAVTEK EVALUATION	3
Goals and Objectives	4
Approach	4
THE TRAVTEK STUDIES	4
Field Studies	5
Field Experiments	6
Analytical Studies	7
RESULTS	8
Did the System Work?	9
Did Drivers Save Time and Avoid Congestion?	
Will Drivers Use the System"	
How Effective were the Turn-By-Turn, Moving Map, and Voice Guidance	
Displays?	. 10
Was TravTek Safe?	
Could TravTek Benefit Travelers Who Do Not Have the System?	. 12
Will People be Willing to Pay for TravTek Features?	
CONCLUSIONS AND RECOMMENDATIONS	12
Implications for Deployment	13
INTRODUCTION	15
THE TRAVTEK PARTNERSHIP	15
THE TRAVTEK SYSTEM	15
THE TRAVTEK IN-VEHICLE SYSTEM	17
Data Base of Local Information	18
Navigation Assistance	18
Route Planning	19
Route Guidance	19
Real-Time Traffic Information	20
Location Assistance	21
Built in tutorial and help	22
TRAFFIC MANAGEMENT CENTER	22
TRAVTEK INFORMATION AND SERVICES CENTER	24
THE TRAVTEK TRAFFIC NETWORK	26
TRAVTEK EVALUATION	29



## DOCKET

## Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## **Real-Time Litigation Alerts**



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## **Advanced Docket Research**



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## **Analytics At Your Fingertips**



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## **LAW FIRMS**

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

### **FINANCIAL INSTITUTIONS**

Litigation and bankruptcy checks for companies and debtors.

## **E-DISCOVERY AND LEGAL VENDORS**

Sync your system to PACER to automate legal marketing.

