

# 3GPP TR 36.912 V9.1.0 (2009-12)

---

*Technical Report*

**3rd Generation Partnership Project;  
Technical Specification Group Radio Access Network;  
Feasibility study for  
Further Advancements for E-UTRA (LTE-Advanced)  
(Release 9)**

---



The present document has been developed within the 3<sup>rd</sup> Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented.

---

Keywords

LTE, Radio

**3GPP**

---

Postal address

---

3GPP support office address

650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE  
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

---

Internet

<http://www.3gpp.org>

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© 2009, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).  
All rights reserved.

UMTS™ is a Trade Mark of ETSI registered for the benefit of its members  
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners  
LTE™ is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners  
GSM® and the GSM logo are registered and owned by the GSM Association

# Contents

Foreword .....	6
1 Scope .....	7
2 References .....	7
3 Definitions, symbols and abbreviations .....	8
3.1 Definitions .....	8
3.2 Symbols .....	8
3.3 Abbreviations.....	8
4 Introduction .....	8
5 Support of wider bandwidth .....	8
5.1 General.....	8
5.1A Physical layer.....	9
5.1A.1 DL control signalling .....	9
5.1A.2 UL control signalling.....	9
5.2 User Plane.....	10
5.2.1 Structure .....	10
5.2.2 MAC .....	11
5.2.3 RLC.....	11
5.2.4 PDCP.....	11
5.3 Control plane .....	11
5.3.1 Structure .....	11
5.3.2 RRC procedures .....	12
5.3.2.1 System Information .....	12
5.3.2.2 Connection Control .....	12
5.3.2.3 Measurements.....	12
5.3.3 Idle mode procedures .....	12
6 Uplink transmission scheme.....	12
6.1 Uplink spatial multiplexing.....	12
6.1A Uplink transmit diversity .....	14
6.1A.1 Transmit Diversity for Uplink Control Channel .....	14
6.2 Uplink multiple access.....	14
6.3 Uplink reference signals .....	15
6.4 Uplink power control.....	15
7 Downlink transmission scheme.....	15
7.0 Physical channel mapping.....	15
7.1 Downlink spatial multiplexing.....	15
7.1.1 Feedback in support of downlink spatial multiplexing .....	16
7.2 Downlink reference signals.....	16
7.3 Downlink transmit diversity .....	17
8 Coordinated multiple point transmission and reception .....	17
8.1 Downlink coordinated multi-point transmission.....	17
8.2 Uplink coordinated multi-point reception.....	17
9 Relaying .....	17
9.1 General.....	17
9.2 Architecture .....	18
9.3 Relay-eNodeB link .....	18
9.3.1 Resource partitioning for relay-eNodeB link .....	18
9.3.2 Backward compatible backhaul partitioning .....	19
9.3.3 Backhaul resource assignment .....	19
10 Improvement for latency .....	20
10.1 Improvement for C-Plane latency.....	20
10.2 Improvement for U-Plane latency.....	20

11	Radio transmission and reception .....	21
11.1	RF scenarios.....	21
11.1.1	Deployment scenarios .....	21
11.2	Common requirements for UE and BS .....	21
11.2.1	Carrier Aggregation.....	21
11.2.1.1	Bandwidth configuration of component carriers .....	21
11.2.1.2	Carrier spacing between component carriers.....	21
11.2.2	Operating bands .....	21
11.3	UE RF requirements .....	22
11.3.1	General.....	22
11.3.2	Transmitter characteristics .....	23
11.3.2.1	Transmitter architecture .....	23
11.3.2.2	Transmit power .....	24
11.3.2.3	Output power dynamics .....	24
11.3.2.4	Transmit signal quality .....	25
11.3.2.5	Output RF spectrum emissions.....	25
11.3.2.5.1	Adjacent Channel Leakage ratio .....	25
11.3.2.5.2	Spurious emission (UE to UE co-existence) .....	25
11.3.2.6	Transmit intermodulation.....	25
11.3.3	Receiver characteristics.....	25
11.3.3.1	Receiver architecture .....	26
11.3.3.2	Receiver Sensitivity.....	26
11.3.3.3	Selectivity.....	26
11.3.3.4	Blocking performance .....	27
11.3.3.5	Spurious response.....	27
11.3.3.6	Intermodulation performance .....	27
11.3.3.7	Spurious emission.....	27
11.4	BS RF requirements.....	27
11.4.1	General.....	27
11.4.2	Transmitter characteristics .....	28
11.4.2.1	Base Station output power.....	28
11.4.2.2	Transmitted signal quality .....	28
11.4.2.3	Unwanted emissions.....	28
11.4.2.4	Transmitter spurious emissions .....	28
11.4.3	Receiver characteristics.....	29
11.4.3.1	Reference sensitivity level.....	29
11.4.3.2	Adjacent Channel Selectivity (ACS), narrow-band blocking, Blocking, Receiver intermodulation ....	29
11.4.3.3	Performance requirements.....	29
12	Mobility enhancements .....	29
13	TS 36.133 [17] requirements enhancements .....	30
14	MBMS Enhancements.....	30
15	SON Enhancements.....	30
16	Self-Evaluation Report on "LTE Release 10 and beyond (LTE-Advanced)" .....	30
16.1	Peak spectral efficiency .....	31
16.2	C-plane latency .....	32
16.2.1	Idle to Connected .....	32
16.2.2	Dormant to Active.....	33
16.3	U-Plane latency.....	34
16.4	Spectral efficiency and user throughput.....	34
16.4.1	Cell spectral efficiency and cell-edge spectral efficiency .....	34
16.4.1.1	Indoor .....	34
16.4.1.2	Microcellular .....	35
16.4.1.3	Base coverage urban.....	36
16.4.1.4	High speed.....	37
16.4.2	Number of supported VoIP users .....	39
16.4.3	Mobility traffic channel link data rates .....	39
16.5	Handover Performance .....	40
16.5.1	Intra-frequency handover interruption time .....	42

16.5.2	Inter-frequency handover interruption time within a spectrum band .....	42
16.5.3	Inter-frequency handover interruption time between spectrum bands .....	42
16.6	Spectrum and bandwidth .....	42
16.6.1	Deployment in IMT bands .....	42
16.6.2	Bandwidth and channel bandwidth scalability .....	42
16.7	Services .....	42
16.8	Conclusions of the Self-Evaluation .....	43
<b>Annex A:</b>	<b>Simulation model .....</b>	<b>44</b>
A.1	General assumption .....	44
A.2	CoMP assumption for evaluation .....	46
A.3	Detailed simulation results .....	46
<b>Annex B:</b>	<b>Latency performance of Rel-8 .....</b>	<b>47</b>
B.1	C-plane latency .....	47
B.1.1	Transition IDLE to CONNECTED .....	47
B.1.1.1	FDD frame structure .....	47
B.1.1.2	TDD frame structure .....	48
B.1.2	Transition Dormant to Active .....	49
B.1.2.1	FDD frame structure .....	50
B.1.2.1.1	Uplink initiated transition, synchronized .....	50
B.1.2.1.2	Uplink initiated transition, unsynchronized .....	50
B.1.2.1.3	Downlink initiated transition, synchronized .....	50
B.1.2.1.4	Downlink initiated transition, unsynchronized .....	50
B.1.2.2	TDD frame structure .....	51
B.1.2.2.1	Uplink initiated transition, synchronized .....	51
B.1.2.2.2	Uplink initiated transition, unsynchronized .....	51
B.1.2.2.3	Downlink initiated transition, synchronized .....	52
B.1.2.2.4	Downlink initiated transition, unsynchronized .....	52
B.2	U-plane latency .....	53
B.2.1	FDD frame structure .....	53
B.2.2	TDD frame structure .....	54
<b>Annex C:</b>	<b>ITU-R Submission Templates .....</b>	<b>57</b>
C.1	Description template – characteristics (4.2.3.2) .....	57
C.2	Description template – link budget (4.2.3.3) .....	57
C.3	Compliance templates for services (4.2.4.1), for spectrum (4.2.4.2), technical performance (4.2.4.3) .....	57
<b>Annex D:</b>	<b>Change history .....</b>	<b>58</b>

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.