



Wi-Fi Peer-to-Peer (P2P) Technical Specification Version 1.7

This document is the specification for the Wi-Fi Alliance Wi-Fi CERTIFIED Wi-Fi Direct® program, which allows Wi-Fi client devices to connect directly without the use of an access point.

WI-FI ALLIANCE PROPRIETARY – SUBJECT TO CHANGE WITHOUT NOTICE

This document may be used with the permission of Wi-Fi Alliance under the terms set forth herein.

By your use of the document, you are agreeing to these terms. Unless this document is clearly designated as an approved specification, this document is a work in process and is not an approved Wi-Fi Alliance specification. This document is subject to revision or removal at any time without notice. Information contained in this document may be used at your sole risk. Wi-Fi Alliance assumes no responsibility for errors or omissions in this document. This copyright permission does not constitute an endorsement of the products or services. Wi-Fi Alliance trademarks and certification marks may not be used unless specifically allowed by Wi-Fi Alliance.

Wi-Fi Alliance has not conducted an independent intellectual property rights ("IPR") review of this document and the information contained herein, and makes no representations or warranties regarding IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions.

Wi-Fi Alliance owns the copyright in this document and reserves all rights therein. A user of this document may duplicate and distribute copies of the document in connection with the authorized uses described herein, provided any duplication in whole or in part includes the copyright notice and the disclaimer text set forth herein. Unless prior written permission has been received from Wi-Fi Alliance, any other use of this document and all other duplication and distribution of this document are prohibited. Unauthorized use, duplication, or distribution is an infringement of Wi-Fi Alliance's copyright.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY WI-FI ALLIANCE AND WI-FI ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT.

Document History

Version	Date	Status	Comments
1.0	2009-12-09	Approved for Internal Release	Peer-to-Peer Technical Specification v1.00
1.1	2010-10-04	Final	Public release version
1.2	2011-12-14	Final	Public release version <ul style="list-style-type: none"> - Incorporated changes in 3.1.2.1.2, 3.1.2.1.3, 3.2.2, 3.3.2.2, 3.3.3.2, 4.1.14, 4.1.16, 4.2.1 (Table 37), 4.2.3 (Table 41) as documented in Draft Errata v0-1 for WiFi P2P Technical Specification v1-1.pdf - Incorporated proposed language for response time requirement addition in 3.1.5.1 and 3.2.3 - Incorporated editorial fix to Appendix C (Figure C12) - Updated WSC Primary Device Type attribute table in Appendix B.2 to incorporate new "tablet" sub category (WSC v2.0.1). - Added Display Service Protocol Type in Table 63
1.3		Draft	Internal draft, not publicly released
1.3.32	2014-01-27	Draft	Draft release version to public <ul style="list-style-type: none"> - Updated to support NFC
1.4	2014-03-21	Final	Public release version <ul style="list-style-type: none"> - Clarifications on NFC sections - Updated to incorporate the Wi-Fi Peer-to-Peer Services Addendum version 0.7 - Minor editorial corrections/clarifications
1.5	2014-08-04	Final	Public release version <ul style="list-style-type: none"> - Editorial updates to clarify references to Wi-Fi Peer-to-Peer Services (P2Ps) Specification
1.6	2016-01-14	Final	Corrected missing reference in section 4.2.11.1
1.7	2016-07-06	Final	Public release version <ul style="list-style-type: none"> - Updated to incorporate operation in the DMG (60GHz)



Table of Contents

1	Introduction	13
1.1	Overview	13
1.2	Scope.....	13
1.3	References	13
1.4	Definitions	14
1.5	Abbreviations and acronyms.....	16
2	Architectural overview	19
2.1	P2P components	19
2.2	P2P topology	19
2.3	Concurrent operation	21
2.4	Functions and services	22
2.4.1	Basic functions and services.....	22
2.4.2	P2P specific functions and services.....	23
2.4.3	P2P Device addressing.....	23
3	Functional description and procedures	25
3.1	P2P discovery	25
3.1.1	Introduction	25
3.1.2	Device Discovery procedures	25
3.1.3	Service Discovery procedures	38
3.1.4	Group Formation procedure.....	44
3.1.5	P2P Invitation procedure.....	54
3.2	P2P Group operation	58
3.2.1	P2P Group ID	59
3.2.2	Starting and maintaining a P2P Group session	59
3.2.3	Connecting to a P2P Group	61
3.2.4	P2P Group Owner services for P2P Client discovery	62
3.2.5	Persistent Group operation	64
3.2.6	Communication in a P2P Group	66
3.2.7	Disconnecting from a P2P Group	69
3.2.8	Disconnecting a P2P Client	69



- 3.2.9 Ending a P2P Group session 70
- 3.3 P2P Power Management 70
 - 3.3.1 Introduction 70
 - 3.3.2 Power Management and discovery 71
 - 3.3.3 Power Management at a P2P Group Owner 72
 - 3.3.4 Power Management at a P2P Client 79
- 3.4 Managed P2P Device operations 83
 - 3.4.1 Managed P2P Device capability 83
 - 3.4.2 P2P Coexistence Parameters operations 84
 - 3.4.3 WLAN Deauthentication/Disassociation 86
 - 3.4.4 Managed P2P Device Summary 87
- 4 Frame formats 89
 - 4.1 P2P Information Element 89
 - 4.1.1 P2P IE format 89
 - 4.1.2 Status attribute 92
 - 4.1.3 Minor Reason Code attribute 93
 - 4.1.4 P2P Capability attribute 94
 - 4.1.5 P2P Device ID attribute 97
 - 4.1.6 Group Owner Intent attribute 97
 - 4.1.7 Configuration Timeout attribute 98
 - 4.1.8 Listen Channel attribute 98
 - 4.1.9 P2P Group BSSID attribute 99
 - 4.1.10 Extended Listen Timing attribute 100
 - 4.1.11 Intended P2P Interface Address attribute 100
 - 4.1.12 P2P Manageability attribute 101
 - 4.1.13 Channel List attribute 102
 - 4.1.14 Notice of Absence attribute 103
 - 4.1.15 P2P Device Info attribute 105
 - 4.1.16 P2P Group Info attribute 106
 - 4.1.17 P2P Group ID attribute 107
 - 4.1.18 P2P Interface attribute 108
 - 4.1.19 Operating Channel attribute 108
 - 4.1.20 Invitation Flags attribute 109



4.1.21	Out-of-Band Group Owner Negotiation Channel attribute.....	110
4.1.22	Service Hash attribute.....	111
4.1.23	Session Information Data Info.....	111
4.1.24	Connection Capability Info attribute	112
4.1.25	Advertisement ID Info attribute	112
4.1.26	Advertised Service Info attribute	113
4.1.27	Session ID Info attribute.....	114
4.1.28	Feature Capability Info attribute.....	115
4.1.29	Persistent Group Info attribute	115
4.2	Management Frames.....	116
4.2.1	Beacon frame format	116
4.2.2	Probe Request frame format.....	117
4.2.3	Probe Response frame format.....	118
4.2.4	Association/Reassociation Request frame format	119
4.2.5	Association/Reassociation Response frame format.....	120
4.2.6	Deauthentication frame format.....	120
4.2.7	Disassociation frame format	121
4.2.8	IP Address Allocation in EAPOL-Key Frames (4-Way Handshake).....	121
4.2.9	P2P public action frames	122
4.2.10	P2P action frames	132
4.2.11	Service Discovery action frames.....	134
4.2.12	FST action frames	137
4.3	DMG Frames	137
4.3.1	DMG Beacon and Announce frame format.....	137
4.3.2	Information request frame format.....	138
4.3.3	Information response frame format.....	139
4.4	Frame Usage	139
4.5	NFC NDEF Structure	142
4.5.1	NFC P2P Handover Request Message	142
4.5.2	NFC P2P Handover Select Message.....	145
Appendix A	P2P State Machine	148
Appendix B	P2P Specific WSC IE Attributes.....	157
B.1	Requested Device Type.....	157

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.