


For Advanced
High School
Chemistry

Brown LeMay Bursten

CHEMISTRY

THE CENTRAL SCIENCE

Revised Eighth Edition



 CD-ROM Inside

**DOCKET
ALARM**

Find authenticated court documents without watermarks at docketalarm.com.

Chemistry

The Central Science

Eighth Revised Edition

Theodore L. Brown

University of Illinois at Urbana-Champaign

H. Eugene LeMay, Jr.

University of Nevada, Reno

Bruce E. Bursten

The Ohio State University

With contributions by Julia R. Burdge, University of Akron

PRENTICE HALL

Upper Saddle River, New Jersey 07458

Editor: John Challice
Development Editor/Editor in Chief, Development: Carol Trueheart
Associate Editor: Mary Hornby
Editorial Assistants: Amanda K. Griffith, Gillian Buonanno
Media Editor: Paul Draper
Editorial/Production Supervision: Bob Walters
Art Director: Joseph Sengotta
Assistant Art Director: John Christiana
Page layout: Richard Foster, Karen Noferi, Karen Stephens, Amy Peltier, Jeff Henn,
Joanne Del Ben, Donna Marie Paukovits
Art Studios: Academy Artworks/Michael Goodman/BioGrafx/Wellington
Editor in Chief: Paul F. Corey
Director of Marketing: John Tweeddale
Assistant Vice President ESM Production and Manufacturing: David W. Riccardi
Executive Managing Editor: Kathleen Schiaparelli
Art Manager: Gus Vibal
Art Editor: Karen Branson
Assistant Art Editor: Adam Velthaus
Senior Marketing Manager: Steve Sartori
Marketing Assistant: Dorothy Marrero
Director, Creative Services: Paul Belfanti
Associate Creative Director: Amy Rosen
Interior Design: Judith A. Matz-Coniglio
Manufacturing Manager: Trudy Piscioti
Photo Editor: Melinda Reo
Photo Researcher: Yvonne Gerin
Cover Illustration: ©Kenneth Eward/BioGrafx, 1999
Copy Editor: Fay Ahuja

© 2002, 2000, 1997, 1994, 1991, 1988, 1985, 1981, 1977 by Prentice-Hall, Inc.
Upper Saddle River, NJ 07458

All rights reserved. No part of this book may be
reproduced, in any form or by any means,
without permission in writing from the publisher.

Printed in the United States of America

10 9 8 7 6 5 4 3 2 1

ISBN 0-13-061142-5

Prentice-Hall International (UK) Limited, *London*
Prentice-Hall of Australia Pty. Limited, *Sydney*
Prentice-Hall Canada Inc., *Toronto*
Prentice-Hall Hispanoamericana, S.A., *Mexico*
Prentice-Hall of India Private Limited, *New Delhi*
Prentice-Hall of Japan, Inc., *Tokyo*
Prentice-Hall (Singapore) Pte. Ltd., *Singapore*
Editora Prentice-Hall do Brasil, Ltda., *Rio de Janeiro*

redox (oxidation-reduction) reaction A reaction in which certain atoms undergo changes in oxidation states. The substance increasing in oxidation state is oxidized; the substance decreasing in oxidation state is reduced. (Chapter 20; Introduction)

reducing agent or reductant The substance that is oxidized and thereby causes the reduction of some other substance in an oxidation-reduction reaction. (Section 20.1)

reduction A process in which a substance gains one or more electrons. (Section 4.4)

refining The process of converting an impure form of a metal into a more usable substance of well-defined composition. For example, crude pig iron from the blast furnace is refined in a converter to produce steels of desired compositions. (Section 23.2)

rem A measure of the biological damage caused by radiation; rems = rads \times RBE. (Section 21.9)

renewable energy Energy such as solar energy, wind energy, and hydroelectric energy that is from essentially inexhaustible sources. (Section 5.8)

representative (main-group) element Element in which the *s* and *p* orbitals are partially occupied. (Section 6.9)

resonance structures (resonance forms) Individual Lewis structures in cases where two or more Lewis structures are equally good descriptions of a single molecule. The resonance structures in such an instance are "averaged" to give a correct description of the real molecule. (Section 8.7)

reverse osmosis The process by which water molecules move under high pressure through a semipermeable membrane from the more concentrated to the less concentrated solution. (Section 18.5)

reversible process A process that can go back and forth between states along exactly the same path; a system at equilibrium is reversible because it can be reversed by an infinitesimal modification of a variable such as temperature. (Section 19.1)

ribonucleic acid (RNA) A polynucleotide in which ribose is the sugar component. (Section 25.11)

roasting Thermal treatment of an ore to bring about chemical reactions involving the furnace atmosphere. For example, a sulfide ore might be roasted in air to form a metal oxide and SO_2 . (Section 23.2)

root-mean-square (rms) speed (μ) The square root of the average of the squared speeds of the gas molecules in a gas sample. (Section 10.7)

rotational motion Movement of a molecule as though it is spinning like a top. (Section 19.3)

salinity A measure of the salt content of seawater, brine, or brackish water. It is equal to the mass in grams of dissolved salts present in 1 kg of seawater. (Section 18.5)

salt An ionic compound formed by replacing one or more H^+ of an acid by other cations. (Section 4.3)

saponification Hydrolysis of an ester in the presence of a base. (Section 25.6)

saturated solution A solution in which undissolved solute and dissolved solute are in equilibrium. (Section 13.2)

scientific law A concise verbal statement or a mathematical equation that summarizes a broad variety of observations and experiences. (Section 1.3)

scientific method The general process of advancing scientific knowledge by making experimental observations and by formulating laws, hypotheses, and theories. (Section 1.3)

scintillation counter An instrument that is used to detect and measure radiation by the fluorescence it produces in a fluorescing medium. (Section 21.5)

screening effect The effect of inner electrons in decreasing the nuclear charge experienced by outer electrons. (Section 6.7)

secondary structure The manner in which a protein is coiled or stretched. (Section 25.9)

second law of thermodynamics A statement of our experience that there is a direction to the way events occur in nature. When a process occurs spontaneously in one direction, it is nonspontaneous in the reverse direction. It is possible to state the second law in many different forms, but they all relate back to the same idea about spontaneity. One of the most common statements found in chemical contexts is that in any spontaneous process the entropy of the universe increases. (Section 19.2)

second-order reaction A reaction in which the overall reaction order (the sum of the concentration-term exponents) in the rate law is 2. (Section 14.3)

sigma (σ) bond A covalent bond in which electron density is concentrated along the internuclear axis. (Section 9.6)

sigma (σ) molecular orbital A molecular orbital that centers the electron density about an imaginary line passing through two nuclei. (Section 9.7)

significant figures The digits that indicate the precision with which a measurement is made; all digits of a measured quantity are significant, including the last digit, which is uncertain. (Section 1.5)

silicates Compounds containing silicon and oxygen, structurally based on SiO_4 tetrahedra. (Section 22.10)

single bond A covalent bond involving one electron pair. (Section 8.4)

SI units The preferred metric units for use in science. (Section 1.4)

slag A mixture of molten silicate minerals. Slags may be acidic or basic, according to the acidity or basicity of the oxide added to silica. (Section 23.2)

smectic liquid-crystalline phase A liquid crystal in which the molecules are aligned along their long axes and arranged in sheets, with the ends of the molecules aligned. There are several different kinds of smectic phases. (Section 12.1)

smelting A melting process in which the materials formed in the course of the chemical reactions that occur separate into two or more layers. For example, the layers might be slag and molten metal. (Section 23.2)

sol-gel process A process in which extremely small particles (0.003 to 0.1 mm in diameter) of uniform size are produced in a series of chemical steps followed by controlled heating. (Section 12.4)

solid Matter that has both a definite shape and a definite volume. (Section 1.2)

solubility The amount of a substance that dissolves in a given quantity of solvent at a given temperature to form a saturated solution. (Sections 4.2 and 13.2)

solubility-product constant (solubility product) (K_{sp}) An equilibrium constant related to the equilibrium between a solid salt and its ions in solution. It provides a quantitative measure of the solubility of a slightly soluble salt. (Section 17.4)

solute A substance dissolved in a solvent to form a solution; it is normally the component of a solution present in the smaller amount. (Section 4.1)

solution A mixture of substances that has a uniform composition; a homogeneous mixture. (Section 1.2)

solution alloy A homogeneous alloy, with the components distributed uniformly throughout. (Section 23.6)

solvation The clustering of solvent molecules around a solute particle. (Section 13.1)

solven
compo
specifi
to raise
spectal
appear
spectro
abilitie
crystal
spectro
diant e
spin-p
anothe
sponta
given
ven by
even tl
sputte
al that
gaseot
standa
101.32
standa
a cell v
standa
that ac
ement
standa
all rea
standa
ergy a
under
standa
tion 21
tial of
stand
subst
standa
half-re
standa
called
standa
standa
atm p
tion 1)
starch
acts a
state 1
or con
is fixe
are sp
states
liquid
stereo
bondi
the at
stoicl
and p
strato
pospl