

Nasacort Allergy 24HR 120 Sprays Ca

10.09.13

NAS_Allergy_24HR_120_CTN_

<p>Drug Facts</p> <p>Active ingredient (in each spray) Purpose Triamcinolone acetonide (glucocorticoid) 55 mcg.....Nasal allergy symptom reliever</p> <p>Uses temporarily relieves these symptoms of hay fever or other upper respiratory allergies: ■ nasal congestion ■ runny nose ■ sneezing ■ itchy nose</p> <p>Warnings</p> <p>Do not use ■ in children under 2 years of age ■ if you have ever had an allergic reaction to any of the ingredients</p> <p>Ask a doctor before use if you ■ have had recent nose ulcers or nose surgery ■ have had a nose injury that has not healed ■ are using a steroid medicine for asthma, allergies or skin rash ■ have an eye infection ■ have or had glaucoma or cataracts</p> <p>When using this product ■ the growth rate of some children may be slower ■ some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief. ■ do not share this bottle with anyone else as this may spread germs ■ remember to tell your doctor about all the medicines you take, including this one</p> <p>Stop use and ask a doctor if ■ you have, or come into contact with someone who has, chickenpox, measles or tuberculosis ■ you have or develop symptoms of an infection such as a persistent fever ■ you have any change in vision ■ you have severe or frequent nosebleeds</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions Read insert (inside package) on how to: ■ get a new bottle ready (primed) before first use ■ prime bottle again if not used for more than 2 weeks ■ use the spray ■ clean the spray nozzle</p>	<p>Drug Facts (continued)</p> <p>ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER</p> <p>adults and children 12 years of age and older ■ once daily, spray 2 times into each nostril while sniffing gently ■ once your allergy symptoms improve, reduce to 1 spray in each nostril per day</p> <p>CHILDREN 2 TO UNDER 12 YEARS OF AGE</p> <p>children 6 to under 12 years of age ■ the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year. ■ an adult should supervise use ■ once daily, spray 1 time into each nostril while sniffing gently ■ if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.</p> <p>children 2 to under 6 years of age ■ an adult should supervise use ■ once daily, spray 1 time into each nostril while sniffing gently</p> <p>children under 2 years of age ■ do not use</p> <p>■ do not use more than directed ■ if you forget a dose, do not double the next dose ■ do not spray into eyes or mouth ■ if allergy symptoms do not improve after one week, stop using and talk to a doctor ■ do not use for the common cold ■ shake well before each use</p> <p>Dist. by: Chatterm, Inc., a Sanofi Company Chattanooga, TN 37409-0219 © 2013 Origin France</p> <p>000000-00</p>

Original Prescription Strength

Nasacort Allergy 24HR

Original Prescription Strength

NDC xxxxxx-xxxx-x

Multi-Symptom Nasal Allergy Spray

Nasacort Allergy 24HR

triamcinolone acetonide (glucocorticoid) 55 mcg per spray/Nasal Allergy Symptom Reliever

24 HR
Relief of:

- Nasal Congestion
- Sneezing
- Runny Nose
- Itchy Nose

0.57 fl. oz. (16.9 ml)

<p>Drug Facts (continued)</p> <p>■ do not use if sealed package is torn or opened</p> <p>■ keep package and insert. They contain important information.</p> <p>■ store between 20°-25° C (68°-77° F)</p>	<p>Inactive ingredients</p> <p>bisacrylamide, chlorhexidine, sodium dodecyl sulfate, sodium hydroxide, hydrochloric acid or sodium hydroxide for pH adjustment, microcrystalline cellulose, polyacrylate 80, purified water</p>	<p>Questions or comments?</p> <p>call toll-free 1-800-633-1610</p>	<p>Other information</p> <p>■ do not use if sealed package is torn or opened</p> <p>■ keep package and insert. They contain important information.</p> <p>■ store between 20°-25° C (68°-77° F)</p>
---	--	---	--

Lot XXXXX
Exp MM/YYYY

Reference ID: 3389317

Nasacort Allergy 24HR 120 Sprays Part

10.09

NAS_Allergy_24H

<p>Drug Facts</p> <p>Active ingredient (in each spray) Purpose</p> <p>Triamcinolone acetonide (glucocorticoid) 55 mcg Nasal allergy symptom reliever</p>		<p>Drug Facts (continued)</p> <p>Directions</p> <p>Read insert (inside package) on how to:</p> <ul style="list-style-type: none"> ■ get a new bottle ready (primed) before first use ■ prime bottle again if not used for more than 2 weeks ■ use the spray ■ clean the spray nozzle 	
<p>Uses</p> <p>temporarily relieves these symptoms of hay fever or other upper respiratory allergies:</p> <ul style="list-style-type: none"> ■ nasal congestion ■ runny nose ■ sneezing ■ itchy nose 		<p>ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER</p> <ul style="list-style-type: none"> ■ once daily, spray 2 times into each nostril while sniffing gently ■ once your allergy symptoms improve, reduce to 1 spray in each nostril per day 	
<p>Warnings</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ in children under 2 years of age ■ if you have ever had an allergic reaction to any of the ingredients <p>Ask a doctor before use if you</p> <ul style="list-style-type: none"> ■ have had recent nose ulcers or nose surgery ■ have had a nose injury that has not healed ■ are using a steroid medicine for asthma, allergies or skin rash ■ have an eye infection ■ have or had glaucoma or cataracts <p>When using this product</p> <ul style="list-style-type: none"> ■ the growth rate of some children may be slower ■ some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief. ■ do not share this bottle with anyone else as this may spread germs ■ remember to tell your doctor about all the medicines you take, including this one <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you have, or come into contact with someone who has, chickenpox, measles or tuberculosis ■ you have or develop symptoms of an infection such as a persistent fever ■ you have any change in vision ■ you have severe or frequent nosebleeds <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>		<p>CHILDREN 2 TO UNDER 12 YEARS OF AGE</p> <ul style="list-style-type: none"> ■ the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year. ■ an adult should supervise use ■ once daily, spray 1 time into each nostril while sniffing gently ■ if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day. <p>children 6 to under 12 years of age</p> <ul style="list-style-type: none"> ■ an adult should supervise use ■ once daily, spray 1 time into each nostril while sniffing gently <p>children 2 to under 6 years of age</p> <ul style="list-style-type: none"> ■ an adult should supervise use ■ once daily, spray 1 time into each nostril while sniffing gently <p>children under 2 years of age</p> <ul style="list-style-type: none"> ■ do not use ■ do not use more than directed ■ if you forget a dose, do not double the next dose ■ do not spray into eyes or mouth ■ if allergy symptoms do not improve after one week, stop using and talk to a doctor ■ do not use for the common cold ■ shake well before each use 	
<p>Other information</p> <ul style="list-style-type: none"> ■ do not use if sealed package is torn or opened ■ keep package and insert. They contain important information. ■ store between 20°- 25°C (68°- 77°F) 			



Dist. by: Chatterm, Inc.,
a Sanofi Company
Chattanooga, TN 37409-0219
© 2013 Origin France

0044404-01

UPC

Reference ID: 3389317

Prescription strength allergy relief.
Without a prescription.

Nasacort[®]
Allergy 24HR

24 hour symptom relief
from indoor & outdoor allergies

Read insert (inside package)
for complete instructions
on how to:

- › Get a new bottle ready (primed) before first use
- › Prime bottle again if not used for more than 2 weeks
- › Use the spray
- › Clean the spray nozzle

**BEFORE FIRST USE,
A NEW BOTTLE
MUST BE PRIMED**

**SHAKE WELL
BEFORE EACH USE**

Reference ID: 3389317

Nasacort Allergy 24HR 120

3-D I

1

NAS_Aller



Reference ID: 3389317

Nasacort Allergy 24HR 120 Sprays Partial

10.09.1

NAS_Allergy_24HR_120

<p>Drug Facts</p> <p>Active ingredient (in each spray) Purpose</p> <p>Triamcinolone acetonide (glucocorticoid) 55 mcg Nasal allergy symptom reliever</p> <p>Uses</p> <p>temporarily relieves these symptoms of hay fever or other upper respiratory allergies:</p> <p>■ nasal congestion ■ runny nose ■ sneezing ■ itchy nose</p> <p>Warnings</p> <p>Do not use</p> <p>■ in children under 2 years of age ■ if you have ever had an allergic reaction to any of the ingredients</p> <p>Ask a doctor before use if you</p> <p>■ have had recent nose ulcers or nose surgery ■ have had a nose injury that has not healed ■ are using a steroid medicine for asthma, allergies or skin rash ■ have an eye infection ■ have or had glaucoma or cataracts</p> <p>When using this product</p> <p>■ the growth rate of some children may be slower ■ some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief. ■ do not share this bottle with anyone else as this may spread germs ■ remember to tell your doctor about all the medicines you take, including this one</p> <p>Stop use and ask a doctor if</p> <p>■ you have, or come into contact with someone who has, chickenpox, measles or tuberculosis ■ you have or develop symptoms of an infection such as a persistent fever ■ you have any change in vision ■ you have severe or frequent nosebleeds</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>		<p>Drug Facts (continued)</p> <p>Directions</p> <p>Read insert (inside package) on how to:</p> <p>■ get a new bottle ready (primed) before first use ■ prime bottle again if not used for more than 2 weeks ■ use the spray ■ clean the spray nozzle</p> <p>ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER</p> <p>adults and children 12 years of age and older</p> <p>■ once daily, spray 2 times into each nostril while sniffing gently ■ once your allergy symptoms improve, reduce to 1 spray in each nostril per day</p> <p>CHILDREN 2 TO UNDER 12 YEARS OF AGE</p> <p>■ the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.</p> <p>children 6 to under 12 years of age</p> <p>■ an adult should supervise use ■ once daily, spray 1 time into each nostril while sniffing gently ■ if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.</p> <p>children 2 to under 6 years of age</p> <p>■ an adult should supervise use ■ once daily, spray 1 time into each nostril while sniffing gently</p> <p>children under 2 years of age</p> <p>■ do not use</p> <p>■ do not use more than directed ■ if you forget a dose, do not double the next dose ■ do not spray into eyes or mouth ■ if allergy symptoms do not improve after one week, stop using and talk to a doctor ■ do not use for the common cold ■ shake well before each use</p> <p>Other information</p> <p>■ do not use if sealed package is torn or opened ■ keep package and insert. They contain important information. ■ store between 20°- 25°C (68°-77°F)</p>	
---	--	--	--

Nasacort Allergy 24HR

Drug Facts (continued)

Inactive ingredients
benzalkonium chloride, carboxymethylcellulose sodium, dextrose, edetate disodium, hydrochloric acid or sodium hydroxide (for pH adjustment), microcrystalline cellulose, polysorbate 80, purified water

Questions or comments?
call toll-free 1-800-633-1610



0044308-01

Dist. by: Chattem, Inc.,
a Sanofi Company
Chattanooga, TN 37409-0219
© 2013 Origin France

UPC

LOT

EXP



Reference ID: 3389317

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.