



US007961663B2

(12) **United States Patent**  
**Lin**

(10) **Patent No.:** **US 7,961,663 B2**  
(45) **Date of Patent:** **\*Jun. 14, 2011**

(54) **PEER-TO-PEER MOBILE INSTANT MESSAGING METHOD AND DEVICE**

(75) Inventor: **Daniel J Lin**, San Francisco, CA (US)

(73) Assignee: **Daniel J. Lin**, San Francisco, CA (US)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1030 days.

This patent is subject to a terminal disclaimer.

2003/0013467	A1 *	1/2003	Caloud .....	455/466
2003/0076367	A1	4/2003	Bencze et al.	
2003/0105812	A1 *	6/2003	Flowers et al. ....	709/203
2003/0126213	A1	7/2003	Betzler	
2003/0142654	A1 *	7/2003	Chambers et al. ....	370/338
2003/0217174	A1	11/2003	Dorenbosch et al.	
2004/0132468	A1 *	7/2004	Rogalski et al. ....	455/466
2004/0152477	A1	8/2004	Wu et al.	
2004/0171396	A1 *	9/2004	Carey et al. ....	455/466
2004/0249953	A1 *	12/2004	Fernandez et al. ....	709/227
2005/0005014	A1 *	1/2005	Holmes et al. ....	709/227
2005/0015495	A1	1/2005	Florkey et al.	
2005/0021645	A1	1/2005	Kulkarni et al.	
2005/0058094	A1	3/2005	Lazaridis et al.	

(Continued)

(21) Appl. No.: **10/817,994**

(22) Filed: **Apr. 5, 2004**

(65) **Prior Publication Data**

US 2005/0220134 A1 Oct. 6, 2005

(51) **Int. Cl.**  
**H04W 4/00** (2009.01)

(52) **U.S. Cl.** ..... **370/313; 370/395.3; 455/466; 709/206**

(58) **Field of Classification Search** ..... **455/466; 370/313, 395.3**  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,582,956	A	4/1986	Doughty	
6,885,871	B2 *	4/2005	Caloud .....	455/466
6,990,352	B2	1/2006	Pyhalammi et al.	
7,218,921	B2	5/2007	Mendiola et al.	
7,236,472	B2 *	6/2007	Lazaridis et al. ....	370/328
7,447,211	B1 *	11/2008	Scholte .....	370/395.21
2002/0083127	A1	6/2002	Agrawal	
2002/0155826	A1	10/2002	Robinson et al.	
2002/0165000	A1	11/2002	Fok	
2002/0173308	A1	11/2002	Dorenbosch et al.	

**FOREIGN PATENT DOCUMENTS**

EP 1 331 786 A1 7/2003

(Continued)

**OTHER PUBLICATIONS**

U.S. Appl. No. 60/503,366, filed Sep. 16, 2003, Klassen.

(Continued)

*Primary Examiner* — Rafael Pérez-Gutiérrez


*Assistant Examiner* — Liton Miah

(74) *Attorney, Agent, or Firm* — Patterson & Sheridan, LLP

(57) **ABSTRACT**

A technique is provided for establishing peer-to-peer session-based instant messaging between mobile devices without the need for using an instant messaging registration or log-in server to provide presence information. Session-based instant messaging communications between mobile devices are established by transmitting necessary address information through page-based messaging services that utilize the underlying digital mobile network databases and services to resolve the identification and location of the mobile devices.

**20 Claims, 2 Drawing Sheets**



# US 7,961,663 B2

Page 2

---

## U.S. PATENT DOCUMENTS

2005/0094625 A1 5/2005 Bouat  
2005/0197143 A1 9/2005 Lee et al.  
2006/0126594 A1 6/2006 Tu  
2007/0112962 A1 5/2007 Lewontin  
2007/0233732 A1 10/2007 Porter et al.

## FOREIGN PATENT DOCUMENTS


EP 1 381 765 A 11/2003  
WO WO 01/41477 A1 6/2001

WO WO 01/89406 A 9/2001  
WO WO 03/087972 A2 10/2003  
WO WO 2004/073288 A 8/2004

## OTHER PUBLICATIONS

U.S. Appl. No. 60/503,367, filed Sep. 16, 2003, Lazaridis.  
Rosenberg, et. al. "SIP: Session Initiation Protocol" Standards Track,  
The Internet Society, Jun. 2002, pp. 1-269.

\* cited by examiner






FIG. 2

1

## PEER-TO-PEER MOBILE INSTANT MESSAGING METHOD AND DEVICE

### FIELD OF THE INVENTION

The present invention relates generally to messaging techniques for mobile devices, and more specifically, a technique to establish peer-to-peer session-based instant messaging (“IM”) communications among mobile devices without the need for IM registration.

### BACKGROUND OF THE INVENTION

Current instant messaging (“IM”) technologies depend upon a registration system to enable end users to communicate with one another. For example, to establish an IM session on AOL’s Instant Messenger (“AIM”), each participating end user must have registered with AOL and must log into an AIM server in order to use the service. This registration system creates a virtual network of registered users and the value to a new user in joining an IM service is directly related to the number of existing users already registered on the service. As more users register to use an IM service, the value of the IM service to registered users increases since registered users will be able establish IM sessions with an increasing number of users. Known as a “network effect,” this phenomenon causes a further tipping effect, which is the natural tendency for few (or even a single) IM services to pull away from their competitors once they have gained an initial edge by registering a critical mass of users. This tipping effect tends to occur rapidly and stems, in part, from users’ inclination to gravitate towards the IM services that they expect will become dominant. This tipping effect gives proprietary IM services such as AIM, Microsoft’s .NET Messenger Service, and Yahoo! Messenger, that have achieved a large network of registered users, a strong barrier to entry into the IM market. As such, proprietary IM services may be reluctant to provide interoperability to other less established IM services since providing such access could cannibalize their competitive network advantage.

From a technical perspective, the registration system used in IM services is necessary to provide presence capabilities. In order to establish an IM session, an end user must be registered with the IM service so that the end user can log into the service’s IM server, which broadcasts the end user’s availability to engage in IM sessions to an authorized group of the end user’s peers that have also registered and logged into the IM server. The IM server also similarly provides the end user with a list of registered peers that are available to engage in an IM session. When end users engage in IM sessions over a traditional connected network environment, presence capabilities are a critical characteristic of an IM service because such capabilities are needed to provide an end user’s peers with sufficient presence information (i.e., IP address and port number) in order to locate the end user within the network and establish a connection between the end user and a peer for an IM session. Furthermore, logging into an IM server also enables an end user to indicate whether or not he or she is physically present (e.g., sitting in front of a networked workstation or in front of a laptop that is connected the network) and willing to engage in an IM session.

However, IM services for mobile devices, such as smartphones, appear to have less a need for presence capabilities. Unlike establishing an IM session on a laptop, desktop or workstation, where the end user must broadcast his or her

2

workstation, establishing an IM session on a mobile device does not suffer from the same presence issues because the end user is presumed to be carrying the mobile device at all times. So long as the mobile device has enough contact information (e.g., cellular telephone number, PIN number, etc.) to directly communicate with other mobile devices through the underlying wireless network technology (e.g., cellular technology, etc.), an IM session could be initiated and established in a manner similar to making and answering mobile phone calls without the need for registering with or logging into an IM server in order to broadcast presence information to other end users for IM purposes.

Furthermore, unlike IM services in a traditional connected network environment, successful end user adoption of an IM service between mobile devices would not suffer from reliance upon establishing a critical mass of end users through a registration system. In contrast, such an IM service would be instantly usable to any and all end users of mobile devices so long as such mobile devices are already capable of directly communicating with other mobile devices through the underlying wireless mobile technology without needing further presence information (e.g., cellular phones directly communicating with other cellular phones through cellular telephone numbers). As such, what is needed is a method to establish IM sessions directly between mobile devices, where such mobile devices are capable of directly communicating with other mobile devices through the underlying wireless technology, such that no IM registration or log-in server is needed to provide presence information to other mobile devices for IM purposes.

### SUMMARY OF THE INVENTION

The present invention provides a method for establishing a peer-to-peer session-based IM communications between mobile devices over a digital mobile network system that supports data packet-based communications. Under the present invention, no IM registration or IM log-in server need be used to provide presence information. Instead, a mobile device initiating an IM session opens a listening port defined by an underlying data packet based network protocol. The initiating mobile device sends an invitation message containing the network address, including the listening port, of the initiating device to a target mobile device through a page-mode messaging service supported by the digital mobile network system. The initiating mobile device further utilizes and incorporates a unique identification number (e.g., telephone number, PIN number, etc.) associated with the target mobile device into the invitation message to locate and contact the target mobile device within the wireless mobile network. Once the initiating mobile device receives a response from the target mobile device at the listening port, the two mobile devices are able to establish a reliable virtual connection through the underlying data packet-based network protocol in order to exchange text messages directly between the two mobile devices through a session-based communication.

### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 depicts a diagram of an environment for establishing an IM session in accordance with the present invention between a first mobile device and a second mobile device in a GSM mobile network system supporting GPRS as a data packet-based communications service, SMS as a text mes-

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.