



US009651533B2

(12) **United States Patent**
Islam

(10) **Patent No.:** **US 9,651,533 B2**
(45) **Date of Patent:** ***May 16, 2017**

(54) **SHORT-WAVE INFRARED SUPER-CONTINUUM LASERS FOR DETECTING COUNTERFEIT OR ILLICIT DRUGS AND PHARMACEUTICAL PROCESS CONTROL**

(58) **Field of Classification Search**
CPC G01N 33/15; G01N 21/359; G01N 33/49
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,063,106 A 12/1977 Ashkin et al.
4,158,750 A 6/1979 Sakoe et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 101849821 B 7/2013
DE 102010012987 A1 10/2010
(Continued)

OTHER PUBLICATIONS

Istepanian, Robert H., "The Comparative Performance of Mobile Telemedical Systems based on the IS-54 and GSM Cellular Telephone Standards"; Journal of Telemedicine and Telecare 1999; pp. 97-104.

(Continued)

Primary Examiner — David Porta
Assistant Examiner — Abra Fein

(74) *Attorney, Agent, or Firm* — Brooks Kushman P.C.

(57) **ABSTRACT**

A measurement system includes a wearable measurement device for measuring one or more physiological parameters, including a light source comprising a plurality of light emitting diodes (LEDs) configured to generate an output optical beam with a near-infrared wavelength between 700 nanometers and 2500 nanometers. The light source is configured to increase signal-to-noise ratio by increasing a light intensity and pulse rate of the LEDs. The system includes a plurality of lenses configured to receive the output optical beam and to deliver an analysis output beam to a sample. The wearable measurement device includes a receiver configured to process the analysis output beam reflected or transmitted from the sample and to generate an output signal

(Continued)

(71) Applicant: **OMNI MEDSCI, INC.**, Ann Arbor, MI (US)

(72) Inventor: **Mohammed N. Islam**, Ann Arbor, MI (US)

(73) Assignee: **Omni Medsci, Inc.**, Ann Arbor, MI (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **14/875,709**

(22) Filed: **Oct. 6, 2015**

(65) **Prior Publication Data**


US 2016/0047787 A1 Feb. 18, 2016

Related U.S. Application Data

(63) Continuation of application No. 14/108,986, filed on Dec. 17, 2013, now Pat. No. 9,164,032.
(Continued)

(51) **Int. Cl.**
G01J 5/20 (2006.01)
G01N 33/15 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **G01N 33/15** (2013.01); **A61B 5/0013** (2013.01); **A61B 5/0022** (2013.01);
(Continued)



that may be transmitted to a remote device configured to process the received output status to generate processed data and to store the processed data.

18 Claims, 26 Drawing Sheets

Related U.S. Application Data

(60) Provisional application No. 61/747,487, filed on Dec. 31, 2012.

(51) Int. Cl.

- A61B 5/1455* (2006.01)
- A61B 5/00* (2006.01)
- G01J 3/10* (2006.01)
- G01J 3/28* (2006.01)
- G01J 3/453* (2006.01)
- G01N 21/359* (2014.01)
- A61B 5/145* (2006.01)
- G01N 33/49* (2006.01)
- H01S 3/30* (2006.01)
- G01J 3/14* (2006.01)
- G01J 3/18* (2006.01)

(52) U.S. Cl.

- CPC *A61B 5/0075* (2013.01); *A61B 5/0086* (2013.01); *A61B 5/0088* (2013.01); *A61B 5/1455* (2013.01); *A61B 5/14532* (2013.01); *A61B 5/14546* (2013.01); *A61B 5/4547* (2013.01); *G01J 3/108* (2013.01); *G01J 3/28* (2013.01); *G01J 3/453* (2013.01); *G01N 21/359* (2013.01); *G01N 33/49* (2013.01); *A61B 2562/0233* (2013.01); *A61B 2562/0238* (2013.01); *A61B 2562/146* (2013.01); *A61B 2576/02* (2013.01); *G01J 3/14* (2013.01); *G01J 3/1838* (2013.01); *G01J 2003/104* (2013.01); *G01J 2003/2826* (2013.01); *G01N 2201/061* (2013.01); *G01N 2201/062* (2013.01); *G01N 2201/12* (2013.01); *H01S 3/302* (2013.01)

(58) Field of Classification Search

USPC 250/338.4
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

- 4,221,997 A 9/1980 Flemming
- 4,275,266 A 6/1981 Lasar
- 4,374,618 A 2/1983 Howard
- 4,403,605 A 9/1983 Tanikawa
- 4,462,080 A 7/1984 Johnstone et al.
- 4,516,207 A 5/1985 Moriyama et al.
- 4,523,884 A 6/1985 Clement et al.
- 4,605,080 A 8/1986 Lemelson
- 4,641,292 A 2/1987 Tunnell et al.
- 4,704,696 A 11/1987 Reimer et al.
- 4,728,974 A 3/1988 Nio et al.
- 4,762,455 A 8/1988 Coughlan et al.
- 4,776,016 A 10/1988 Hansen
- 4,958,910 A 9/1990 Taylor et al.
- 4,989,253 A 1/1991 Liang et al.
- 5,078,140 A 1/1992 Kwoh
- 5,084,880 A 1/1992 Esterowitz et al.
- 5,086,401 A 2/1992 Glassman et al.
- 5,134,620 A 7/1992 Huber

- 5,191,628 A 3/1993 Byron
- 5,218,655 A 6/1993 Mizrahi
- 5,230,023 A 7/1993 Nakano
- 5,246,004 A 9/1993 Clarke et al.
- 5,267,152 A 11/1993 Yang et al.
- 5,267,256 A 11/1993 Saruwatari et al.
- 5,267,323 A 11/1993 Kimura
- 5,300,097 A 4/1994 Lerner et al.
- 5,303,148 A 4/1994 Mattson et al.
- 5,305,427 A 4/1994 Nagata
- 5,313,306 A 5/1994 Kuban et al.
- 5,323,404 A 6/1994 Grubb
- 5,345,538 A 9/1994 Narayanan et al.
- 5,400,165 A 3/1995 Gnauck et al.
- 5,408,409 A 4/1995 Glassman et al.
- 5,458,122 A 10/1995 Hethuin
- 5,544,654 A 8/1996 Murphy et al.
- 5,572,999 A 11/1996 Funda et al.
- 5,617,871 A 4/1997 Burrows
- 5,631,758 A 5/1997 Knox et al.
- 5,687,734 A 11/1997 Dempsey et al.
- 5,695,493 A 12/1997 Nakajima et al.
- 5,696,778 A 12/1997 MacPherson
- 5,704,351 A 1/1998 Mortara et al.
- 5,718,234 A 2/1998 Warden et al.
- 5,747,806 A 5/1998 Khalil
- 5,748,103 A 5/1998 Flach et al.
- 5,792,204 A 8/1998 Snell
- 5,812,978 A 9/1998 Nolan
- 5,855,550 A 1/1999 Lai et al.
- 5,862,803 A 1/1999 Besson et al.
- 5,867,305 A 2/1999 Waarts et al.
- 5,912,749 A 6/1999 Harstead et al.
- 5,944,659 A 8/1999 Flach et al.
- 5,950,629 A 9/1999 Taylor et al.
- 5,957,854 A 9/1999 Besson et al.
- 5,970,457 A 10/1999 Brant et al.
- 6,014,249 A 1/2000 Fermann et al.
- 6,043,927 A 3/2000 Islam
- 6,115,673 A 9/2000 Malin
- 6,181,414 B1 1/2001 Raz et al.
- 6,185,535 B1 2/2001 Hedin et al.
- 6,200,309 B1 3/2001 Rice et al.
- 6,212,310 B1 4/2001 Waarts et al.
- 6,224,542 B1 5/2001 Chang et al.
- 6,246,707 B1 6/2001 Yin et al.
- 6,246,896 B1 6/2001 Dumoulin
- 6,273,858 B1 8/2001 Fox et al.
- 6,278,975 B1 8/2001 Brant et al.
- 6,281,471 B1 8/2001 Smart
- 6,285,897 B1 9/2001 Kilcoyne
- 6,289,238 B1 9/2001 Besson et al.
- 6,301,271 B1 10/2001 Sanders et al.
- 6,301,273 B1 10/2001 Sanders et al.
- 6,333,803 B1 12/2001 Kurotori et al.
- 6,337,462 B1 1/2002 Smart
- 6,340,806 B1 1/2002 Smart et al.
- 6,350,261 B1 2/2002 Domankevitz et al.
- 6,364,834 B1 4/2002 Reuss et al.
- 6,374,006 B1 4/2002 Islam et al.
- 6,381,391 B1 4/2002 Islam et al.
- 6,402,691 B1 6/2002 Peddicord et al.
- 6,407,853 B1 6/2002 Samson et al.
- 6,436,107 B1 8/2002 Wang et al.
- 6,441,747 B1 8/2002 Khair et al.
- 6,442,430 B1 8/2002 Ferek-Petric
- 6,443,890 B1 9/2002 Schulze et al.
- 6,450,172 B1 9/2002 Hartlaub et al.
- 6,453,201 B1 9/2002 Daum et al.
- 6,454,705 B1 9/2002 Cosentino et al.
- 6,458,120 B1 10/2002 Shen et al.
- 6,462,500 B1 10/2002 L'Hegarar et al.
- 6,463,361 B1 10/2002 Wang et al.
- 6,480,656 B1 11/2002 Islam et al.
- 6,512,936 B1 1/2003 Monfre
- 6,543,012 B1 4/2003 Viswanathan
- 6,549,702 B2 4/2003 Islam et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,603,910 B2 8/2003 Islam et al.
 6,605,080 B1 8/2003 Altshuler et al.
 6,611,643 B2 8/2003 Birk
 6,619,835 B2 9/2003 Kita
 6,625,180 B2 9/2003 Bufetov et al.
 6,631,025 B2 10/2003 Islam et al.
 6,640,117 B2 10/2003 Makarewicz
 6,659,947 B1 12/2003 Carter et al.
 6,659,999 B1 12/2003 Anderson et al.
 6,738,652 B2 5/2004 Mattu
 6,760,148 B2 7/2004 Islam
 6,773,922 B2 8/2004 Jeng
 6,788,965 B2 9/2004 Ruchti
 6,802,811 B1 10/2004 Slepian
 6,816,241 B2 11/2004 Grubisic
 6,847,336 B1 1/2005 Lemelson
 6,864,978 B1 3/2005 Hazen
 6,885,498 B2 4/2005 Islam
 6,885,683 B1 4/2005 Fermann et al.
 6,943,936 B2 9/2005 Islam et al.
 6,990,364 B2 1/2006 Ruchti
 7,010,336 B2 3/2006 Lorenz
 7,027,467 B2 4/2006 Baev et al.
 7,060,061 B2 6/2006 Altshuler et al.
 7,105,823 B2 9/2006 Abrahamsson et al.
 7,133,710 B2 11/2006 Acosta
 7,167,300 B2 1/2007 Fermann et al.
 7,209,657 B1 4/2007 Islam
 7,233,816 B2 6/2007 Blank
 7,259,906 B1 8/2007 Islam
 7,263,288 B1 8/2007 Islam
 7,294,105 B1 11/2007 Islam
 7,299,080 B2 11/2007 Acosta
 7,317,938 B2 1/2008 Lorenz
 7,356,364 B1 4/2008 Bullock et al.
 7,395,158 B2 7/2008 Monfre
 7,433,116 B1 10/2008 Islam
 7,519,253 B2 4/2009 Islam
 7,519,406 B2 4/2009 Blank
 7,620,674 B2 11/2009 Ruchti
 7,697,966 B2 4/2010 Monfre
 7,771,320 B2 8/2010 Riley et al.
 7,787,503 B2 8/2010 Wadsworth
 7,787,924 B2 8/2010 Acosta
 7,800,818 B2 9/2010 Mattsson
 7,807,718 B2 10/2010 Hashim
 7,848,605 B2 12/2010 Ridder et al.
 7,890,158 B2 2/2011 Rowe et al.
 8,000,574 B2 8/2011 Buchter
 8,145,286 B2 3/2012 Arai
 8,157,730 B2 4/2012 LeBoeuf et al.
 8,158,493 B2 4/2012 Shah et al.
 8,180,422 B2 5/2012 Rebec
 8,213,007 B2 7/2012 Wang et al.
 8,430,310 B1 4/2013 Ho et al.
 8,472,108 B2 6/2013 Islam
 8,509,882 B2 8/2013 Albert et al.
 8,788,002 B2 7/2014 LeBoeuf et al.
 8,948,832 B2 2/2015 Hong et al.
 9,326,712 B1 5/2016 Kiani
 2002/0013518 A1 1/2002 West et al.
 2002/0019584 A1 2/2002 Schulze et al.
 2002/0032468 A1 3/2002 Hill et al.
 2002/0082612 A1 6/2002 Moll et al.
 2002/0109621 A1 8/2002 Khair et al.
 2002/0115914 A1 8/2002 Russ
 2002/0128846 A1 9/2002 Miller
 2002/0178003 A1 11/2002 Gehrke et al.
 2003/0022126 A1 1/2003 Buchalla
 2004/0174914 A1 9/2004 Fukatsu
 2004/0240037 A1 12/2004 Harter
 2005/0111500 A1 5/2005 Harter et al.
 2005/0133691 A1* 6/2005 Doppke H04B 10/6933

2006/0198397 A1 9/2006 Korolev et al.
 2006/0223032 A1 10/2006 Fried
 2006/0245461 A1 11/2006 Islam
 2006/0268393 A1 11/2006 Islam
 2006/0283931 A1 12/2006 Polli et al.
 2007/0021670 A1 1/2007 Mandelis et al.
 2007/0078348 A1 4/2007 Holman
 2008/0086318 A1 4/2008 Gilley et al.
 2008/0105665 A1 5/2008 Kondo
 2009/0028193 A1 1/2009 Islam
 2009/0105605 A1 4/2009 Abreu
 2009/0204110 A1 8/2009 Islam
 2009/0244288 A1* 10/2009 Fujimoto H04N 5/2256
 348/164
 2009/0287067 A1 11/2009 Dorogusker et al.
 2010/0046067 A1 2/2010 Fermann et al.
 2010/0160794 A1 6/2010 Banet et al.
 2010/0217102 A1 8/2010 LeBoeuf et al.
 2010/0322490 A1 12/2010 Pan
 2010/0331637 A1 12/2010 Ting
 2011/0040197 A1 2/2011 Welch et al.
 2011/0143364 A1 6/2011 Kim
 2011/0208015 A1 8/2011 Welch et al.
 2011/0267688 A1* 11/2011 Kleppe G02B 21/0036
 359/385
 2011/0282167 A1 11/2011 Ridder et al.
 2011/0292376 A1 12/2011 Kukushkin et al.
 2012/0013722 A1 1/2012 Wong
 2012/0239013 A1 9/2012 Islam
 2012/0310062 A1 12/2012 Li et al.
 2012/0316455 A1 12/2012 Rahman et al.
 2013/0274569 A1 10/2013 Islam
 2013/0281795 A1 10/2013 Varadan
 2013/0327966 A1* 12/2013 Fidler G02B 26/04
 250/578.1
 2014/0078510 A1* 3/2014 Rubio
 Guivernau G01B 9/02091
 356/479
 2014/0081100 A1 3/2014 Muhsin et al.
 2014/0236021 A1 8/2014 Islam
 2014/0249427 A1* 9/2014 Liu A61B 1/00167
 600/477
 2014/0275852 A1 9/2014 Hong et al.
 2014/0275854 A1 9/2014 Venkatraman et al.
 2015/0011851 A1 1/2015 Mehta et al.
 2016/0045118 A1 2/2016 Kiani
 2016/0327476 A1 11/2016 Islam

FOREIGN PATENT DOCUMENTS

EP 1148666 10/2001
 WO WO9715240 5/1997
 WO WO9749340 12/1997
 WO WO0150959 7/2001
 WO 0189362 11/2001
 WO 0227640 4/2002
 WO 0228123 4/2002
 WO 2005013843 A2 2/2005
 WO 2007061772 A2 5/2007
 WO 2009130464 A1 10/2009
 WO 2012135952 A1 10/2012
 WO WO2013012938 A1 1/2013
 WO WO2015084376 A1 6/2015

OTHER PUBLICATIONS

Aris, Ishak Bin, "An Internet-Based Blood Pressure Monitoring System for Patients"; Journal of Telemedicine and Telecare 2001; pp. 51-53.
 "Application Brief AB-070: The role of infrared microprobe analysis in forensic drug analysis," www.smithsdetection.com, Jun. 27, 2005.
 Jasco Application Note No. 200DR0188-E, "Rapid Identification of illegal drug using NIR (identification of MDMA tablet)", Sep. 4, 2008.

(56)

References Cited

OTHER PUBLICATIONS

- pharmaceutical tablets using NIR-CI,” *Journal of Pharmaceutical Analysis*, vol. 2, No. 2, pp. 90-97 (2012).
- Arnold, T., M. De Biasio, R. Leitner, “Near-Infrared Imaging Spectroscopy for Counterfeit Drug Detection,” *Next Generation Spectroscopic Technologies IV*, edited by M. A. Druy, R.A. Crocombe, Proceedings of SPIE, vol. 8032, 80320Y-1 to 7, (2011).
- Wedding, B.B., C. Wright, S. Grauf, R.D. White, “The application of near infrared spectroscopy for the assessment of avocado quality attributes,” *Infrared Spectroscopy—Life and Biomedical Sciences*, pp. 211-230 (2011).
- Michaels, C.A., T. Masiello, P.M. Chu, “Fourier transform spectrometry with a near infrared supercontinuum source,” *Optical Society of America, CLEO/IQEC Conference*, paper CMDD6 (2009).
- Michaels, C.A., T. Masiello, P.M. Chu, “Fourier transform spectrometry with a near-infrared supercontinuum source,” *Applied Spectroscopy*, vol. 63, No. 5, pp. 538-543 (2009).
- Moros, J., J. Kuligowski, G. Quintas, S. Garrigues, M. DeLa Guardia, “New cut-off criterion for uninformative variable elimination in multivariate calibration of near-infrared spectra for the determination of heroin in illicit street drugs,” *Analytica Chimica Acta*, vol. 630, pp. 150-160 (2008).
- Moros, J. N. Gallpienso, R. Vilches, S. Garrigues, M. DeLa Guardia, “Nondestructive direct determination of heroin in seized illicit street drugs by diffuse reflectance near-infrared spectroscopy,” *Analytical Chemistry*, vol. 80, No. 19, pp. 7257-7265 (Oct. 1, 2008).
- Roggo, Y. P. Chalus, L. Maurer, C. Lema-Martinez, A. Edmond, N. Jent, “A review of near infrared spectroscopy and chemometrics in pharmaceutical technologies,” *Journal of Pharmaceutical and Biomedical Analysis*, vol. 44, pp. 683-700 (2007).
- Pojic, M. J. Mastilovic, N. Majcen, “The application of near infrared spectroscopy in wheat quality control,” *Infrared Spectroscopy—Life and Biomedical Sciences*, pp. 167-184 (2012).
- Reich, G. “Near-infrared spectroscopy and imaging: basic principles and pharmaceutical applications,” *Advanced Drug Delivery Reviews*, vol. 57, pp. 1109-1143 (2005).
- Rodionova, O.Y., L.P. Houmoller, A.L. Pomerantsev, P. Geladi, J. Burger, V.L. Dorofeyev, A.P. Arzamastsev, “NIR spectrometry for counterfeit drug detection: a feasibility study,” *Analytica Chimica Acta*, vol. 549, pp. 151-158 (2005).
- Schneider, R.C., K.A. Kovar, “Analysis of ecstasy tablets: comparison of reflectance and transmittance near infrared spectroscopy,” *Forensic Science International*, vol. 134, pp. 187-195 (2003).
- Olsen, B.A., M.W. Borer, F.M. Perry, R.A. Forbes, “Screening for counterfeit drugs using near-infrared spectroscopy,” *Pharmaceutical Technology*, pp. 62-71 (Jun. 2002).
- Safi, S.H.F., C. Pasquini, “Identification of counterfeit drugs using near-infrared spectroscopy,” *Analyst*, vol. 126, pp. 2218-2224 (2001).
- Sondermann, N., K.A. Kovar, “Identification of ecstasy in complex matrices using near-infrared spectroscopy,” *Forensic Science International*, vol. 102, pp. 133-147 (1999).
- Rambla, F.J., S. Garrigues, M. DeLa Guardia, “PLS-NIR determination of total sugar, glucose, fructose and sucrose in aqueous solutions of fruit juices,” *Analytica Chimica Acta*, vol. 344, pp. 41-53 (1997).
- Hori, Takashi, et al., “Flatly broadened, wideband and low noise supercontinuum generation in highly nonlinear hybrid fiber,” *Optics Express*, vol. 12, No. 2, Jan. 26, 2004, pp. 317-324.
- Wadsworth, W. J., et al., “Supercontinuum and four-wave mixing with Q-switched pulses in endlessly single-mode photonic crystal fibres,” *Optics Express*, vol. 12, No. 2, Jan. 26, 2004, pp. 299-309.
- Hilligsoe, Karen Marie, et al., “Supercontinuum generation in a photonic crystal fiber with two zero dispersion wavelengths,” *Optics Express*, vol. 12, No. 6, Mar. 22, 2004, pp. 1045-1054.
- Slusher, Richard E., et al., “Large Raman gain and nonlinear phase shifts in high-purity As₂Se₃ chalcogenide fibers,” *J. Opt. Soc. Am. B*, vol. 21, No. 6, Jun. 2004, pp. 1146-1155.
- Leon-Saval, S. G., et al., “Supercontinuum generation in submicron fibre waveguides,” *Optics Express*, vol. 12, No. 13, Jun. 28, 2004, pp. 2864-2869.
- Nicholson, J. W., et al., “High power, single mode, all-fiber source of femtosecond pulses at 1550 nm and its use in supercontinuum generation,” *Optics Express*, vol. 12, No. 13, Jun. 28, 2004, pp. 3025-3034.
- Genty, G., et al., “Enhanced bandwidth of supercontinuum generated in microstructured fibers,” *Optics Express*, vol. 12, No. 15, Jul. 26, 2004, pp. 3471-3480.
- Champert, Pierre-Alain, et al., “White-light supercontinuum generation in normally dispersive optical fiber using original multi-wavelength pumping system,” *Optics Express*, vol. 12, No. 19, Sep. 20, 2004, pp. 4366-4371.
- Nicholson, J. W., “Supercontinuum generation in ultraviolet-irradiated fibers,” *Optics Letters*, vol. 29, No. 20, Oct. 15, 2004, pp. 2363-2365.
- Hori, Takashi, et al., “Experimental and numerical analysis of widely broadened supercontinuum generation in highly nonlinear dispersion-shifted fiber with a femtosecond pulse,” *J. Opt. Soc. Am. B*, vol. 21, No. 11, Nov. 2004, pp. 1969-1980.
- Demircan, Ayhan, et al., “Supercontinuum generation by the modulation instability,” *Optics Communications* 244, 2005, pp. 181-185.
- Papernyi, S.B., et al., “Sixth-Order Cascaded Raman Amplification,” *OFC/NFOEC*, 2005, 3 pages.
- Tanaka, Keiji, “Optical nonlinearity in photonic glasses,” *Journal of Materials Science: Materials in Electronics* 16, 2005, pp. 633-643.
- Westbrook, Paul S., “Improved Supercontinuum Generation Through UV Processing of Highly Nonlinear Fibers,” *Journal of Lightwave Technology*, vol. 23, No. 1, Jan. 2005, pp. 13-18.
- Abeeluck, Akheesh K., et al., “Continuous-wave pumping in the anomalous- and normal dispersion regimes of nonlinear fibers for supercontinuum generation,” *Optics Letters*, vol. 30, No. 1, Jan. 1, 2005, pp. 61-63.
- Kutz, J. Nathan, et al., Enhanced Supercontinuum Generation through Dispersion-Management, *Optics Express*, vol. 13, No. 11, May 30, 2005, pp. 3989-3998.
- Lee, Ju Han, et al., “Experimental performance comparison for various continuous-wave supercontinuum schemes: ring cavity and single pass structures,” *Optics Express*, vol. 13, No. 13, Jun. 27, 2005, pp. 4848-4853.
- Saliminia, A., et al., “Ultra-broad and coherent white light generation in silica glass by focused femtosecond pulses at 1.5 μ m,” *Optics Express*, vol. 13, No. 15, Jul. 25, 2005, pp. 5731-5738.
- Takushima, Yuichi, High average power, depolarized supercontinuum generation using a 1.55- μ m ASE noise source, *Optics Express*, vol. 13, No. 15, Jul. 25, 2005, pp. 5871-5877.
- Travers, J. C., et al., “Extended continuous-wave supercontinuum generation in a low-water-loss holey fiber,” *Optics Letters*, vol. 30, No. 15, Aug. 1, 2005, pp. 1938-1940.
- Kobtsev, Serguei M., et al., “Modelling of high-power supercontinuum generation in highly nonlinear, dispersion shifted fibers at CW pump,” *Optics Express*, vol. 13, No. 18, Sep. 5, 2005, pp. 6912-6918.
- Falk, Peter, et al., “Supercontinuum generation in a photonic crystal fiber with two zero-dispersion wavelengths tapered to normal dispersion at all wavelengths,” *Optics Express*, vol. 13, No. 19, Sep. 19, 2005, pp. 7535-7540.
- Tombelaine, Vincent, et al., “Ultra wide band supercontinuum generation in air-silica holey fibers by SHG-induced modulation instabilities,” *Optics Express*, vol. 13, No. 19, Sep. 19, 2005, pp. 7399-7404.
- Lee, Ju Han, et al., “Continuous-wave supercontinuum laser based on an erbium-doped fiber ring cavity incorporating a highly nonlinear optical fiber,” *Optics Letters*, vol. 30, No. 19, Oct. 1, 2005, pp. 2599-2601.
- Genty, G., et al., “Supercontinuum generation in large mode-area

(56)

References Cited

OTHER PUBLICATIONS

- Schreiber, T., et al., "Supercontinuum generation by femtosecond single and dual wavelength pumping in photonic crystal fibers with zero dispersion wavelengths", *Optics Express*, vol. 13, No. 23, Nov. 14, 2005, pp. 9556-9569.
- Travers, J. C., et al., "Extended blue supercontinuum generation in cascaded holey fibers", *Optics Letters*, vol. 30, No. 23, Dec. 1, 2005, pp. 3132-3134.
- Hagen, C. L., et al., "Generation of a Continuum Extending to the Midinfrared by Pumping ZBLAN Fiber With an Ultrafast 1550-nm Source", *IEEE Photonics Technology Letters*, vol. 18, No. 1, Jan. 1, 2006, pp. 91-93.
- Moon, Sucbei, et al., "Generation of octave-spanning supercontinuum with 1550-nm amplified diode-laser pulses and a dispersion-shifted fiber", *Optics Express*, vol. 14, No. 1, Jan. 9, 2006, pp. 270-278.
- Fedotova, O., et al., "Supercontinuum generation in planar rib waveguides enabled by anomalous dispersion", *Optics Express*, vol. 14, No. 4, Feb. 20, 2006, pp. 1512-1517.
- Harrington, James A., "Infrared Fiber Optics", *OSA Handbook*, vol. III, white paper, to be published by McGraw Hill, Undated, 13 pages.
- Aavikko, J., et al., "Observation of optical precursors at pulse propagation in GaAs", *Physical Review A*, vol. 44, No. 9, Nov. 1, 1991, pp. R5353-R5356.
- Boppart, Stephen A., et al., "Imaging developing neural morphology using optical coherence tomography", *Journal of Neuroscience Methods* 70, 1996, pp. 65-72.
- Boppart, Stephen A., et al., "Noninvasive assessment of the developing *Xenopus* cardiovascular system using optical coherence tomography", *Prec. Natl. Acad. Sci. USA*, vol. 94, Apr. 1997, pp. 4256-4261.
- Tearney, Guillermo J., et al., "In vivo Endoscopic Optical Biopsy with Optical Coherence Tomography", *Science*, New Series, vol. 276, Jun. 27, 1997, pp. 2037-2039.
- de Boer, Johannes F., et al., "Imaging thermally damaged tissue by polarization sensitive optical coherence tomography", *Optics Express* 212, vol. 3, No. 6, Sep. 14, 1998, pp. 212-218.
- Roggan, Andre, et al., "Optical Properties of Circulating Human Blood in the Wavelength Range 400-2500 NM", *Journal of Biomedical Optics*, vol. 4, No. 1, Jan. 1999, pp. 36-46.
- de Boer, Johannes F., et al., "Determination of the depth-resolved Stokes parameters of light backscattered from turbid media by use of polarization-sensitive optical coherence tomography", *Optics Letters*, vol. 24, No. 5, Mar. 1, 1999, pp. 300-302.
- Rollins, Andrew M., et al., "Real-time in vivo imaging of human gastrointestinal ultrastructure by use of endoscopic optical coherence tomography with a novel efficient interferometer design", *Optics Letters*, vol. 24, No. 19, Oct. 1, 1999, pp. 1358-1360.
- D'Amico, Anthony V., et al., "Optical Coherence Tomography As a Method for Identifying Benign and Malignant Microscopic Structures in the Prostate Gland", *Basic Science, Urology* 55 (5), 2000, pp. 783-787.
- Li, Xingde, et al., "Imaging needle for optical coherence tomography", *Optics Letters*, vol. 25, No. 20, Oct. 15, 2000, pp. 1520-1522.
- Oughstun, Kurt E., "Influence of precursor fields on ultrashort pulse autocorrelation measurements and pulse width evolution", *Optics Express*, vol. 8, No. 8, Apr. 9, 2001, pp. 481-491.
- Kowalevicz, Andrew M., et al., "Ultra-high resolution optical coherence tomography using a superluminescent light source" *Optics Express* 349, vol. 10, No. 7, Apr. 8, 2002, pp. 349-353.
- Povazay, B., et al., "Submicrometer axial resolution optical coherence tomography", *Optics Letters*, vol. 27, No. 20, Oct. 15, 2002, pp. 1800-1802.
- Xie, T.-Q., et al., "Detection of tumorigenesis in urinary bladder with optical coherence tomography: optical characterization of Seefeldt, Michael, et al., "Compact white-light source with an average output power of 2.4 W and 900 nm spectral bandwidth", *Optics Communications* 216, pp. 199-202.
- Wang, Yimin, et al., "Ultra-high-resolution optical coherence tomography by broadband continuum generation from a photonic crystal fiber", *Optics Letters*, vol. 28, No. 3, Feb. 1, 2003, pp. 182-184.
- Bizheva, K., et al., "Compact, broad-bandwidth fiber-laser-for-sub-2-pm axial resolution optical coherence tomography in the 1300-nm wavelength region," *Optics Letters*, vol. 28, No. 9, May 1, 2003, pp. 707-709.
- Hazen, K.H., M.A. Arnold, G.W. Small, "Measurement of glucose and other analytes in undiluted human serum with near-infrared transmission spectroscopy," *Analytica Chimica Acta*, vol. 371, pp. 255-267 (1998).
- Malin, S.F., T.L. Ruchti, T.B. Blank, S.N. Thennadil, S.L. Monfre, "Noninvasive prediction of glucose by near-infrared diffuse reflectance spectroscopy," *Clinical Chemistry*, vol. 45, No. 9, pp. 1651-1658 (1999).
- Thennadil, S.N., J.L. Rennert, B.J. Wenzel, K.H. Hazen, T.L. Ruchti, M.B. Block, "Comparison of glucose concentration in interstitial fluid, and capillary and venous blood during rapid changes in blood glucose levels," *Diabetes Technology & Therapeutics*, vol. 3, No. 3, pp. 357-365 (2001).
- Troy, T.L., S.N. Thennadil, "Optical properties of human skin in the near infrared wavelength range of 1000 to 2200nm," *Journal of Biomedical Optics*, vol. 6, No. 2, pp. 167-176, (2001).
- Blank, T.B., T.L. Ruchti, A.D. Lorenz, S.L. Monfre, M.R. Makarewicz, M. Mattu, K.H. Hazen, "Clinical results from a non-invasive blood glucose monitor," *Optical Diagnostics and Sensing of Biological Fluids and Glucose and Cholesterol Monitoring II*, A.V. Priezzhev and G.L. Cote, Editors, *Proceedings of SPIE*, vol. 4624, pp. 1019 (2002).
- Yeh, S-J, C.F. Hanna, O.S. Khalil, "Monitoring blood glucose changes in cutaneous tissue by temperature-modulated localized reflectance measurements," *Clinical Chemistry*, vol. 49, No. 6, pp. 924-934 (2003).
- Marbach, R., T. Koschinsky, E.A. Gries, H.M. Heise, "Noninvasive blood glucose assay by near-infrared diffuse reflectance spectroscopy of the human inner lip," *Applied Spectroscopy*, vol. 47, No. 7, pp. 875-881 (1993).
- Enejder, A.M.K., T.G. Seccina, J. Oh, M. Hunter, W.C. Shih, S. Sasic, G.L. Horowitz, M.S. Feld, "Raman spectroscopy for noninvasive glucose measurements," *Journal of Biomedical Optics*, vol. 10, No. 3, 031114 (2005).
- Olesberg, J.T., L. Liu, V.V. Zee, M.A. Arnold, "In vivo near-infrared spectroscopy of rat skin tissue with varying blood glucose levels," *Analytic Chemistry*, vol. 78, No. 1, pp. 215-223 (2006).
- Olesberg, J.T., M.A. Arnold, C. Mermelstein, J. Schmitz, J. Wagner, "Tunable laser diode system for noninvasive blood glucose measurements," *Applied Spectroscopy*, vol. 59, No. 12, pp. 1480-1484 (2005).
- Harman-Boehm, I. A. Gal, A.M. Raykhman, J.D. Zahn, E. Naidis, Y. Mayzel, "Noninvasive glucose monitoring: a novel approach," *Journal of Diabetes Science and Technology*, vol. 3, No. 2 pp. 253-260 (2009).
- Kim-K.D. G.S. Son, S.S. Lim, S.S. Lee, "Measurement of glucose level exploiting a relative optical absorption at discrete probe wavelengths," *Japanese Journal of Applied Physics*, vol. 48, 077001 (2009).
- Smith, J.L., "The Pursuit of Noninvasive Glucose: Hunting the Deceitful Turkey," 2nd Edition, pp. 1-141 (2011).
- Pezzani, J.L., T.W. Jeng, L. McDowell, G.M. Costa, "Preliminary investigation of near-infrared spectroscopic measurements of urea, creatinine, glucose, protein and ketone in urine," *Clinical Biochemistry*, vol. 34, pp. 239-246 (2001).
- Lussi, A., R. Hibst, R. Paulus, "Diagnodent: An optical method for caries detection," *Journal of Dental Research*, vol. 83, special issue C, pp. C80-C83 (2004).
- Reese, E.L., E.E. Fisher, D.A. Horowitz, "Photoelectric densitometry of the circulation of the human dental pulp," *The*

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.