

# Evaporative Emission Control Technologies for Gasoline Powered Vehicles

*December 2010*



**Manufacturers of Emission Controls Association**

2020 N. 14<sup>th</sup> St. \* Suite 220 \* Arlington, VA 22201

[www.meca.org](http://www.meca.org)

[www.dieseltretrofit.org](http://www.dieseltretrofit.org)

MAHLE-1020

## TABLE OF CONTENTS

Executive Summary .....	1
1.0 Introduction.....	3
2.0 Current Evaporative Emissions Regulations in the U.S. ....	5
2.1 ARB’s Proposed LEV III Evaporative Emissions Requirements.....	7
2.2 Test Methods for Measuring Evaporative Emissions .....	9
3.0 Technologies to Control Evaporative Emissions.....	10
3.1 Permeation Controls.....	11
3.2 Carbon Canisters .....	12
3.3 Activated Carbon .....	14
3.4 Air Intake Systems (AIS).....	16
3.5 On-Board Refueling Vapor Recovery .....	17
4.0 On-Board Diagnostic Requirements .....	18
5.0 Conclusions.....	18
6.0 References.....	18

## LIST OF FIGURES

Figure 1: Emissions Contributions for PZEV and LEV II Vehicles.....	5
Figure 2. CARB LEV II and PZEV Evaporative Requirements .....	7
Figure 3. Test set-up for a bleed emissions or mini-rig test.....	10
Figure 4. Fuel system with emission control technology .....	11
Figure 5. Examples of evaporative carbon canisters .....	12
Figure 6. Inside of EVAP canister .....	13
Figure 7. Canister bleed emissions with and without a scrubber.....	14
Figure 8. Pore size depiction in activated carbon particle .....	15
Figure 9. Examples of extruded carbon honeycombs .....	16
Figure 10. Examples of carbon AIS systems .....	16
Figure 11. Examples of carbon AIS systems .....	17
Figure 12. Air Induction System performance on 4 and 8 cyl. engine .....	17

## LIST OF TABLES

Table I: CARB LEV II Evaporative Emission Standards .....	6
Table II: U.S. EPA Tier II Evaporative Emission Standards.....	6
Table III: Option 1 of ARB's Proposed LEV III Evaporative Standards.....	8
Table IV: Option 2 of ARB's Proposed LEV III Evaporative Standards.....	8

## Executive Summary

Evaporative emission control technology was the first to be used on passenger vehicles as a way to control smog forming hydrocarbons in the early 1960's. Evaporative emissions from motor vehicles constitute about half of the reactive organic gas (ROG) inventory in California<sup>1</sup> and nearly 40% in the Northeastern United States. Ozone is considered to be a respiratory irritant harmful to humans and plants and is regulated by the U.S. EPA which sets a National Ambient Air Quality Standard (NAAQS) for ozone concentration. Areas that are out of attainment or experience concentrations above this ozone concentration, like California, regulate evaporative emissions to reduce ground-level ozone. In addition to the negative health effects of ground level ozone, it is also a greenhouse gas.

Evaporative emissions are broken down into five primary sources; diurnal, running loss, hot soak, permeation and refueling. The magnitude of the relative components depends greatly on the engine design, fuel delivery and application. A brief description of the major types of evaporative emissions is given below.

Diurnal emissions result from the evaporation of gasoline due to temperature fluctuation during the day and night.

Running loss emissions represent gasoline that is vaporized from the engine and fuel system while in operation.

Hot Soak emissions occur during the first hour that the vehicle is parked after normal operation.

Permeation occurs continuously once the polymer components of the fuel system become saturated with fuel.

Refueling emissions occur as gasoline is pumped into the tank displacing the gasoline rich vapor.

The function of the automobile evaporative emission control system is to block or capture the above sources of vaporized hydrocarbons and prevent their release into the atmosphere. There are varying levels of complexity and efficacy of these controls with the most advanced systems equipped on partial zero emission vehicles being certified to California's PZEV standard under the state's LEV II emission standards.

Companies that manufacture evaporative emission controls have responded to the challenge of reducing VOC emissions from gasoline powered vehicles. Through their efforts, a wide range of cost-effective technologies have been developed to block HC emissions via the above mechanisms. Manufacturers of Emission Controls Association (MECA) member companies, together with engine manufacturers, have worked together to meet California's PZEV requirements on over 50 light-duty vehicles and employed evaporative canisters on motorcycles and marine engines.

Interest in evaporative emissions control has grown considerably in recent years around the world. MECA is engaged with California on their LEV III regulation that proposes to extend the most advanced evaporative controls across the entire on-road, light and medium-duty vehicle fleet. This document has been prepared to supplement information already made available by MECA on emission control technologies and provides an overview of the types of technologies being developed for new gasoline fueled cars and trucks.

Today's cleanest gasoline vehicles, certified to California's PZEV emission limits require near zero evaporative emissions and include additional technologies such as canister scrubbers to virtually eliminate bleed emissions from the carbon canisters during periods of low purge. Some vehicles also incorporate carbon based air-intake HC traps to prevent engine breathing losses from escaping through the intake manifold and air induction system (AIS) after the engine is shut off.

Today, viable emission control technologies exist to reduce fuel system based HC evaporative emissions from all types of spark-ignited engines including small handheld equipment up to large spark-ignited (LSI) vehicles. Applications include marine and recreational off-road vehicles. The major technologies that control permeation emissions include:

- Fuel tanks made of low permeation polymers
- Multilayer co-extruded hoses
- Low permeation seals and gaskets

Technologies designed to control diurnal, hot soak and refueling HC emissions include:

- Advanced carbon canisters
- High working capacity activated carbon
- Honeycomb carbons scrubbers
- Air induction system (AIS) HC traps

The most stringent evaporative emission control regulations are enforced in the United States. Vehicles certified to California's PZEV low emission vehicle standards must demonstrate near zero evaporative emissions from the fuel system at 0.054 g/test using a rig test of a vehicle's fuel system. The California Air Resources Board (CARB) is proposing to extend these requirements across the entire light-duty and medium-duty passenger vehicle fleet (<14,000 lbs GVWR) by 2022 as part of their LEV III regulations.

Demands on vehicle manufacturers to achieve higher fuel efficiency through the use of smaller displacement, boosted engines and hybrid electric powertrains will create challenging operating conditions for evaporative emission control technologies. The lower purge volumes that result from smaller displacement engines or hybrid systems under partial or full electric drive will require the development of specialty carbon adsorbents and advanced canister designs to achieve the lowest evaporative emissions demanded by future regulations. Gasoline vehicles in other parts of the world and SI off-road equipment everywhere can benefit from much of the same technologies applied to passenger vehicles in the U.S. This paper will describe the types of technologies that are being used to meet the current and future evaporative emission regulations.

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.