

Second edition
2000-12-01

**Information technology — Generic coding
of moving pictures and associated audio
information: Systems**

*Technologies de l'information — Codage générique des images animées et
du son associé: Systèmes*

Reference number
ISO/IEC 13818-1:2000(E)



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

	Page
Contents	Page
SECTION 1 – GENERAL	1
1.1 Scope	1
1.2 Normative references.....	1
1.2.1 Identical Recommendations International Standards.....	1
1.2.2 Paired Recommendations International Standards equivalent in technical content.....	2
1.2.3 Additional references.....	2
SECTION 2 – TECHNICAL ELEMENTS	2
2.1 Definitions	2
2.2 Symbols and abbreviations.....	5
2.2.1 Arithmetic operators.....	5
2.2.2 Logical operators.....	6
2.2.3 Relational operators.....	6
2.2.4 Bitwise operators.....	6
2.2.5 Assignment.....	6
2.2.6 Mnemonics	6
2.2.7 Constants	7
2.3 Method of describing bit stream syntax.....	7
2.4 Transport Stream bitstream requirements.....	8
2.4.1 Transport Stream coding structure and parameters	8
2.4.2 Transport Stream system target decoder.....	9
2.4.2.1 System clock frequency.....	10
2.4.2.2 Input to the Transport Stream system target decoder	11
2.4.2.3 Buffering	12
2.4.2.4 Decoding	17
2.4.2.5 Presentation	17
2.4.2.6 Buffer management	17
2.4.2.7 T-STD extensions for carriage of ISO/IEC 14496 data.....	18
2.4.3 Specification of the Transport Stream syntax and semantics	18
2.4.3.1 Transport Stream	18
2.4.3.2 Transport Stream packet layer	18
2.4.3.3 Semantic definition of fields in Transport Stream packet layer.....	19
2.4.3.4 Adaptation field.....	20
2.4.3.5 Semantic definition of fields in adaptation field.....	21
2.4.3.6 PES packet.....	31
2.4.3.7 Semantic definition of fields in PES packet	31
2.4.3.8 Carriage of Program Streams and ISO/IEC 11172-1 Systems streams in the Transport Stream	40
2.4.4 Program specific information	41
2.4.4.1 Pointer	43
2.4.4.2 Semantics definition of fields in pointer syntax	43
2.4.4.3 Program association Table	43
2.4.4.4 Table_id assignments	44
2.4.4.5 Semantic definition of fields in program association section	44
2.4.4.6 Conditional access Table	45
2.4.4.7 Semantic definition of fields in conditional access section	45
2.4.4.8 Program Map Table.....	46
2.4.4.9 Semantic definition of fields in Transport Stream program map section	46
2.4.4.10 Syntax of the Private section	47
2.4.4.11 Semantic definition of fields in private section	48
2.4.4.12 Syntax of the Transport Stream section.....	49
2.4.4.13 Semantic definition of fields in the Transport Stream section.....	50

	<i>Page</i>
2.5 Program Stream bitstream requirements	50
2.5.1 Program Stream coding structure and parameters	50
2.5.2 Program Stream system target decoder	51
2.5.2.1 System clock frequency.....	52
2.5.2.2 Input to the Program Stream system target decoder	52
2.5.2.3 Buffering	53
2.5.2.4 PES streams.....	54
2.5.2.5 Decoding and presentation	54
2.5.2.6 P-STD extensions for carriage of ISO/IEC 14496 data.....	54
2.5.3 Specification of the Program Stream syntax and semantics	54
2.5.3.1 Program Stream	54
2.5.3.2 Semantic definition of fields in Program Stream.....	55
2.5.3.3 Pack layer of Program Stream	55
2.5.3.4 Semantic definition of fields in program stream pack.....	56
2.5.3.5 System header.....	56
2.5.3.6 Semantic definition of fields in system header	56
2.5.3.7 Packet layer of Program Stream	58
2.5.4 Program Stream map	59
2.5.4.1 Syntax of Program Stream map.....	59
2.5.4.2 Semantic definition of fields in Program Stream map.....	59
2.5.5 Program Stream directory.....	60
2.5.5.1 Syntax of Program Stream directory packet.....	60
2.5.5.2 Semantic definition of fields in Program Stream directory	60
2.6 Program and program element descriptors	62
2.6.1 Semantic definition of fields in program and program element descriptors.....	62
2.6.2 Video stream descriptor.....	62
2.6.3 Semantic definitions of fields in video stream descriptor.....	64
2.6.4 Audio stream descriptor	65
2.6.5 Semantic definition of fields in audio stream descriptor	65
2.6.6 Hierarchy descriptor	65
2.6.7 Semantic definition of fields in hierarchy descriptor.....	65
2.6.8 Registration descriptor.....	66
2.6.9 Semantic definition of fields in registration descriptor.....	66
2.6.10 Data stream alignment descriptor	67
2.6.11 Semantics of fields in data stream alignment descriptor	67
2.6.12 Target background grid descriptor	67
2.6.13 Semantics of fields in target background grid descriptor	68
2.6.14 Video window descriptor	68
2.6.15 Semantic definition of fields in video window descriptor	69
2.6.16 Conditional access descriptor	69
2.6.17 Semantic definition of fields in conditional access descriptor.....	70
2.6.18 ISO 639 language descriptor	70
2.6.19 Semantic definition of fields in ISO 639 language descriptor	70
2.6.20 System clock descriptor.....	70
2.6.21 Semantic definition of fields in system clock descriptor	71
2.6.22 Multiplex buffer utilization descriptor.....	71
2.6.23 Semantic definition of fields in multiplex buffer utilization descriptor	71
2.6.24 Copyright descriptor	72
2.6.25 Semantic definition of fields in copyright descriptor	72
2.6.26 Maximum bitrate descriptor	72
2.6.27 Semantic definition of fields in maximum bitrate descriptor	72
2.6.28 Private data indicator descriptor	73
2.6.29 Semantic definition of fields in Private data indicator descriptor.....	73
2.6.30 Smoothing buffer descriptor	73
2.6.31 Semantic definition of fields in smoothing buffer descriptor	74
2.6.32 STD descriptor	74
2.6.33 Semantic definition of fields in STD descriptor	74
2.6.34 IBP descriptor	74
2.6.35 Semantic definition of fields in IBP descriptor	74

2.6.36	MPEG-4 video descriptor	75
2.6.37	Semantic definition of fields in MPEG-4 video descriptor	75
2.6.38	MPEG-4 audio descriptor	75
2.6.39	Semantic definition of fields in MPEG-4 audio descriptor	75
2.6.40	IOD descriptor	75
2.6.41	Semantic definition of fields in IOD descriptor	77
2.6.42	SL descriptor	77
2.6.43	Semantic definition of fields in SL descriptor	77
2.6.44	FMC descriptor	77
2.6.45	Semantic definition of fields in FMC descriptor	78
2.6.46	External_ES_ID descriptor	78
2.6.47	Semantic definition of fields in External_ES_ID descriptor	78
2.6.48	Muxcode descriptor	78
2.6.49	Semantics of fields in Muxcode descriptor	79
2.6.50	FmxBufferSize descriptor	79
2.6.51	Semantics of fields in FmxBufferSize descriptor	79
2.6.52	MultiplexBuffer descriptor	79
2.6.53	Semantics of fields in MultiplexBuffer descriptor	80
2.7	Restrictions on the multiplexed stream semantics	80
2.7.1	Frequency of coding the system clock reference	80
2.7.2	Frequency of coding the program clock reference	80
2.7.3	Frequency of coding the elementary stream clock reference	81
2.7.4	Frequency of presentation timestamp coding	81
2.7.5	Conditional coding of timestamps	81
2.7.6	Timing constraints for scalable coding	81
2.7.7	Frequency of coding P-STD_buffer_size in PES packet headers	82
2.7.8	Coding of system header in the Program Stream	82
2.7.9	Constrained system parameter Program Stream	82
2.7.10	Transport Stream	83
2.8	Compatibility with ISO/IEC 11172	84
2.9	Registration of copyright identifiers	84
2.9.1	General	84
2.9.2	Implementation of a Registration Authority (RA)	84
2.10	Registration of private data format	85
2.10.1	General	85
2.10.2	Implementation of a Registration Authority (RA)	85
2.11	Carriage of ISO/IEC 14496 data	85
2.11.1	Introduction	85
2.11.2	Carriage of individual ISO/IEC 14496-2 and 14496-3 Elementary Streams in PES packets	85
2.11.2.1	Introduction	85
2.11.2.2	STD extensions for individual ISO/IEC 14496 elementary streams	86
2.11.3	Carriage of audiovisual ISO/IEC 14496-1 scenes and associated ISO/IEC 14496 streams	87
2.11.3.1	Introduction	87
2.11.3.2	Assignment of ES_ID values	87
2.11.3.3	Timing of ISO/IEC 14496 scenes and associated streams	88
2.11.3.4	Delivery timing of SL-packetized streams	89
2.11.3.5	Delivery timing of FlexMux streams	89
2.11.3.6	Carriage of SL-packetized streams in PES packets	89
2.11.3.7	Carriage of FlexMux streams in PES packets	89
2.11.3.8	Carriage of SL packets and FlexMux packets in sections	90
2.11.3.9	T-STD extensions	91
2.11.3.10	Carriage within a Transport Stream	93
2.11.3.11	P-STD Model for 14496 content	94
2.11.3.12	Carriage within a Program Stream	96
	Annex A – CRC Decoder Model	97
A.0	CRC decoder model	97

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.