

US006469991B1

(12) United States Patent Chuah

US 6,469,991 B1 (10) Patent No.:

(45) Date of Patent: *Oct. 22, 2002

(54) METHOD FOR OVERLOAD CONTROL IN A MULTIPLE ACCESS SYSTEM FOR **COMMUNICATION NETWORKS**

Inventor: Mooi Choo Chuah, Eatontown, NJ

(US)

Assignee: Lucent Technologies Inc., Murray Hill, (73)

NJ (US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: 09/083,759

(22)Filed: May 22, 1998

Related U.S. Application Data

Provisional application No. 60/061,790, filed on Oct. 14, (60)1997, and provisional application No. 60/077,741, filed on Mar. 12, 1998.

Int. Cl.⁷ H04Q 7/00

370/442; 370/469

370/281, 294, 295, 296, 329, 333, 336,

337, 469, 345, 347, 412, 442

(56)References Cited

U.S. PATENT DOCUMENTS

5,181,200 A 1/1993 Harrison

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

EP 0 599 515 6/1994

(List continued on next page.)

OTHER PUBLICATIONS

European Search Report, Mar. 23, 1999, 6 pages.


(List continued on next page.)

Primary Examiner—Alpus H. Hsu Assistant Examiner—Roberta Stevens

ABSTRACT

In the method for overload control in a wireless communications network employing On-Demand Multiple Access Fair Queuing, if the downlink/uplink buffer occupancy of the network has exceeded a high threshold, the base station determines if this is caused by a specific remote host or by a group of remote hosts. If caused by a specific remote host, the base station normally sends a flow control signal to the remote host to prevent it from sending more data, but may alternatively elect to disconnect other remotes if the remote experiencing bad performance is of a higher priority. The base station may additionally reduce the bandwidth shares allocated to any remote that have indicated tolerance for a variable allocated bandwidth. If the measured frame error rates for many remote hosts are increasing, then the base station may elect to disconnect those remote hosts that permit service interruption in order that more bandwidth may be allocated to the remaining users. If a majority of all associated remote hosts experience high uplink frame error rates, the base station may instead send a signal to a wireless hub which can coordinate the actions of other access points. Short packets queued up for so long at the base station that they exceed the time-to-live value allocated will be thrown away. The base station may also or alternatively elect to disconnect some users of a lower priority or redirect them to other nearby base stations that have a lower load. In a particular embodiment, an uplink Frame Error Rate (FER), an average uplink bit rate, a burstiness factor of uplink traffic, and a packet loss rate are measured at the base station for each remote host. Similarly, a downlink Frame Error Rate is measured at each remote host and then each FER is sent to the base station. If an overload condition exits, connections with a Frame Error Rate that has exceeded a threshold for a specified time and that have indicated that their connections can be interrupted are disconnected. Other combinations of the possible actions are suitable, with the exact combination being determined by the base station depending on the particular congestion conditions observed in the network.

17 Claims, 34 Drawing Sheets





U.S. PATENT DOCUMENTS

5,335,357 A	8/1994	Fennel et al.
5,539,729 A	7/1996	Bodnar
5.721.762 A	2/1998	Sood

FOREIGN PATENT DOCUMENTS

EP	0 660 626	6/1995
GB	2 311 191	9/1997
GB	2 311 192	10/1997
WO	WO095/15644	6/1995
WO	WO 95/35002	12/1995
WO	WO 97/01941	1/1997

OTHER PUBLICATIONS

Lu et al., Fair Scheduling in Wireless Packet Networks, Sigcom '97.

Kautz, R., A Distributed Self-Clocked Fair Queueing Architecture for Wireless ATM Networks, (1996).

Kautz and Leon-Garcia, A Distributed Self-Clocked Fair Queueing Architecture for Wireless ATM Networks, Int'l Symposium on Personal Indoor and Mobile Radio Communications (1997).

Karol et al., Distributed-Queueing Request Update Multiple Access (DORUMA) for Wireless Packet (ATM) Networks, pp. 1224–1229 (1995).

Karol et al., An efficient demand–assignment multiple access protocol for wireless packet (ATM) networks, Wireless Networks 1:267–279 (1995).

Doshi et al., A Broadband Multiple Access Protocol for STM, ATM, and Variable Length Data Services on Hybrid Fiber-Coax Networks, Bell Labs Technical Journal, pp. 36–65 (Summer, 1996).

Golestani, S. J., A Self-Clocked Fair Queueing Scheme for Broadband Applications, IEEE INFOCOM '94: Proceedings: Conference on Computer Commun., Toronto, Ontario, Jun. 12–16, 1994, pp. 636–646.

CDMA Access Channel Power Control, International Standard IS95, pp. 6–106–6–112.


Zhang, L., VirtualClock: A New Traffic Control Algorithm for Packet–Switched Networks, ACM Transactions on Computer Systems 9:101–124 (1991).

Rege, K., Equivalent Bandwidth and Related Admission Criteria for ATM Systems—A Performance Study, Int'l J. of Commun. Systems 7:181–197 (1994).

Parekh and Gallager, A Generalized Processor Sharing Approach to Flow Control in Integrates Service Networks: The Single–Node Case, IEEE/ACM Transactions on Networking 1:344–357 (1993).


Siram and Magill, Enhanced Throughout Efficiency by Use of Dynamically Variable Request Mini–Slots in MAC Protocols for HEC and Wireless Access Networks, submitted to INFOCOM '98.









Oct. 22, 2002








Oct. 22, 2002





DOCKET A L A R M

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

