

[54] NON-LINEAR LENS

[57] ABSTRACT

[75] Inventors: Ralph W. Fisher, St. Charles; George Licis, Manchester; Wayne W. Schurter, Bridgeton, all of Mo.
[73] Assignee: McDonnell Douglas Corporation, St. Louis, Mo.
[22] Filed: Nov. 4, 1974
[21] Appl. No.: 520,487

A non-linear lens possesses distortion characteristics which are such that objects along the optical axis of the lens occupy disproportionately large areas of the image cast by the lens, whereas objects near the periphery of the field of view occupy a disproportionately small area of the image. The distortion characteristics approximate the formula $H = \sin^{1/3} \theta$ where H is height measured from the optical axis and θ is the angle measured from the optical axis. The image cast by the lens falls on the vidicon of a television camera where it is scanned and transmitted to a projector. Since the lens enlarges objects in the vicinity of the optical axis, those objects are transmitted with much greater detail than objects in the peripheral region of the view. The transmitted image is reproduced at a projector and the reproduced image is rectified through another lens having identical distortion characteristics. This lens casts the rectified image on a spherical screen. The final image which appears on the screen possesses a high degree of acuity in the region of the optical axis and substantially less acuity in peripheral regions. The resolution throughout the entire field of the reproduced image corresponds quite closely to the resolution characteristics of the human eye.

[52] U.S. Cl. 350/189; 350/181
[51] Int. Cl.² B29D 13/18; G02B 13/08
[58] Field of Search 350/189, 192, 198, 175, 350/181

[56] References Cited

UNITED STATES PATENTS
3,037,426 6/1962 Hughues 350/192
FOREIGN PATENTS OR APPLICATIONS
1,105,632 4/1961 Germany 350/175 R
OTHER PUBLICATIONS
Rigler, A. K. and Vogt, T. P., "Spline Functions: an Alternative Representation of Aspheric Surfaces," Applied Optics, Vol. 10, No. 7, pp. 1648-1651, July, 1971.

Primary Examiner—John K. Corbin
Assistant Examiner—Conrad Clark
Attorney, Agent, or Firm—Graveley, Lieder & Woodruff

10 Claims, 7 Drawing Figures




FIG. 6




FIG. 1




FIG. 2








FIG. 3





NON-LINEAR LENS

The Government has rights in this invention pursuant to Contract Number N00014-73-C-0154 awarded by the Department of the Navy.

BACKGROUND OF THE INVENTION

The present invention relates in general to lenses and more particularly to a lens having non-linear distortion characteristics.

The typical remote viewing system utilizes a television camera at the remote location, some type of projector at the observer location, and a television transmitting system linking the two. These viewing systems fall far short of duplicating the visual characteristics of the human eye in that they have extremely limited fields of view or else poor resolution in a large field of view.

In particular, for any fixed angular resolution (measured in minutes of arc) and frame rate (usually 30 Hz or frames/sec.) a definite relationship exists between field of view and bandwidth for transmitting that field of view. For example, commercial television, which utilizes a 525 line raster traced 30 times per second, operates on a bandwidth of 3.93 MHz. To match the resolution of the human eye, which is one minute of arc along its foveal or optical axis, the field of view for commercial television must be restricted to less than 10° (see FIG. 1). On the other hand, if the field of view is increased to about 180°, which is the field of view for the human eye, the bandwidth must be increased to 1000 Mhz to maintain one minute of arc resolution over the entire field. This demands a raster of 10,000 lines and is far in excess of the capabilities of current television systems.

Indeed, the most advanced television currently available utilizes an 875 line system and requires a bandwidth of 10.9 Mhz. This provides a field of view of about 20° with one minute arc resolution throughout the entire field, which is far less than the 180° field of view possessed by the human eye.

From the foregoing, it is clear that present television viewing systems present a dilemma. If the field of view is sufficient to encompass all possible locations of interest, resolution is so low that detection or clear observation is impossible. On the other hand, if the resolution is adequate to insure that the objects will be seen clearly, the field of view is quite limited and many objects of interest are located outside of the field of view.

In a sense the human eye provides a solution for the foregoing dilemma. The human eye possesses high optical acuity along and in the vicinity of its foveal or optical axis, but the acuity diminishes outwardly therefrom. In other words, the eye distinguishes fine detail directly in front of it, but not to the sides. This characteristic is not derived from the shape of the eye lens, but instead results from the fact that most of the optical fibers for the eye are concentrated in the vicinity of the optical axis. Hence, only along the optical axis does the eye possess one minute of arc resolution. The resolution becomes progressively less toward the periphery of the field of vision (see FIG. 2). Nevertheless, the resolution in the peripheral area is sufficient to detect the presence of many objects in that area as well as much movement in that area. Of course, when the eye detects anything of interest in the peripheral areas, the head or

eye is immediately moved to bring the foveal axis to the thing of interest and thereby provide a clearer image of it.

SUMMARY OF THE INVENTION

One of the principal objects of the present invention is to provide a lens having non-linear distortion characteristics which are such that objects located along and near the optical axis of the lens occupy a disproportionately large area of the image produced by the lens. Another object is to provide a lens of the type stated which closely approximates the resolution characteristics of the human eye over a wide field of view. A further object is to provide a lens of the type stated which is ideally suited for use in remote viewing systems in that it provides a wide field of view with maximum acuity along the optical axis. These and other objects and advantages will become apparent hereinafter.

The present invention is embodied in a lens which distorts a field of view such that objects in the vicinity of the optical axis occupy a disproportionately large area of the image cast by the lens and objects in the peripheral region of the field of view occupy a disproportionately small area of the image. The invention also consists in the parts and in the arrangements and combinations of parts hereinafter described and claimed.

DESCRIPTION OF THE DRAWINGS

In the accompanying drawings which form part of the specification and wherein like numerals and letters refer to like parts wherever they occur:

FIG. 1 is a graph showing the relationship between field of view, angular resolution, and bandwidth for transmitting a picture of a remote location by television;

FIG. 2 is a graph showing relative acuity of the human eye throughout the field of view for the eye;

FIG. 3 is a graph showing the distortion characteristics of the lens of the present invention in terms of normalized image height and field of view and comparing such distortion characteristics with the distortion characteristics of a fisheye lens and a conventional camera lens;

FIG. 4 is a graphic representation of the non-linear distortion characteristics and showing how equal increments on the image plane correspond to unequal increments in the field of view;

FIG. 5 is a schematic perspective view of the remote viewing system in which the non-linear lens may be utilized;

FIG. 6 is a sectional view of the non-linear lens; and
FIG. 7 is an enlarged sectional view of the second and third lens groupings for the non-linear lens.

DETAILED DESCRIPTION

The lens of the present invention (FIGS. 6 and 7) provides non-linear image distortion characteristics over an extremely wide field of view which approaches 160°. This is in contrast to so-called fisheye lenses which provide linear distortion characteristics. In particular, with a linear or fisheye lens the image height is directly proportional to the field angle (FIG. 3). The relationship is defined by the formula $H=K \theta$ where H is the image height from the optical axis, K is a constant, and θ is the angle measured from the optical axis. Thus, with a linear lens an object occupying twice the angle as another object, when measured from the optical axis, will cast an image twice as high as the other

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.