

Bibliography

Cited References

- [BTSIG99] Bluetooth Special Interest Group, *Specification of the Bluetooth System*, version 1.0B, volumes 1 and 2, available from <http://www.bluetooth.com>, December 1999.
- [ETSI99] European Telecommunications Standards Institute (ETSI) SMG4, ETSI TS 101 369 V7.1.0 (1999-11) *Technical Specification: Digital cellular telecommunications system (Phase 2+); Terminal Equipment to Mobile Station (TE-MS) multiplexer protocol* (GSM 07.10 version 7.1.0 Release 1998), available from <http://www.etsi.org>, 1998.
- [FCC99] Federal Communications Commission, *Code of Federal Regulations part 15*, Title 47, volume 1, available from <http://www.fcc.gov>, revised October 1, 1999.
- [Graham99] Graham, Steve; Miller, Brent, and Rusnak, Joseph, IBM Corporation, *Discovering Devices and Services in Home Networks*, <http://www.ibm.com/pvc/tech/networking.shtml>, June 1999.
- [Haartsen00] Haartsen, J. C., "The Bluetooth Radio System," *IEEE Personal Communications* (special issue on "Connectivity and Application Enablers for Ubiquitous Computing and Communications"—C. Bisdikian, J. C. Haartsen, P. Kermani, eds.), vol. 7, no. 1, pp. 28–36, February 2000.
- [IAL99] Inventors Assistance League, *Hedy Lamarr*, <http://www.invention.org/culture/female/lamarr.html>, 1999.
- [IEEE99] Institute of Electrical and Electronics Engineers, *Wireless Standards Package (802.11)*, available from <http://www.ieee.org>, 1999.
- [IETF92] Partridge, C., Internet Engineering Task Force Network Working Group, *Request for Comments: 1363, A Proposed Flow Specification*, available from <http://www.ietf.org>, 1992.
- [IETF96] Yergeau, F., Internet Engineering Task Force Network Working Group, *Request for Comments: 2044, UTF-8, a transformation format of Unicode and ISO 10646*, available from <http://www.ietf.org>, 1996.

- [IMC96a] The Internet Mail Consortium, *vCard—The Electronic Business Card Exchange Format*, Version 2.1, <http://www.imc.org/pdi/>, September 1996.
- [IMC96b] The Internet Mail Consortium, *vCalendar—The Electronic Calendaring and Scheduling Exchange Format*, Version 1.0, <http://www.imc.org/pdi/>, September 1996.
- [IrDA99a] Infrared Data Association, *IrDA Object Exchange Protocol (IrOBEX)*, Version 1.2, <http://www.irda.org/standards/pubs/IrOBEX12.pdf>, April 1999.
- [IrDA99b] Infrared Data Association, *IrMC (Ir Mobile Communications) Specification*, Version 1.1, <http://www.irda.org/standards/specifications.asp>, February 1999.
- [ISO96] International Organization for Standardization in *ISO/IEC 11578:1996, Information Technology—Open Systems Interconnection—Remote Procedure Call (RPC)*, available from <http://www.iso.ch/>, 1996.
- [ITU96] International Telecommunication Union, *Recommendation T.4—Standardization of Group 3 facsimile terminals for document transmission*, available from <http://www.itu.org>, July 1996.
- [ITU98] International Telecommunication Union, *Recommendation Q.931—ISDN user-network interface layer 3 specification for basic call control*, available from <http://www.itu.org>, May 1998.
- [ITU99] International Telecommunication Union, *Recommendation V.250—Serial asynchronous automatic dialing and control*, available from <http://www.itu.org>, May 1999.
- [Mettälä99] Mettälä, Riku, Nokia Mobile Phones, *Bluetooth Protocol Architecture*, Version 1.0, <http://www.bluetooth.com/developer/download/download.asp?doc=175>, August 25, 1999.
- [Miller99] Miller, Brent and Pascoe, Robert, IBM Corporation, *Mapping Salutation Architecture APIs to Bluetooth Service Discovery Layer*, Version 1.0, <http://www.bluetooth.com/developer/download/download.asp?doc=172>, July 1, 1999.
- [Muller99] Muller, Thomas, Nokia Mobile Phones, *Bluetooth Security Architecture*, Version 1.0, <http://www.bluetooth.com/developer/download/download.asp?doc=174>, July 15, 1999.
- [Suvak99] Suvak, David, Extended Systems, Inc., *IrDA and Bluetooth: A Complementary Comparison*, <http://www.extendedsystems.com/prodinfo/white/bt%5Fvs%5Ffir.html>, 1999.

INDEX

▶ **A**

Access code, 92-95
 defined, 92
 inquiry operation, 94
 normal piconet operation, 93
 page operation, 93
Access rights request, 196
Active mode, 23
Active slaves, 21
Adaptive transmission power, 24-25
Address input, 90
Ad hoc networking, 44
Adopters, 7
Air interface, 3, 92
Air interface working group, 7
A-law, 198
A-law compression technique, 71, 198
AM_ADDR, 97-98, 101, 103, 106
Antheil, George, 19
Application group, 61, 72-75
 and Bluetooth profiles, 73-75
Application profiles, 204
Associate members, SIG, 280
Asynchronous connectionless (ACL)
 packets, 97-98, 113
 packet format, 100
AT Command Telephony Control,
 190
Audio, 71-72, 192
Audio and telephony control, 189-200
 Bluetooth audio, 197-99
 development, 197-98
 evolution of, 198
 connectionless TCS, 191, 197
 operation, 190-200
 TCS-BIN, 189-91
 TCS call control, 194-95

 TCS group management, 195-97
 TCS protocol development,
 192-94
 usage, 199-200
Automatic synchronizer usage model,
 41-42
AUX1, 100

▶ **B**

Bandwidth-conscious
 communications, 116-18
 quality of service (QoS) for ACL
 links, 117-18
 SCO links, 117
Baseband, Bluetooth radio, key
 functions of, 83-108
Baseband BB_PDU types, 96-100
Baseband layer, 64
 transport protocol group, 64
Baseband link types, 100-108
 inquiry state, 101-5
 page state, 106-8
Baseband modes, 22-25
Baseband packet data unit (BB_PDU),
 90-91
Base station, 85
BB_PDU, 90-91, 92, 95, 98, 106, 125
BD_ADDR, 88, 90, 94-95, 101, 103,
 106
Beaconing scheme, 24
Blatand, Harald (King Harald of
 Denmark), 9
Bluetooth:
 defined, 3
 history, 9
 logo, 9
 name, origin of, 9

 protocol stack, 7, 59-75
 RF communications solution,
 20-27
 baseband modes, 22-25
 communications topology,
 25-27
 energy-conserving features,
 22-25
 master and slave roles,
 20-22
 specification, 3
 usage models, 29-45
 ad hoc networking, 44
 automatic synchronizer,
 41-42
 cordless computer, 30-32
 headsets, 32-33
 hidden computing, 44-45
 instant postcard, 43-44
 interactive conference (file
 transfer), 35-36
 Internet bridge, 37-40
 profiles, 29
 speaking laptop, 40-41
 three-in-one phone, 34-35
 use of term, 3
Bluetooth adaptation software, 74
Bluetooth Assigned Numbers, 51
Bluetooth audio:
 development, 197-98
 evolution of, 198
Bluetooth baseband, key functions of,
 83-84
Bluetooth Brand Book, The, 3
Bluetooth clock, 84, 87, 88-89
Bluetooth device address, 21fn, 87, 88
Bluetooth devices, 84, 86

- connected state, 86
 - defined, 78
 - inquiry scan state, 86
 - inquiry state, 86
 - operational states for, 86
 - page scan state, 87
 - page state, 86-87
 - standby state, 86
 - Bluetooth discovery protocol (BDP)
 - section, MAC-2, 123
 - Bluetooth link controller, 83
 - Bluetooth mobile phones, 288-89
 - Bluetooth network model, 25
 - Bluetooth Piconet Minder, 174
 - Bluetooth piconets, 85-87
 - Bluetooth products, 285-90
 - computers and mobile phones, 288-89
 - legacy product enablers, 287-88
 - silicon and developers kits, 286-87
 - Bluetooth profiles, 203-8
 - generic profiles, 206, 209-22
 - serial port profiles, 207
 - telephony profiles, 207, 223-37
 - version 1.0 profiles, 203-7
 - Bluetooth Protocol Architecture, 54
 - Bluetooth protocol stack, SDAP
 - requirements on, 221
 - Bluetooth radio, 79-82
 - key operational parameters of, 82
 - key operations in, 80-81
 - transceiver, 80
 - Bluetooth radio module design, xiv
 - Bluetooth radios, 80
 - Bluetooth Service Discovery Protocol (SDP), 66, 68, 74, 155, 164-76
 - Bluetooth Special Interest Group (SIG), 3, 5-8, 72-73, 176
 - associate members, 280
 - core group, xiv
 - creating additional profiles, 285
 - creation of, xiv
 - defined, 5
 - extensions and enhancements
 - working groups, 282-84
 - extended service discovery profiles (ESDP), 283-84
 - HID (human interface devices) working group, 283
 - personal area networking (PAN), 282-83
 - printing working group, 283
 - still image working group, 283
 - formation of, 9-10
 - legal agreements among
 - member parties, 5
 - new applications working groups, 284-85
 - car profile working group, 284
 - local positioning working group, 285
 - richer audio/video (AV) working group, 284-85
 - new working groups/profiles, 280-82
 - original charter, expiration of, 280
 - progression of, 7-8
 - radio 2.0 working group, 281-82
 - technology and SIG origins, 5-6
 - working groups, 7-8
 - Bluetooth technology, 3-5
 - future of, 277-90
 - and innovation, 292-93
 - Bluetooth transport protocols, design
 - point of, 78
 - Bluetooth usage models, 20
 - Bluetooth web site, xiv, 285, 292
 - Bridge, use of term, 37
 - Briefcase trick, 45
- D**
- Data access points, 38
 - Data axis points, 38
 - Data-class HCI_PDU, 142, 146
 - Data HCI_PDU, 146-47
 - Data Link Connection Identifier (DLCI), 160
 - Dedicated bonding, 216
 - Dedicated IACs (DIACs), 94
 - Dedicated inquiry access codes (DIACs), 221
 - Device access code (DAC), 93
 - Device authentication, 112-13
 - Device pairing, 63
 - Device sharing, 31-32
 - Dial-up networking, 37-38
 - Dial-up networking profile (DUNP), 261-65
 - compared to LAN access profile (LAP), 271-73
 - defined, 261-62
 - development of, 262
 - operation of, 262-64
 - security in, 264
 - usage, 264-65
 - Digital camera cables, 30
 - Direct network axis, 38-40
 - Direct sequence spread spectrum, 18fn, 80
 - Discoverability modes, 214-15
 - Dongles, 287
 - DUNP, *See* Dial-up networking profile (DUNP)

E

Energy-conserving features, 22-25
 EnumerateRemDev primitive, 221
 Ericsson, 5-6, 8
 Ethernet networks, 15-16
 European Telecommunications Standards Institute (ETSI), 68
 Event-class HCI_PDU, 142, 145
 Event HCI_PDU, 145, 148
 Extended service discovery profiles (ESDP), 283-84
 Extended Systems, 254
 Extensions and enhancements
 working groups, 282-84
 extended service discovery profiles (ESDP), 283-84
 HID (human interface devices) working group, 283
 personal area networking (PAN), 282-83
 printing working group, 283
 still image working group, 283

F

Fast intermember access, 195-96
 FAX profile (FaxP), 273-76
 development of, 273-75
 operation of, 275-76
 SDP service record, 276
 usage, 276
 Federal Communications Commission (FCC), 79
 FHS packet, 102-3
 File transfer, 35-36
 File transfer profile (FP), 250-53
 development of, 250-51
 operation of, 251-52
 usage, 253
 Forward error-correcting (FEC) code, 96
 Frequency hopping, 18
 Frequency-hopping sequences, 85, 89-92, 95
 inquiry operation, 91-92
 normal piconet operation, 90-92
 page operation, 91
 phase of, 90
 Frequency hopping spread spectrum (FHSS), 18-19, 80
 Frequency-selection module (FSM), 89
 Fundamental processes, 87-89

G

GAP, *See* Generic access profiles (GAP)
 Gartner Group DataQuest, 10
 General bonding, 216
 General discoverable mode, 214

General knowledge, suggested reading plan, 54-55
 Generic access profiles (GAP), 206, 209-22
 connectivity, 213
 connectivity modes, 213-14
 connectability modes, 214
 discoverability modes, 214-15
 pairing modes, 215
 defined, 209
 development, 211-13
 dictionary, 213
 idle mode procedures, 216-17
 personalization, 213
 relationships, 210-11
 security modes, 215-16
 Generic inquiry access code (GIAC), 92, 221
 Generic object exchange profile, 207
 Generic object exchange profile (GOEP), 243-45
 development of, 243-44
 operation of, 244-45
 relationships, 240
 Group 3 fax, 274
 "Group of Bluetooth transport protocols", use of term, 62
 Group management, 195-97
 functions, 191

H

Hardware "plug-ins", 287
 HCI, *See* Host controller interface (HCI)
 HCI_Create_Connection command HCI_PDU, 149-50
 HCI_Hold_Mode command HCI_PDU, 151
 HCI_Inquiry command HCI_PDU, 148
 HCI layer, transport protocol group, 65-66
 HCI_PDU packet classes, 142-47
 HCI_PDUs, 142, 147-53
 command HCI_PDU, 144
 data HCI_PDU, 146-47
 event HCI_PDU, 145
 link control HCI_PDUs, 148-50
 link policy HCI_PDUs, 150-51
 testing, 153
 HCI_Write_Page_Scan_Activity command PDU, 152
 Headset profile, 234-37
 development of, 234-35
 Headsets, 32-33, 289
 Hewlett-Packard, 283
 Hidden computing, 44-45
 HID working group, 283

Hold mode, 22-23
 HomeRF(TM), 17, 282
 Hopping, 18
 Host controller and baseband HCI_PDUs, 151-52
 Host controller interface (HCI), 51, 57, 65, 140-53
 command-class HCI_PDUs, 142, 144
 data-class HCI_PDUs, 142, 146
 event-class HCI_PDUs, 142, 145
 HCI_PDU packet classes, 142-47
 HCI_PDUs, 142, 147-53
 link control HCI_PDUs, 148-50
 link policy HCI_PDUs, 150-51
 testing, 153
 HCI portion of specification, 141
 host controller and baseband HCI_PDUs, 151-52
 informational parameters HCI_PDUs, 152-53
 protocol stack with, 141-42
 status parameters HCI_PDUs, 153
 Host controller interface (HCI) layer, transport protocol group, 65-66
 Host transport, 65
 Human interface devices (HID), 283

I

Idle mode procedures, 216-17
 Informational parameters HCI_PDUs, 152-53
 Information exchange, 120
 Infrared Data Association (IrDA), 19-20, 57, 74, 177
 compared to Bluetooth wireless communications, 20
 See also IrDA interoperability middleware protocols
 Infrared mobile communications (IrMC), 69
 Infrared object exchange (IrOBEX/OBEX), 69
 Infrared wireless communications, 19-20
 InP, *See* Intercom profile (InP)
 Inquiry access code (IAC), 94
 Inquiry-hopping sequence, 92
 Inquiry_Result_Event event HCI_PDU, 149
 Inquiry scan state, 86
 Inquiry state, 86
 Inquiry state, baseband link types, 100-108

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.