

**FULLY CONNECTED GENERALIZED MULTI-LINK BUTTERFLY FAT TREE
NETWORKS**

Venkat Konda

5

CROSS REFERENCE TO RELATED APPLICATIONS

This application is related to and incorporates by reference in its entirety the U.S. Provisional Patent Application Docket No. M-0037US entitled "FULLY CONNECTED GENERALIZED MULTI-STAGE NETWORKS" by Venkat Konda assigned to the same
10 assignee as the current application, filed concurrently.

This application is related to and incorporates by reference in its entirety the U.S. Provisional Patent Application Docket No. M-0038US entitled "FULLY CONNECTED GENERALIZED BUTTERFLY FAT TREE NETWORKS" by Venkat Konda assigned to the same assignee as the current application, filed concurrently.

15 This application is related to and incorporates by reference in its entirety the U.S. Provisional Patent Application Docket No. M-0039US entitled "FULLY CONNECTED GENERALIZED REARRANGEABLY NONBLOCKING MULTI-LINK MULTI-STAGE NETWORKS" by Venkat Konda assigned to the same assignee as the current application, filed concurrently.

20 This application is related to and incorporates by reference in its entirety the U.S. Provisional Patent Application Docket No. M-0041US entitled "FULLY CONNECTED GENERALIZED FOLDED MULTI-STAGE NETWORKS" by Venkat Konda assigned to the same assignee as the current application, filed concurrently.

25 This application is related to and incorporates by reference in its entirety the U.S. Provisional Patent Application Docket No. M-0042US entitled "FULLY CONNECTED GENERALIZED STRICTLY NONBLOCKING MULTI-LINK MULTI-STAGE

NETWORKS" by Venkat Konda assigned to the same assignee as the current application, filed concurrently.

This application is related to and incorporates by reference in its entirety the U.S. Provisional Patent Application Docket No. M-0045US entitled "VLSI LAYOUTS OF
5 FULLY CONNECTED GENERALIZED NETWORKS" by Venkat Konda assigned to the same assignee as the current application, filed concurrently.

BRIEF DESCRIPTION OF DRAWINGS

FIG. 1A is a diagram 100A of an exemplary symmetrical multi-link Butterfly fat tree network $V_{mlink-bft}(N, d, s)$ having inverse Benes connection topology of five stages
10 with $N = 8$, $d = 2$ and $s=2$ with exemplary multicast connections, strictly nonblocking network for unicast connections and rearrangeably nonblocking network for arbitrary fan-out multicast connections, in accordance with the invention.

FIG. 1B is a diagram 100B of a general symmetrical multi-link Butterfly fat tree network $V_{mlink-bft}(N, d, 2)$ with $(\log_d N)$ stages strictly nonblocking network for unicast
15 connections and rearrangeably nonblocking network for arbitrary fan-out multicast connections in accordance with the invention.

FIG. 1C is a diagram 100C of an exemplary asymmetrical multi-link Butterfly fat tree network $V_{mlink-bft}(N_1, N_2, d, 2)$ having inverse Benes connection topology of five stages with $N_1 = 8$, $N_2 = p * N_1 = 24$ where $p = 3$, and $d = 2$ with exemplary multicast
20 connections, strictly nonblocking network for unicast connections and rearrangeably nonblocking network for arbitrary fan-out multicast connections, in accordance with the invention.

FIG. 1D is a diagram 100D of a general asymmetrical multi-link Butterfly fat tree network $V_{mlink-bft}(N_1, N_2, d, 2)$ with $N_2 = p * N_1$ and with $(\log_d N)$ stages strictly
25 nonblocking network for unicast connections and rearrangeably nonblocking network for arbitrary fan-out multicast connections in accordance with the invention.

FIG. 1E is a diagram 100E of an exemplary asymmetrical multi-link Butterfly fat tree network $V_{mlink-bft}(N_1, N_2, d, 2)$ having inverse Benes connection topology of five stages with $N_2 = 8$, $N_1 = p * N_2 = 24$, where $p = 3$, and $d = 2$ with exemplary multicast connections, strictly nonblocking network for unicast connections and rearrangeably
 5 nonblocking network for arbitrary fan-out multicast connections, in accordance with the invention.

FIG. 1F is a diagram 100F of a general asymmetrical multi-link Butterfly fat tree network $V_{mlink-bft}(N_1, N_2, d, 2)$ with $N_1 = p * N_2$ and with $(\log_d N)$ stages strictly nonblocking network for unicast connections and rearrangeably nonblocking network for
 10 arbitrary fan-out multicast connections in accordance with the invention.

FIG. 2A is high-level flowchart of a scheduling method according to the invention, used to set up the multicast connections in all the networks disclosed in this invention.

15 DETAILED DESCRIPTION OF THE INVENTION

The present invention is concerned with the design and operation of large scale crosspoint reduction using arbitrarily large Multi-link Butterfly fat tree networks for broadcast, unicast and multicast connections. Particularly Multi-link Butterfly fat tree networks with stages more than or equal to three and radices greater than or equal to two
 20 offer large scale crosspoint reduction when configured with optimal links as disclosed in this invention.

When a transmitting device simultaneously sends information to more than one receiving device, the one-to-many connection required between the transmitting device and the receiving devices is called a multicast connection. A set of multicast connections
 25 is referred to as a multicast assignment. When a transmitting device sends information to one receiving device, the one-to-one connection required between the transmitting device and the receiving device is called unicast connection. When a transmitting device simultaneously sends information to all the available receiving devices, the one-to-all

connection required between the transmitting device and the receiving devices is called a broadcast connection.

In general, a multicast connection is meant to be one-to-many connection, which includes unicast and broadcast connections. A multicast assignment in a switching
 5 network is nonblocking if any of the available inlet links can always be connected to any of the available outlet links.

In certain Multi-link Butterfly fat tree networks of the type described herein, any connection request of arbitrary fan-out, i.e. from an inlet link to an outlet link or to a set of outlet links of the network, can be satisfied without blocking if necessary by
 10 rearranging some of the previous connection requests. In certain other Multi-link Butterfly fat tree networks of the type described herein, any connection request of arbitrary fan-out, i.e. from an inlet link to an outlet link or to a set of outlet links of the network, can be satisfied without blocking with never needing to rearrange any of the previous connection requests.

15 In certain Multi-link Butterfly fat tree networks of the type described herein, any connection request of unicast from an inlet link to an outlet link of the network, can be satisfied without blocking if necessary by rearranging some of the previous connection requests. In certain other Multi-link Butterfly fat tree networks of the type described herein, any connection request of unicast from an inlet link to an outlet link of the
 20 network, can be satisfied without blocking with never needing to rearrange any of the previous connection requests.

Nonblocking configurations for other types of networks with numerous connection topologies and scheduling methods are disclosed as follows:

1) Strictly and rearrangeably nonblocking for arbitrary fan-out multicast and
 25 unicast for generalized multi-stage networks $V(N_1, N_2, d, s)$ with numerous connection topologies and the scheduling methods are described in detail in U.S. Provisional Patent Application, Attorney Docket No. M-0037 US that is incorporated by reference above.

2) Strictly and rearrangeably nonblocking for arbitrary fan-out multicast and unicast for generalized butterfly fat tree networks $V_{bft}(N_1, N_2, d, s)$ with numerous connection topologies and the scheduling methods are described in detail in U.S. Provisional Patent Application, Attorney Docket No. M-0038 US that is incorporated by
 5 reference above.

3) Rearrangeably nonblocking for arbitrary fan-out multicast and unicast, and strictly nonblocking for unicast for generalized multi-link multi-stage networks $V_{mlink}(N_1, N_2, d, s)$ and generalized folded multi-link multi-stage networks $V_{fold-mlink}(N_1, N_2, d, s)$ with numerous connection topologies and the scheduling methods
 10 are described in detail in U.S. Provisional Patent Application, Attorney Docket No. M-0039 US that is incorporated by reference above.

4) Strictly and rearrangeably nonblocking for arbitrary fan-out multicast and unicast for generalized folded multi-stage networks $V_{fold}(N_1, N_2, d, s)$ with numerous connection topologies and the scheduling methods are described in detail in U.S. Provisional Patent Application, Attorney Docket No. M-0041 US that is incorporated by
 15 reference above.

5) Strictly nonblocking for arbitrary fan-out multicast for generalized multi-link multi-stage networks $V_{mlink}(N_1, N_2, d, s)$ and generalized folded multi-link multi-stage networks $V_{fold-mlink}(N_1, N_2, d, s)$ with numerous connection topologies and the scheduling
 20 methods are described in detail in U.S. Provisional Patent Application, Attorney Docket No. M-0042 US that is incorporated by reference above.

6) VLSI layouts of generalized multi-stage networks $V(N_1, N_2, d, s)$, generalized folded multi-stage networks $V_{fold}(N_1, N_2, d, s)$, generalized butterfly fat tree networks $V_{bft}(N_1, N_2, d, s)$, generalized multi-link multi-stage networks $V_{mlink}(N_1, N_2, d, s)$,
 25 generalized folded multi-link multi-stage networks $V_{fold-mlink}(N_1, N_2, d, s)$, generalized multi-link butterfly fat tree networks $V_{mlink-bft}(N_1, N_2, d, s)$, and generalized hypercube networks $V_{cube}(N_1, N_2, d, s)$ for $s = 1, 2, 3$ or any number in general, are described in

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.