

Steven S. Zumdahl

CHEMISTRY

Third Edition

Address editorial correspondence to

D. C. Heath and Company
125 Spring Street
Lexington, MA 02173

Acquisitions Editor: Kent Porter Hamann
Project Consultant: Richard E. Morel
Production Editor: Karen Wise
Designer: Kenneth Hollman
Production Coordinator: Lisa Merrill
Art Editor: Gary Crespo
Photo Researcher: Mark Corsey
Text Permissions Editor: Margaret Roll

Copyright © 1993 by D. C. Heath and Company.
Previous editions copyright © 1989, 1986 by D. C. Heath and Company.

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage or retrieval system, without permission in writing from the publisher.

Published simultaneously in Canada.

Printed in the United States of America.

International Standard Book Number: 0-669-32462-0

Library of Congress Catalog Number: 92-70801

10 9 8 7 6



4.1 Water, the Common Solvent

Purpose

- To show why the polar nature of water makes it an effective solvent.

Water is one of the most important substances on earth. It is essential for sustaining the reactions that keep us alive, but it also affects our lives in many indirect ways. Water helps moderate the earth's temperature; it cools automobile engines, nuclear power plants, and many industrial processes; it provides a means of transportation on the earth's surface and a medium for the growth of a myriad of creatures we use as food; and much more.


One of the most valuable properties of water is its ability to dissolve many different substances. For example, salt disappears when you sprinkle it into the water used to cook vegetables, as does sugar when you add it to your iced tea. In each case the "disappearing" substance is obviously still present—you can taste it. What happens when a solid dissolves? To understand this process, we need to consider the nature of water. Liquid water consists of a collection of H_2O molecules. An individual H_2O molecule is "bent" or V-shaped, with an H—O—H angle of approximately 105 degrees:



The O—H bonds in the water molecule are covalent bonds formed by electron sharing between the oxygen and hydrogen atoms. However, the electrons of the bond are not shared equally between these atoms. For reasons we will discuss in later chapters, oxygen has a greater attraction for electrons than does hydrogen. If the electrons were shared equally between the two atoms, both would be electrically neutral because, on average, the number of electrons around each would equal the number of protons in that nucleus. However, because the oxygen atom has a greater attraction for electrons, the shared electrons tend to spend more time close to the oxygen than to either of the hydrogens. Thus the oxygen atom gains a slight excess of negative charge, and the hydrogen atoms become slightly positive. This is shown in Fig. 4.1, where δ (delta) indicates a *partial charge (less than one unit of charge)*. Because of this unequal charge distribution, water is said to be a **polar molecule**. It is this polarity that gives water its great ability to dissolve compounds.

A schematic of an ionic solid dissolving in water is shown in Fig. 4.2. Note that the "positive ends" of the water molecules are attracted to the negatively charged anions and that the "negative ends" are attracted to the positively charged cations. This process is called **hydration**. The hydration of its ions tends to cause a salt to "fall apart" in the water, or to dissolve. The strong forces present among the positive and negative ions of the solid are replaced by strong water-ion interactions.

It is very important to recognize that when ionic substances (salts) dissolve in water, they break up into the *individual* cations and anions. For instance, when ammonium nitrate (NH_4NO_3) dissolves in water, the resulting solution contains NH_4^+ and NO_3^- ions moving around independently. This process can be represented as



where (aq) designates that the ions are hydrated by unspecified numbers of water molecules.




Figure 4.1

- (a) The water molecule is polar.
 (b) A space-filling model of the water molecule.





Figure 4.2

Polar water molecules interact with the positive and negative ions of a salt, assisting in the dissolving process.

The solubility of ionic substances in water varies greatly. For example, sodium chloride is quite soluble in water, whereas silver chloride (contains Ag^+ and Cl^- ions) is only very slightly soluble. The differences in the solubilities of ionic compounds in water typically depend on the relative attractions of the ions for each other (these forces hold the solid together) and the attractions of the ions for water molecules (which cause the solid to disperse [dissolve] in water). Solubility is a complex

Figure 4.3

(a) The ethanol molecule contains a polar O—H bond similar to those in the water molecule.
 (b) The polar water molecule interacts strongly with the polar O—H bond in ethanol. This is a case of “like dissolving like.”



topic that we will explore in much more detail in Chapter 11. However, the most important thing to remember at this point is that when an ionic solid does dissolve in water, the ions become hydrated and are dispersed (move around independently).

Water also dissolves many nonionic substances. Ethanol (C₂H₅OH), for example, is very soluble in water. Wine, beer, and mixed drinks are aqueous solutions of ethanol and other substances. Why is ethanol so soluble in water? The answer lies in the structure of the alcohol molecules, which is shown in Fig. 4.3(a). The molecule contains a polar O—H bond like those in water, which makes it very compatible with water. The interaction of water with ethanol is represented in Fig. 4.3(b).

Many substances do not dissolve in water. Pure water will not, for example, dissolve animal fat, because fat molecules are nonpolar and do not interact effectively with polar water molecules. In general, polar and ionic substances are expected to be more soluble in water than nonpolar substances. “Like dissolves like” is a useful rule for predicting solubility. We will explore the basis for this generalization when we discuss the details of solution formation in Chapter 11.

4.2 The Nature of Aqueous Solutions: Strong and Weak Electrolytes

Purpose

- To characterize strong electrolytes, weak electrolytes, and nonelectrolytes.

As we discussed in Chapter 2, a solution is a homogeneous mixture. It is the same throughout (the first sip of a cup of coffee is the same as the last), but its composition can be varied by changing the amount of dissolved substances (one can make weak or strong coffee). In this section we will consider what happens when a substance, the **solute**, is dissolved in liquid water, the **solvent**.

One useful property for characterizing a solution is its **electrical conductivity**, its ability to conduct an electric current. This characteristic can be checked conveniently by using an apparatus like the one shown in Fig. 4.4. If the solution in the container conducts electricity, the bulb lights. Pure water is not an electrical conductor. However, some aqueous solutions conduct current very efficiently, and the bulb shines very brightly; these solutions contain **strong electrolytes**. Other solutions conduct only a small current, and the bulb glows dimly; these solutions contain **weak electrolytes**. Some solutions permit no current to flow, and the bulb remains unlit; these solutions contain **nonelectrolytes**.

An electrolyte is a substance that when dissolved in water produces a solution that can conduct electricity.