

CRC

HANDBOOK  
*of*  
CHEMISTRY  
*and*  
PHYSICS

DAVID R. LIDE  
Editor-in-Chief

84<sup>TH</sup>  
EDITION  
2003 - 2004

More data...  
New format...

Physical  
Constants  
of Organic  
Compounds

DOCKET  
ALARM

Find authenticated court documents without watermarks at [docketalarm.com](http://docketalarm.com).

# CRC Handbook of Chemistry and Physics

A Ready-Reference Book of Chemical and Physical Data



Editor-in-Chief

**David R. Lide, Ph.D.**

Former Director, Standard Reference Data  
National Institute of Standards and Technology



CRC Press

Boca Raton London New York Washington, D.C.

© 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003 by CRC Press LLC

© 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973 by THE CHEMICAL RUBBER CO.  
Copyright 1918, 1920 by The Chemical Rubber Company (Copyright renewed 1946, 1948 by The Chemical Rubber Publishing Company)

Copyright 1922 (Copyright renewed 1950), 1925 (Copyright renewed 1953), 1926 (Copyright renewed 1954), 1927 (Copyright renewed 1955), 1929 (Copyright renewed 1957), 1936, 1937 (Copyright renewed 1965 by The Chemical Rubber Co.), 1939, 1940 (Copyright renewed 1968 by the Chemical Rubber Co.), 1941 (Copyright renewed 1969 by The Chemical Rubber Co.), 1942 (Copyright renewed 1970 by The Chemical Rubber Co.), 1943 (Copyright renewed 1971 by The Chemical Rubber Co.), 1944 (Copyright renewed 1972 by The Chemical Rubber Co.), 1945 (Copyright renewed 1973 by The Chemical Rubber Co.), 1947, 1949, 1950, 1951, 1952 (Copyright renewed 1980 by CRC Press, Inc.), 1953 (Copyright renewed 1981a by CRC Press, Inc.), 1954 (Copyright renewed 1982 by CRC Press, Inc.), 1955 (Copyright renewed 1983 by CRC Press, Inc.), 1956 by Chemical Rubber Publishing Company

© 1957, 1958, 1959, 1960, 1962 by Chemical Rubber Publishing Company

This book contains information obtained from authentic and highly regarded sources. Reprinted material is quoted with permission, and sources are indicated. A wide variety of references are listed. Reasonable efforts have been made to publish reliable data and information, but the author and the publisher cannot assume responsibility for the validity of all materials or for the consequences of their use.

Neither this book nor any part may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, microfilming, and recording, or by any information storage or retrieval system, without prior permission in writing from the publisher.

All rights reserved. Authorization to photocopy items for internal or personal use, or the personal or internal use of specific clients, may be granted by CRC Press LLC, provided that \$1.50 per page photocopied is paid directly to Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923 USA. The fee code for users of the Transactional Reporting Service is ISBN 0-8493-0484-9/03/\$0.00+\$1.50. The fee is subject to change without notice. For organizations that have been granted a photocopy license by the CCC, a separate system of payment has been arranged.

CRC Press LLC's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific permission must be obtained in writing from CRC Press for such copying.

Direct all inquiries to CRC Press LLC, 2000 N.W. Corporate Blvd., Boca Raton, Florida 33431.

Visit the CRC Press Web site at [www.crcpress.com](http://www.crcpress.com)

© 2003 by CRC Press LLC

No claim to original U.S. Government works

International Standard Book Number 0-8493-0484-9

Library of Congress Card Number 13-11056

Printed in the United States of America 1 2 3 4 5 6 7 8 9 0

Printed on acid-free paper

## PROPERTIES OF AMINO ACIDS

This table gives selected properties of some important amino acids and closely related compounds. The first part of the table lists the 20 "standard" amino acids that are the basic constituents of proteins (structures of these amino acids may be found in the following table). The second part includes other amino acids and related compounds of biochemical importance. Within each part of the table the compounds are listed by name in alphabetical order.

Symbol — Three-letter symbol for the standard amino acids

$M_r$  — Molecular weight

$t_m$  — Melting point

$pK_a$ ,  $pK_b$ ,  $pK_c$ ,  $pK_d$  — Negative of the logarithm of the acid dissociation constants for the COOH and  $NH_2$  groups (and, in some cases, other groups) in the molecule (at 25°C)

pI — pH at the isoelectric point

S — Solubility in water at 25°C in units of grams of compound per kilogram of water; when quantitative data are not available, the notations s.l.s. (for slightly soluble) and v.s. (for very soluble) are used.

Data on the enthalpy of formation of many of these compounds are included in the table "Standard Thermodynamic Properties of Chemical Substances" in Section 5 of this Handbook. Absorption spectra and optical rotation data can be found in Reference 3. Partial molar volume and other thermodynamic properties, including solubility as a function of temperature, are given in References 3 and 5. Most of the  $pK$  values come from Reference 7.

### REFERENCES

1. Dawson, R. M. C., Elliott, D. C., Elliott, W. H., and Jones, K. M., *Data for Biochemical Research*, 3rd ed., Clarendon Press, Oxford, 1986.
2. Budavari, S., Ed., *The Merck Index, Twelfth Edition*, Merck & Co., Rahway, NJ, 1996.
3. Sober, H. A., Ed., *CRC Handbook of Biochemistry. Selected Data for Molecular Biology*, CRC Press, Boca Raton, FL, 1968.
4. Voet, D. and Voet, J. G., *Biochemistry, Second Edition*, John Wiley & Sons, New York, 1995.
5. Hinz, H. J., Ed., *Thermodynamic Data for Biochemistry and Biotechnology*, Springer-Verlag, Heidelberg, 1986.
6. Fasman, G. D., Ed., *Practical Handbook of Biochemistry and Molecular Biology*, CRC Press, Boca Raton, FL, 1989.
7. Smith, R. M., and Martell, A. E., *NIST Standard Reference Database 46: Critically Selected Stability Constants of Metal Complexes Database, Version 3.0*, National Institute of Standards and Technology, Gaithersburg, MD, 1997.
8. Jin, Z. and Chao, K. C., *J. Chem. Eng. Data*, 37, 199, 1992.

The standard amino acids:

Symbol	Name	Mol. form.	$M_r$	$t_m/^\circ C$	$pK_a$	$pK_b$	$pK_c$	pI	S/g kg <sup>-1</sup>
Ala	Alanine	C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub>	89.09	297	2.33	9.71		6.00	165.0
Arg	Arginine	C <sub>6</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub>	174.20	244	2.03	9.00	12.10	10.76	182.6
Asn	Asparagine	C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub>	132.12	235	2.16	8.73		5.41	25.1
Asp	Aspartic acid	C <sub>4</sub> H <sub>7</sub> NO <sub>4</sub>	133.10	270	1.95	9.66	3.71	2.77	4.95
Cys	Cysteine	C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> S	121.16	240	1.91	10.28	8.14	5.07	v.s.
Glu	Glutamic acid	C <sub>5</sub> H <sub>9</sub> NO <sub>4</sub>	147.13	160	2.16	9.58	4.15	3.22	8.61
Gln	Glutamine	C <sub>5</sub> H <sub>10</sub> N <sub>2</sub> O <sub>3</sub>	146.15	185	2.18	9.00		5.65	42
Gly	Glycine	C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>	75.07	290	2.34	9.58		5.97	250.9
His	Histidine	C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub>	155.16	287	1.70	9.09	6.04	7.59	43.5
Ile	Isoleucine	C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub>	131.17	284	2.26	9.60		6.02	34.2
Leu	Leucine	C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub>	131.17	293	2.32	9.58		5.98	22.0
Lys	Lysine	C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub>	146.19	224	2.15	9.16	10.67	9.74	5.8
Met	Methionine	C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> S	149.21	281	2.16	9.08		5.74	56
Phe	Phenylalanine	C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub>	165.19	283	2.18	9.09		5.48	27.9
Pro	Proline	C <sub>5</sub> H <sub>9</sub> NO <sub>2</sub>	115.13	221	1.95	10.47		6.30	1623
Ser	Serine	C <sub>3</sub> H <sub>7</sub> NO <sub>3</sub>	105.09	228	2.13	9.05		5.68	50.2
Thr	Threonine	C <sub>4</sub> H <sub>9</sub> NO <sub>3</sub>	119.12	256	2.20	8.96		5.60	98.1
Trp	Tryptophan	C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub>	204.23	289	2.38	9.34		5.89	13.2
Tyr	Tyrosine	C <sub>9</sub> H <sub>11</sub> NO <sub>3</sub>	181.19	343	2.24	9.04	10.10	5.66	0.46
Val	Valine	C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub>	117.15	315	2.27	9.52		5.96	88.5

Other amino acids and related compounds:

Name	Mol. form.	$M_r$	$t_m/^\circ\text{C}$	$pK_a$	$pK_b$	$pK_c$	$pK_d$	S/g kg <sup>-1</sup>
<i>N</i> -Acetylglutamic acid	C <sub>7</sub> H <sub>11</sub> NO <sub>5</sub>	189.17	199					
<i>N</i> 6-Acetyl- <i>L</i> -lysine	C <sub>8</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub>	188.23	265	2.12	9.51			
$\beta$ -Alanine	C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub>	89.09	200	3.51	10.08			891
<i>DL</i> -2-Aminobutanoic acid	C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub>	103.12	304	2.30	9.63			210
<i>DL</i> -3-Aminobutanoic acid	C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub>	103.12	194	3.43	10.05			1250
4-Aminobutanoic acid	C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub>	103.12	203	4.02	10.35			v.s.
5-Aminolevulinic acid	C <sub>5</sub> H <sub>9</sub> NO <sub>3</sub>	131.13	118	4.05	8.90			
<i>L</i> -3-Amino-2-methylpropanoic acid	C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub>	103.12	183					
Azaserine	C <sub>5</sub> H <sub>7</sub> N <sub>3</sub> O <sub>4</sub>	173.13	150		8.55			v.s.
<i>L</i> - $\gamma$ -Carboxyglutamic acid	C <sub>6</sub> H <sub>9</sub> NO <sub>6</sub>	191.14	167	1.70	9.90	4.75	3.20	
Carnosine	C <sub>9</sub> H <sub>14</sub> N <sub>4</sub> O <sub>3</sub>	226.24	260	2.51	9.35	6.76		322
Citrulline	C <sub>6</sub> H <sub>13</sub> N <sub>3</sub> O <sub>3</sub>	175.19	222	2.32	9.30			
Creatine	C <sub>4</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub>	131.13	303	2.63	14.30			16
<i>L</i> -Cysteic acid	C <sub>3</sub> H <sub>7</sub> NO <sub>5</sub> S	169.16	260	1.89	8.70	1.30		v.s.
<i>L</i> -Cystine	C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub> S <sub>2</sub>	240.30	260	1.50	8.80	2.05	8.03	0.11
<i>L</i> -3,5-Diiodotyrosine	C <sub>9</sub> H <sub>9</sub> I <sub>2</sub> NO <sub>3</sub>	432.98	213	2.12	9.10	6.16		0.62
Dopamine	C <sub>8</sub> H <sub>11</sub> NO <sub>2</sub>	153.18			10.36	8.88		
<i>L</i> -Ethionine	C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> S	163.24	273	2.18	9.05	13.10		
Glycocyanine	C <sub>3</sub> H <sub>7</sub> N <sub>3</sub> O <sub>2</sub>	117.11	282	2.82				5
<i>N</i> -Glycylglycine	C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub>	132.12	263	3.13	8.10			
Histamine	C <sub>5</sub> H <sub>9</sub> N <sub>3</sub>	111.15	83		9.83	6.11		v.s.
Homocysteine	C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub> S	135.19	232	2.15	8.57	10.38		
Homocystine	C <sub>8</sub> H <sub>16</sub> N <sub>2</sub> O <sub>4</sub> S <sub>2</sub>	268.36	264	1.59	9.44	2.54	8.52	0.2
<i>L</i> -Homoserine	C <sub>4</sub> H <sub>9</sub> NO <sub>3</sub>	119.12	203	2.27	9.28			1100
5-Hydroxylysine	C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O <sub>3</sub>	162.19		2.13	8.85	9.83		
<i>trans</i> -4-Hydroxyproline	C <sub>5</sub> H <sub>9</sub> NO <sub>3</sub>	131.13	274	1.82	9.47			361
<i>L</i> -3-Iodotyrosine	C <sub>9</sub> H <sub>10</sub> INO <sub>3</sub>	307.09	205	2.20	9.10	8.70		sl.s.
<i>L</i> -Kynurenine	C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub>	208.22	185					sl.s.
<i>L</i> -Lanthionine	C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub> S	208.24	295					1.5
Levodopa	C <sub>9</sub> H <sub>11</sub> NO <sub>4</sub>	197.19	277	2.20	8.75	9.81	13.40	1650
2-Methylalanine	C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub>	103.12	335	2.36	10.21			137
<i>L</i> -1-Methylhistidine	C <sub>7</sub> H <sub>11</sub> N <sub>3</sub> O <sub>2</sub>	169.18	250	1.69	8.85	6.48		
<i>L</i> -Norleucine	C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub>	131.17	301	2.31	9.68			15
<i>L</i> -Norvaline	C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub>	117.15	305	2.31	9.65			107
<i>L</i> -Ornithine	C <sub>5</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub>	132.16	140	1.94	8.78	10.52		v.s.
<i>O</i> -Phosphoserine	C <sub>3</sub> H <sub>8</sub> NO <sub>6</sub> P	185.07	166	2.14	9.80	5.70		
<i>L</i> -Pyroglutamic acid	C <sub>5</sub> H <sub>7</sub> NO <sub>3</sub>	129.12	162	3.32				
Sarcosine	C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub>	89.09	212	2.18	9.97			428
<i>L</i> -Thyroxine	C <sub>15</sub> H <sub>11</sub> I <sub>4</sub> NO <sub>4</sub>	776.87	235	2.20	10.01	6.45		sl.s.