



www.archive.org
415.561.6767
415.840-0391 e-fax

Internet Archive
300 Funston Avenue
San Francisco, CA 94118

AFFIDAVIT OF CHRISTOPHER BUTLER

1. I am the Office Manager at the Internet Archive, located in San Francisco, California. I make this declaration of my own personal knowledge.

2. The Internet Archive is a website that provides access to a digital library of Internet sites and other cultural artifacts in digital form. Like a paper library, we provide free access to researchers, historians, scholars, and the general public. The Internet Archive has partnered with and receives support from various institutions, including the Library of Congress.

3. The Internet Archive has created a service known as the Wayback Machine. The Wayback Machine makes it possible to surf more than 450 billion pages stored in the Internet Archive's web archive. Visitors to the Wayback Machine can search archives by URL (i.e., a website address). If archived records for a URL are available, the visitor will be presented with a list of available dates. The visitor may select one of those dates, and then begin surfing on an archived version of the Web. The links on the archived files, when served by the Wayback Machine, point to other archived files (whether HTML pages or images). If a visitor clicks on a link on an archived page, the Wayback Machine will serve the archived file with the closest available date to the page upon which the link appeared and was clicked.

4. The archived data made viewable and browseable by the Wayback Machine is compiled using software programs known as crawlers, which surf the Web and automatically store copies of web files, preserving these files as they exist at the point of time of capture.

5. The Internet Archive assigns a URL on its site to the archived files in the format `http://web.archive.org/web/[Year in yyyy][Month in mm][Day in dd][Time code in hh:mm:ss]/[Archived URL]`. Thus, the Internet Archive URL `http://web.archive.org/web/19970126045828/http://www.archive.org/` would be the URL for the record of the Internet Archive home page HTML file (`http://www.archive.org/`) archived on January 26, 1997 at 4:58 a.m. and 28 seconds (1997/01/26 at 04:58:28). A web browser may be set such that a printout from it will display the URL of a web page in the printout's footer. The date assigned by the Internet Archive applies to the HTML file but not to image files linked therein. Thus images that appear on a page may not have been archived on the same date as the HTML file. Likewise, if a website is designed with "frames," the date assigned by the Internet Archive applies to the frameset as a whole, and not the individual pages within each frame.

6. Attached hereto as Exhibit A are true and accurate copies of printouts of the Internet Archive's records of the HTML files or txt files for the URLs and the dates specified in the footer of the printout.

7. I declare under penalty of perjury that the foregoing is true and correct.

DATE: 11/7/19



Christopher Butler

CALIFORNIA JURAT

See Attached Document.

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California
County of San Francisco

Subscribed and sworn to (or affirmed) before me on this

7th day of November, 2019, by

Christopher Butler,

proved to me on the basis of satisfactory evidence to be the person who appeared before me.

Signature: 




Exhibit A

Network Working Group
Request for Comments: 2326
Category: Standards Track

H. Schulzrinne
Columbia U.
A. Rao
Netscape
R. Lanphier
RealNetworks
April 1998

Real Time Streaming Protocol (RTSP)

Status of this Memo

This document specifies an Internet standards track protocol for the Internet community, and requests discussion and suggestions for improvements. Please refer to the current edition of the "Internet Official Protocol Standards" (STD 1) for the standardization state and status of this protocol. Distribution of this memo is unlimited.

Copyright Notice

Copyright (C) The Internet Society (1998). All Rights Reserved.

Abstract

The Real Time Streaming Protocol, or RTSP, is an application-level protocol for control over the delivery of data with real-time properties. RTSP provides an extensible framework to enable controlled, on-demand delivery of real-time data, such as audio and video. Sources of data can include both live data feeds and stored clips. This protocol is intended to control multiple data delivery sessions, provide a means for choosing delivery channels such as UDP, multicast UDP and TCP, and provide a means for choosing delivery mechanisms based upon RTP (RFC 1889).

Table of Contents

* 1 Introduction 5
+ 1.1 Purpose 5
+ 1.2 Requirements 6
+ 1.3 Terminology 6
+ 1.4 Protocol Properties 9
+ 1.5 Extending RTSP 11
+ 1.6 Overall Operation 11
+ 1.7 RTSP States 12
+ 1.8 Relationship with Other Protocols 13
* 2 Notational Conventions 14
* 3 Protocol Parameters 14
+ 3.1 RTSP Version 14

Schulzrinne, et. al. Standards Track [Page 1]

RFC 2326 Real Time Streaming Protocol April 1998

+ 3.2 RTSP URL 14
+ 3.3 Conference Identifiers 16
+ 3.4 Session Identifiers 16
+ 3.5 SMPTE Relative Timestamps 16
+ 3.6 Normal Play Time 17
+ 3.7 Absolute Time 18
+ 3.8 Option Tags 18
o 3.8.1 Registering New Option Tags with IANA 18
* 4 RTSP Message 19
+ 4.1 Message Types 19
+ 4.2 Message Headers 19
+ 4.3 Message Body 19
+ 4.4 Message Length 20
* 5 General Header Fields 20
* 6 Request 20
+ 6.1 Request Line 21
+ 6.2 Request Header Fields 21
* 7 Response 22
+ 7.1 Status-Line 22
o 7.1.1 Status Code and Reason Phrase 22
o 7.1.2 Response Header Fields 26
* 8 Entity 27
+ 8.1 Entity Header Fields 27
+ 8.2 Entity Body 28
* 9 Connections 28
+ 9.1 Pipelining 28
+ 9.2 Reliability and Acknowledgements 28
* 10 Method Definitions 29
+ 10.1 OPTIONS 30
+ 10.2 DESCRIBE 31
+ 10.3 ANNOUNCE 32
+ 10.4 SETUP 33
+ 10.5 PLAY 34
+ 10.6 PAUSE 36
+ 10.7 TEARDOWN 37
+ 10.8 GET_PARAMETER 37
+ 10.9 SET_PARAMETER 38
+ 10.10 REDIRECT 39
+ 10.11 RECORD 39
+ 10.12 Embedded (Interleaved) Binary Data 40
* 11 Status Code Definitions 41
+ 11.1 Success 2xx 41
o 11.1.1 250 Low on Storage Space 41
+ 11.2 Redirection 3xx 41
+ 11.3 Client Error 4xx 42
o 11.3.1 405 Method Not Allowed 42
o 11.3.2 451 Parameter Not Understood 42
o 11.3.3 452 Conference Not Found 42

Schulzrinne, et. al. Standards Track [Page 2]

RFC 2326 Real Time Streaming Protocol April 1998

o 11.3.4 453 Not Enough Bandwidth 42
o 11.3.5 454 Session Not Found 42
o 11.3.6 455 Method Not Valid in This State 42
o 11.3.7 456 Header Field Not Valid for Resource 42
o 11.3.8 457 Invalid Range 43
o 11.3.9 458 Parameter Is Read-Only 43
o 11.3.10 459 Aggregate Operation Not Allowed 43



- + 12.1 Accept 46
- + 12.2 Accept-Encoding 46
- + 12.3 Accept-Language 46
- + 12.4 Allow 46
- + 12.5 Authorization 46
- + 12.6 Bandwidth 46
- + 12.7 Blocksize 47
- + 12.8 Cache-Control 47
- + 12.9 Conference 49
- + 12.10 Connection 49
- + 12.11 Content-Base 49
- + 12.12 Content-Encoding 49
- + 12.13 Content-Language 50
- + 12.14 Content-Length 50
- + 12.15 Content-Location 50
- + 12.16 Content-Type 50
- + 12.17 CSeq 50
- + 12.18 Date 50
- + 12.19 Expires 50
- + 12.20 From 51
- + 12.21 Host 51
- + 12.22 If-Match 51
- + 12.23 If-Modified-Since 52
- + 12.24 Last-Modified 52
- + 12.25 Location 52
- + 12.26 Proxy-Authenticate 52
- + 12.27 Proxy-Require 52
- + 12.28 Public 53
- + 12.29 Range 53
- + 12.30 Referer 54
- + 12.31 Retry-After 54
- + 12.32 Require 54
- + 12.33 RTP-Info 55
- + 12.34 Scale 56
- + 12.35 Speed 57
- + 12.36 Server 57

- + 12.37 Session 57
- + 12.38 Timestamp 58
- + 12.39 Transport 58
- + 12.40 Unsupported 62
- + 12.41 User-Agent 62
- + 12.42 Vary 62
- + 12.43 Via 62
- + 12.44 WWW-Authenticate 62
- * 13 Caching 62
- * 14 Examples 63
 - + 14.1 Media on Demand (Unicast) 63
 - + 14.2 Streaming of a Container file 65
 - + 14.3 Single Stream Container Files 67
 - + 14.4 Live Media Presentation Using Multicast 69
 - + 14.5 Playing media into an existing session 70
 - + 14.6 Recording 71
- * 15 Syntax 72
 - + 15.1 Base Syntax 72
- * 16 Security Considerations 73
- * A RTSP Protocol State Machines 76
 - + A.1 Client State Machine 76
 - + A.2 Server State Machine 77
- * B Interaction with RTP 79
- * C Use of SDP for RTSP Session Descriptions 80
 - + C.1 Definitions 80
 - o C.1.1 Control URL 80
 - o C.1.2 Media streams 81
 - o C.1.3 Payload type(s) 81
 - o C.1.4 Format-specific parameters 81
 - o C.1.5 Range of presentation 82
 - o C.1.6 Time of availability 82
 - o C.1.7 Connection Information 82
 - o C.1.8 Entity Tag 82
 - + C.2 Aggregate Control Not Available 83
 - + C.3 Aggregate Control Available 83
- * D Minimal RTSP implementation 85
 - + D.1 Client 85
 - o D.1.1 Basic Playback 86
 - o D.1.2 Authentication-enabled 86
 - + D.2 Server 86
 - o D.2.1 Basic Playback 87
 - o D.2.2 Authentication-enabled 87
- * E Authors' Addresses 88
- * F Acknowledgements 89
- * References 90
- * Full Copyright Statement 92

1 Introduction
 1.1 Purpose

The Real-Time Streaming Protocol (RTSP) establishes and controls either a single or several time-synchronized streams of continuous media such as audio and video. It does not typically deliver the continuous streams itself, although interleaving of the continuous media stream with the control stream is possible (see Section 10.12). In other words, RTSP acts as a "network remote control" for multimedia servers.

The set of streams to be controlled is defined by a presentation description. This memorandum does not define a format for a presentation description.

There is no notion of an RTSP connection; instead, a server maintains a session labeled by an identifier. An RTSP session is in no way tied to a transport-level connection such as a TCP connection. During an RTSP session, an RTSP client may open and close many reliable transport connections to the server to issue RTSP requests. Alternatively, it may use a connectionless transport protocol such as UDP.

The streams controlled by RTSP may use RTP [1], but the operation of RTSP does not depend on the transport mechanism used to carry

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.