## **PROVISIONAL APPLICATION COVER SHEET**

Commissioner For Patents P.O. Box 1450 Alexandria, VA 22313-1450

Δ

	This is a request for filing a PROVISIONAL AF			DOCKET NUMBER		PRD2901USPSPPR 2901USPSP2	
	INVENTOR(s) / APPLICANT(s)						
	LAST NAME	FIRST NAME		DDLE ITIAL	(CITY AND EITH	RESIDENCE HER STATE OR F	OREIGN COUNTRY
	Vermeulen Wouters	An Alfons			TURNHOUTSEW	EG 30 BEERSE B EG 30 BEERSE B	E
TITLE OF THE INVENTION (280 characters max)							
DOSING REGIMEN ASSOCIATED WITH LONG ACTING INJECTABLE							
PALIPERIDONE ESTERS							
CORRESPONDENCE ADDRESS Direct all correspondence to:							
Direct all correspondence to:							
	Customer Number 000027777						
Firm of Individual Name <u>:</u>							
		ENCLOSED APF	LICATIC	ON PA	RTS (check a	ll that apply)	
	Specification	Number of Pages	<u>43</u> 60		Application Da	ta Sheet	
	Claims	Number of Claims	<u>34</u>		CD(s), Numbe	r	
	<u> → ⊠</u> Drawing(s)	Number of Sheets	<u>3</u> -		Other (specify)	)	
		МЕТНО			NT (check one)	N	
	A check or mon	ley order is enclosed				Provisional Filing	\$
filing fees.						Fee Amount (\$)	<b>200</b> 210
$\boxtimes$ The Commissioner is hereby authorized to charge filing fees and $0$							
credit any overpayment to Deposit Account No. 10-							
	0750/PRD2901USPSP2/HBW The invention was made by an agency of the United States Government or under a contract with an agency of the United State						
	Government.	y an agency of the United				or with an agent	y or the United Sta
	Yes, the name of th	e U.S. Government aç	gency and t	he Gove	rnment contrac	t number are:	
	Respectfully submitted,						
	SIGNATURE: /Hal Brent Woodrow/			REGISTRATION NO. 32,501			
TYPED or PRINTED NAMEHal B. WoodrowDATE: December 19, 20075, 2008							
	TELEPHONE (732)	524- <u>2976</u>					

L A R M Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

## DOSING REGIMEN ASSOCIATED WITH LONG ACTING INJECTABLE PALIPERIDONE ESTERS

#### FIELD OF THE INVENTION

This invention relates to a method of treating patients in need of treatment with long acting injectable paliperidone palmitate formulations.

#### **BACKGROUND OF THE INVENTION**

Antipsychotic medications are the mainstay in the treatment of schizophrenia,
schizoaffective disorder, and schizophreniform disorders. Conventional antipsychotics were introduced in the mid-1950s. These typical or first generation drugs are usually effective in controlling the positive symptoms of schizophrenia, but are less effective in moderating the negative symptoms or the cognitive impairment associated with the disease. Atypical antipsychotics or second generation drugs, typified by risperidone and olanzapine, were

10 developed in the 1990s, and are generally characterized by effectiveness against both the positive and negative symptoms associated with schizophrenia.

Paliperidone palmitate is the palmitate ester of paliperidone (9-hydroxy-risperidone), a monoaminergic antagonist that exhibits the characteristic dopamine  $D_2$  and serotonin (5-hydroxytryptamine type 2A) antagonism of the second-generation, atypical antipsychotic drugs.

15 Paliperidone is the major active metabolite of risperidone. Extended release (ER) osmotic controlled release oral delivery (OROS) paliperidone, as a tablet formulation, is marketed in the United States (U.S.) for the treatment of schizophrenia and maintenance of effect.

Paliperidone palmitate is being developed as a long-acting, intramuscular (i.m.), injectable aqueous nanosuspension for the treatment of schizophrenia and other diseases that are

20 normally treated with antipsychotic mediations. Because of extreme low water solubility, paliperidone esters such as paliperidone palmitate dissolve slowly after an i.m. injection before being hydrolyzed to paliperidone and made available in the systemic circulation.

Many patients with these mental illnesses achieve symptom stability with available oral antipsychotic medications; however, it is estimated that up to 75% have difficulty adhering to a

25 daily oral treatment regimen, i.e. compliance problems. Problems with adherence often result in

worsening of symptoms, suboptimal treatment response, frequent relapses and rehospitalizations, and an inability to benefit from rehabilitative and psychosocial therapies.

Paliperidone palmitate injection has been developed to provide sustained plasma concentrations of paliperidone when administered once monthly, which may greatly enhance

- 5 compliance with dosing. Paliperidone Palmitate was formulated as an aqueous nano suspension as is described in US Patents 6,577,545 and 6,555,544. However, after the data was analyzed from the clinical trials of this formulation it was discovered that the absorption of paliperidone from these injections was far more complex than was originally anticipated. Additionally, attaining a potential therapeutic plasma level of paliperidone in patients was discovered to be
- 10 dependent on the site of injection until steady state concentration is reached. Due to the challenging nature of ensuring an optimum plasma concentration-time profile for treating patients with paliperidone it is desirable to develop a dosing regimen that fulfills this goal in patients in need of treatment.

#### **BRIEF DESCRIPTION OF THE FIGURES**

15 Figure 1 shows the observed versus the population pharmacokinetics model simulation for plasma paliperidone concentrations for paliperidone palmitate 150 mg eq. in the deltoid on day 1, followed by 25 mg eq. in either the deltoid or gluteus on days 8, 36, and 64.

Figure 2 shows the observed versus the population pharmacokinetics model simulation for plasma paliperidone concentrations for paliperidone palmitate 150 mg eq. in the deltoid on day 1, followed by 100 mg eq. in either the deltoid or gluteus on days 8, 36, and 64.

Figure 1 shows the observed versus the population pharmacokinetics model simulation for plasma paliperidone concentrations for paliperidone palmitate 150 mg eq. in the deltoid on day 1, followed by 150 mg eq. in either the deltoid or gluteus on days 8, 36, and 64.

#### SUMMARY OF THE INVENTION

20

- In one embodiment of the present invention there is provided a dosing regimen for administering paliperidone esters to a psychiatric patient in need of treatment comprising administering intramuscularly in the deltoid a first loading dose from about 100 mg-eq. to about 150 mg-eq. of paliperidone as a paliperidone palmitate formulated in a sustained release formulation on the first day of treatment; administering intramuscularly a second loading dose
- 30 from about 100 mg to about 150 mg-eq of paliperidone as a paliperidone palmitate formulated in

Find authenticated court documents without watermarks at docketalarm.com.

a sustained release formulation between about the 6th to 10th day of treatment; and administering intramuscularly in the gluteal a maintenance dose of about 25 to about 150 mg-eq. of paliperidone as a paliperidone ester in a sustained release formulation on between about the 34th and about the 38th day of treatment.

- 5 In one embodiment of the present invention there is provided a dosing regimen for administering paliperidone esters to a psychiatric patient in need of treatment comprising administering intramuscularly in the deltoid a first loading dose from about 100 mg-eq. to about 150 mg-eq. of paliperidone as a paliperidone palmitate formulated in a sustained release formulation on the first day of treatment; administering intramuscularly a second loading dose
- 10 from about 100 mg to about 150 mg-eq of paliperidone as a paliperidone palmitate formulated in a sustained release formulation between about the 6th to 10th day of treatment; and administering intramuscularly in the gluteal a maintenance dose of about 25 to about 150 mg-eq. of paliperidone as a paliperidone ester in a sustained release formulation approximately monthly from the date of the second loading dose.
- 15 In another embodiment of the present invention there is provided a dosing regimen for administering paliperidone palmitate to a psychiatric patient in need of treatment comprising administering intramuscularly in the deltoid of a patient in need of treatment a first loading dose from about 100 mg-eq. to about 150 mg-eq of paliperidone as paliperidone palmitate formulated in a sustained release formulation on the first day of treatment; administering intramuscularly in
- 20 the deltoid muscle of the patient in need of treatment a second loading dose from about 100 mgeq. to about 150 mg-eq. of paliperidone as paliperidone palmitate formulated in a sustained release formulation on the eighth day of treatment; and administering intramuscularly in the deltoid or gluteal muscle of the patient in need of treatment a maintenance dose of about 25 mgeq. to about 75 mg-eq. of paliperidone as paliperidone palmitate in a sustained release
- 25 formulation on <u>between</u> about the 34th day and the 38th day of treatment.

In another embodiment of the present invention there is provided a dosing regimen for administering paliperidone palmitate to a psychiatric patient in need of treatment comprising administering intramuscularly in the deltoid of a patient in need of treatment a first loading dose of about 150 mg-eq of paliperidone as paliperidone palmitate formulated in a sustained release

30 <u>formulation on the first day of treatment; administering intramuscularly in the deltoid muscle of</u> <u>the patient in need of treatment a second loading dose from about 100 mg-eq. of paliperidone as</u>

Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

paliperidone palmitate formulated in a sustained release formulation on the eighth day of treatment; and administering intramuscularly in the deltoid or gluteal muscle of the patient in need of treatment a maintenance dose of about 25 mg-eq. to about 75 mg-eq. of paliperidone as paliperidone palmitate in a sustained release formulation approximately monthly from the date of

5 <u>the second loading dose.</u>

In another embodiment of the present invention there is provided a dosing regimen for administering paliperidone palmitate to a psychiatric patient in need of treatment comprising administering intramuscularly in the deltoid of a patient in need of treatment a first loading dose of about 150 mg-eq of paliperidone as paliperidone palmitate formulated in a sustained release

- 10 formulation on the first day of treatment; administering intramuscularly in the deltoid muscle of the patient in need of treatment a second loading dose from about 100 mg-eq. of paliperidone as paliperidone palmitate formulated in a sustained release formulation on the eighth day of treatment; and administering intramuscularly in the deltoid or gluteal muscle of the patient in need of treatment a maintenance dose of about 75 mg-eq. of paliperidone as paliperidone
- 15 palmitate in a sustained release formulation approximately monthly from the date of the second loading dose.

In yet another embodiment of the present invention there is provided a dosing regimen for administering paliperidone esters to a renally impaired psychiatric patient in need of treatment comprising administering intramuscularly in the deltoid a first loading dose of about

- 20 75mg-eq of paliperidone as a paliperidone palmitate formulated in a sustained release formulation on the first day of treatment; administering intramuscularly a second loading dose of about 75 mg-eq of paliperidone as a paliperidone palmitate formulated in a sustained release formulation between about the 6th to 10th day of treatment; and administering intramuscularly in the gluteal a maintenance dose of about 25 mg-eq. to about 75 mg-eq of paliperidone as a
- 25 paliperidone palmitate in a sustained release formulation on between about the 34th and about the 38th day of treatment.

In yet another embodiment of the present invention there is provided a dosing regimen for administering paliperidone esters to a renally impaired psychiatric patient in need of treatment comprising administering intramuscularly in the deltoid a first loading dose of about

30 <u>100mg-eq of paliperidone as a paliperidone palmitate formulated in a sustained release</u> formulation on the first day of treatment; administering intramuscularly a second loading dose of

## DOCKET A L A R M



# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## **Real-Time Litigation Alerts**



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## **Advanced Docket Research**



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## **Analytics At Your Fingertips**



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.