

```

/*
+-----+
-----+
| Copyright (c) 1996,1997,1998 Vail Systems, Inc. All Rights
Reserved |
+-----+
-----+
$Id: mcall.h,v 1.75 1999/12/31 16:30:13 alex Exp $
+-----+
-----+
*/
/
*****
*****

This module holds Webley defines.

HISTORICAL INFORMATION:

10-04-96 alex:Vail Created

*****
*****/
#ifndef _mcMboxOptions_h
#include "mcMboxOptions.h"
#endif

#define BYTES_PER_SEC          3000 /* Digitization rate of the */
                                /* Dialogic card */

#define SECONDS_TO_MOVE        5    /* How many seconds to move
forward */

/*
                                /* or backwards while playing a file
                                /* upon user-indication to do so. */

#define MENU_CHOICE_RETRIES 3    /* Number of times a user can
enter */

                                /* invalid menu selections before */
                                /* being "bounced" out of that menu.
*/

#define SECCODE_LEN            4    /* How many digits to a security
code */

#define MSG_NO_EXIST           142  /* Arbitrarily-unique value to
*/

                                /* indicate that a message does not */
                                /* exist. */

```

```

#define MSG_EXISTS          143  /* Arbitrarily-unique value to
*/

#define PHONE_NUM_SIZE     10
#define LOCAL_PHONE_NUM_SIZE 7
#define MAX_GUESS_NUM      5
#define MIN_FILE_BYTES     3

/* Unique #defines */
#define FORGET_IT          '*'
#define CANCEL             FORGET_IT
#define REDIAL             '#'
#define FFWD               '9'
#define REWD               '8'
#define OPERATOR '0'
#define HELP               '#'
#define CHANGE_NAME        '6'
#define CHANGE_PGREET      '1'
#define CHANGE_SECCODE     '5'
#define CHANGE_AVAIL       '2'
#define CHANGE_PHONE       '4'
#define CHANGE_NOTIFT      '3'
#define LEAVE_MESSAGE      '2'
#define HEAR_MESSAGES      '1'
#define REPLY              '8'
#define ORIGINATOR         '1'

#define ADM_FUNCTIONS      '4'
#define DIALTONE_OUT       '3'
/* Synonyms */
#define PLAY               '1'
#define REPLAY             PLAY

#define RECORD             '2'
#define RE_RECORD          RECORD

#define SAVE               '5'
#define SEND               SAVE
#define SKIP               NEXT
#define NEXT               '9'

#define ERASE              '4'
#define DELETE             ERASE
#define REMOVE             ERASE
#define DELETEALL          '#'

#define BROADCAST          '0'
#define FORWARD            '7'
#define RETURN_CALL        '6'
#define CALLER_ID          '3'
#define CREATE_CONTACT     '8'
#define PREVIOUS 'P'

```

```

#define LAST          'L'
#define FIRST        'F'

#define OWN_DELETE   '4'
#define OWN_SAVE     '5'
#define OWN_PLAY     '6'

/* Front menu dtmf options for personal version */
#define MFM_CONFERENCE '#'
#define MFM_ACCESS   '*'

#define TRANS_MAX_ID 24
#define TRANS_MAX_MSG 64

#define MAX_BLAST_NUM 4

#define VOTSOUT_CODE          "9999990000"
#define VOTSOUT_GROUP_CODE   "9999991000"
#define VOTS_DTONE_OUT_CODE  "9999990001"

#define MCALL_OUT_CODE       "9999999000" /* mcall module
outbound */
#define MCALL_NEW_OUT_CODE   "9999999001" /* mcall module
outbound */
#define MCALL_OUT_GROUP_CODE "9999999100" /* mcall module
group outbound */
#define MCALL_NEW_OUT_GROUP_CODE "9999999101" /* mcall module
group outbound */
#define WEBLEY_OUT_CODE      "9999999200" /* webley module
outbound */
#define WEBLEY_NEW_OUT_CODE  "9999999201" /* webley module
outbound */
#define WEBLEY_OUT_GROUP_CODE "9999999300" /* webley module
group outbound*/
#define WEBLEY_NEW_OUT_GROUP_CODE "9999999301" /* webley module
group outbound*/
#define PBELL_OUT_CODE       "9999999220" /* pbell module
outbound */
#define PBELL_OUT_GROUP_CODE "9999999320" /* pbell module
group outbound*/
#define MCALL_NOTIFICATION  "9999999400" /* mcall
notification */
#define WEBLEY_NOTIFICATION "9999999500" /* webley
notification */

#define MBOX_NUM_SIZE      3
#define MAX_STRING_SIZE   128
#define MAX_TEXT_SIZE     256
#define MAX_NAME_SIZE     64
#define MAX_BUF_SIZE      32

```

```

#define MAX_TOKEN_SIZE      32
#define MAX_NXX_AGENT      25

#define LOCAL_AREA_CODE    "312"
#define LOCAL_NNX_CODE     "360"
#define LOCAL_PREFIX       "9"

#define USER_NAME_LEN      99
#define MAX_MSG_NUM        300
#define MAX_CALL_NUM       50
#define MAX_EXCEPTION_NUM   300
#define MAX_DEST_NUM       2000
#define MAX_LIST_NUM       500
/* Storage Capacity */
#define MAX_MSG_STORED     200
#define MAX_FAX_PAGE_STORED 75

/* Permissions per extension */
#define PERMS_MASK         0x7fff
#define OPER_MSG_PICKUP    0x0001

#define TRK_ANALOGUE      1
#define TRK_DIGITAL       0

#define MX_SECURITY_LOCK   5
#define MX_LOCK_TIME      1800 /* after 30 min ignore the phone
session lock */

/* Mailbox update masks */
#define MX_AVAIL          0x01
#define MX_XFER           0x02
#define MX_SCODE          0x04
#define MX_ACCESS         0x08
#define MX_GREET          0x10
#define MX_NOTIF          0x20
#define MX_LOCK           0x40
#define MX_FOLLOW         0x80
#define MX_UPDATE_DEST    0x100
#define MX_CREATE_DEST    0x200
#define MX_SCREEN         0x400
#define MX_XGROUP         0x800

/* Number playback type */
#define PLAY_TYPE_MASK    0x0fff
#define PLAY_CARDINAL     0x1000
#define PLAY_ORDINAL      0x2000
#define PLAY_LEADING_ZEROS 0x4000

/* VR modes */
/* Default is with barge-thru; no fax termination */

```

```

#define VR_NO_BARGE_THRU    0x01
#define VR_FAX_TERM        0x02
#define VR_NOFLUSH         0x04

enum mc_vrtype {
    VR_PSP = 1,          /* Pure Speech ASR  can't be 0 */
    VR_VCS,             /* VCS ASR */
    VR_NUANCE           /* Nuance ASR */
};

enum mc_state {
    ST_MAIN_MENU,
    ST_GET_MBOX_NAME,
    ST_VMAIL_MENU,
    ST_OPTIONS_MENU,
    ST_AVAIL_MENU,
    ST_NOTIF_MENU,
    ST_PHONE_MENU,
    ST_SCODE,
    ST_SCODE_REPEAT,
    ST_MBOX,
    ST_MBOX_PARTY,
    ST_MBOX_FORWARD,
    ST_MESSAGE_MENU,
    ST_RECORD_MENU,
    ST_PREFIX,
    ST_GREET,
    ST_NAME
};

enum mc_conf {
    MX_CONF_ADD_PARTY = 100,
    MX_CONF_JOIN,
    MX_CONF_DROP_PARTY,
    MX_CONF_DROP_CONF,
    MX_CONF_LEAVE,
    MX_CONF_DIGITS,
    MX_CONF_CHANGE_SCODE /* secure conferences */
};

enum mc_phrase {
    MC_OPERATOR = 0,
    MC_MESSAGE,
    MC_MAILBOX,
    MC_EXTENSION,
    MC_OPTIONS,
    MC_TIMEOUT,
    MC_ETIMEOUT,
    MC_SALES,
    MC_SUPPORT,
    MC_NORESULT,
    MC_CONFERENCE,
    MC_NAME
};

```

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.