

**UNITED STATES INTERNATIONAL TRADE COMMISSION
WASHINGTON, DC**

**Before The Honorable Clark S. Cheney
Administrative Law Judge**

In the Matter of

CERTAIN TOBACCO HEATING
ARTICLES AND COMPONENTS
THEREOF

Investigation No. 337-TA-1199

JOINT CLAIM CONSTRUCTION CHART

Pursuant to Ground Rule 7.1, Complainants RAI Strategic Holdings, Inc., R.J. Reynolds Vapor Company, and R.J. Reynolds Tobacco Company; Respondents Altria Client Services LLC, Altria Group, Inc., Philip Morris USA, Philip Morris International Inc., and Philip Morris Products S.A.; and the Commission Investigative Staff jointly submit the following chart of disputed constructions. There are no agreed constructions at this time but the Parties were able to reduce the number of terms for construction as part of the claim construction exchange process.

Patent	Claim Term	Complainants' Proposed Construction	Respondents' Proposed Constructions	Investigative Staff's Proposed Construction
9,930,915	“a receiving end for receiving an engaging end of the disposable smoking article and having an electrical energy source” (Claim 1)	“a portion of the control housing for receiving an engaging end of the disposable smoking article and having an electrical energy source”	“a portion of the control housing for receiving an engaging end of the disposable smoking article and containing an electrical energy source”	Construction of this term is unnecessary. If construction is required, however, this term should be construed as “a portion of the control housing for receiving an engaging end of the disposable smoking article and having an electrical energy

Philip Morris Products, S.A.

Patent	Claim Term	Complainants' Proposed Construction	Respondents' Proposed Constructions	Investigative Staff's Proposed Construction
				source”
9,930,915	<p>“electrical energy source”</p> <p>(Claims 1, 3)</p>	<p>“a receptacle that provides for transmission of electrical energy from the power source to the heating member”</p>	<p>Indefinite</p>	<p>“receptacle that provides for transmission of electrical current from the power source to the heating member”</p>
9,930,915	<p>“flow regulating component”</p> <p>(Claim 1)</p>	<p>“circuitry that adjusts the electrical energy supplied to the heating member”</p>	<p>This term is governed by 35 U.S.C. § 112, sixth paragraph.</p> <p>Function: Regulating a previously initiated current flow from the electrical energy source to the electrical heating member.</p> <p>Corresponding structure: A time-based current regulating circuit can include a transistor, a timer, a comparator, and a capacitor, including timers available from NEC Electronics as C-1555C, from General Electric Intersil, Inc. as ICM7555, and “555 Timers,” and comparators available from “National Semiconductor as LM311,” and</p>	<p>Construction of this term is unnecessary. If construction is required, however, this term should be given its plain and ordinary meaning, <i>e.g.</i>, “current regulating circuit”</p>

Patent	Claim Term	Complainants' Proposed Construction	Respondents' Proposed Constructions	Investigative Staff's Proposed Construction
			<p>equivalents thereof. See '915 patent at 33:27-29, 31-39.</p> <p>Otherwise, the term is indefinite.</p>	
9,839,238	<p>"shell"</p> <p>(Claims 1, 4, 19)</p>	"a portion of the control body that houses interior components"	"outer body"	Construction of this term is unnecessary. If construction is required, however, this term should be given its plain and ordinary meaning, e.g., "outer body"
9,839,238	<p>"pressure channel"</p> <p>(Claims 1, 2, 3, 8, 9, 19, 20)</p>	"a passageway that communicates a change in pressure"	"a passageway for communicating a pressure change"	Construction of this term is unnecessary. If construction is required, however, this term should be given its plain and ordinary meaning, e.g., "passageway communicating a pressure change"
9,839,238	<p>"air inlet channel"</p> <p>(Claims 5, 6, 8, 9, 19, 20)</p>	"a passageway that communicates outside air into the device"	"a passageway adapted to distribute drawn, ambient air"	Construction of this term is unnecessary. If construction is required, however, this term should be given its plain and ordinary meaning, e.g., "passageway adapted to distribute drawn, ambient air"

Patent	Claim Term	Complainants' Proposed Construction	Respondents' Proposed Constructions	Investigative Staff's Proposed Construction
9,839,238	<p>“the first end of the pressure channel is spatially separated from the air inlet channel relative to the longitudinal axis of the coupler”</p> <p>(Claims 8, 19)</p>	<p>“the first end of the pressure channel is spaced apart from the air inlet channel in a direction at least radial to the longitudinal axis of the coupler”</p>	<p>“the first end of the pressure channel is longitudinally separated from the air inlet channel”</p>	<p>Construction of this term is unnecessary. If construction is required, however, this term should be construed as “the first end of the pressure channel is longitudinally separated from the air inlet channel”</p>

Dated: August 13, 2020

Respectfully submitted,

/s/ Brenda L. Danek

Maximilian A. Grant
 Bert C. Reiser
 Matthew J. Moore
 Jamie D. Underwood
 LATHAM & WATKINS LLP
 555 Eleventh Street, N.W.
 Suite 1000
 Washington, DC 20004
 Telephone: (202) 637-2200
 Facsimile: (202) 637-2201

Brenda L. Danek
 LATHAM & WATKINS LLP
 330 North Wabash Avenue, Suite 2800
 Chicago, IL 60611
 Telephone: (312) 876-7700
 Facsimile: (312) 993-9767

Counsel for Respondents Altria Client Services LLC, Altria Group, Inc., Philip Morris USA, Inc., Philip Morris International Inc., and Philip Morris Products S.A.

/s/ David M. Maiorana

David M. Maiorana
 Ryan B. McCrum
 Kenneth S. Luchesi
 JONES DAY
 901 Lakeside Avenue
 Cleveland, OH 44114
 Tel: (216) 586-3939
 Fax: (216) 579-0212
 Email: dmaiorana@jonesday.com
 Email: rbmccrum@jonesday.com
 Email: kluchesi@jonesday.com

Stephanie E. Parker
 JONES DAY
 1420 Peachtree Street, N.E.
 Suite 800
 Atlanta, GA 30309
 Tel: (404) 521-3939
 Fax: (404) 581-8330
 Email: separker@jonesday.com

Anthony M. Insogna
 JONES DAY
 4655 Executive Drive
 Suite 1500

San Diego, CA 92121
Tel: (858) 314-1200
Fax: (844) 345-3178
Email: aminsogna@jonesday.com

John J. Normile
JONES DAY
250 Vesey Street
New York, NY 10281
Tel: (212) 326-3939
Fax: (212) 755-7306
Email: jjnormile@jonesday.com

*Counsel for Complainants
RAI Strategic Holdings, Inc.,
R.J. Reynolds Vapor Company, and
R.J. Reynolds Tobacco Company*

/s/ Sarah J. Sladic

Margaret D. Macdonald, Director
Anne Goalwin, Supervisory Attorney
Sarah J. Sladic, Investigative Attorney
Office of Unfair Import Investigations
U.S. International Trade Commission
500 E Street SW, Suite 401
Washington, DC 20436
202-205-2202
202-205-2158 (facsimile)

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.