



US009024790B2

(12) **United States Patent  
Philipp**

(10) **Patent No.:** US 9,024,790 B2  
(45) **Date of Patent:** \*May 5, 2015

(54) **CAPACITIVE KEYBOARD WITH  
NON-LOCKING REDUCED KEYING  
AMBIGUITY**

USPC ..... 341/20, 22, 26, 33; 345/173; 715/773  
See application file for complete search history.

(75) Inventor: **Harald Philipp**, Zug (CH)  
(73) Assignee: **Atmel Corporation**, San Jose, CA (US)  
(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 444 days.  
  
This patent is subject to a terminal disclaimer.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,616,213 A 10/1986 Danish  
4,651,133 A 3/1987 Ganesan et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EP 1 381 160 A1 1/2004 ..... H03M 11/20  
WO WO 2012/129247 A2 9/2012

OTHER PUBLICATIONS

Intellectual Property Office (IPO), Taiwan Office Action and English Translation of Text and Search Report, ROC (Taiwan) Patent Appl. No. 095123644, file 080900.0489 (14 pgs), Jan. 23, 2013.

(Continued)

(21) Appl. No.: **13/347,312**

(22) Filed: **Jan. 10, 2012**

(65) **Prior Publication Data**

US 2012/0105260 A1 May 3, 2012

**Related U.S. Application Data**

(63) Continuation of application No. 12/899,229, filed on Oct. 6, 2010, now Pat. No. 8,102,286, which is a continuation of application No. 11/279,402, filed on Apr. 12, 2006, now Pat. No. 7,821,425, which is a

(Continued)

*Primary Examiner* — Albert Wong

(74) *Attorney, Agent, or Firm* — Baker Botts LLP

(51) **Int. Cl.**

**H03M 11/00** (2006.01)

**G06F 3/023** (2006.01)

**G06F 3/041** (2006.01)

(Continued)

(57) **ABSTRACT**

Keyboards, keypads and other data entry devices can suffer from a keying ambiguity problem. In a small keyboard, for example, a user's finger is likely to overlap from a desired key to onto adjacent ones. An iterative method of removing keying ambiguity from a keyboard comprising an array of capacitive keys involves measuring a signal strength associated with each key in the array, comparing the measured signal strengths to find a maximum, determining that the key having the maximum signal strength is the unique user-selected key, and maintaining that selection until either the initially selected key's signal strength drops below some threshold level or a second key's signal strength exceeds the first key's signal strength.



(52) **U.S. Cl.**

CPC ..... **G06F 3/0237** (2013.01); **G06F 3/0416** (2013.01); **G06F 3/044** (2013.01); **H03K 17/9622** (2013.01); **H03K 17/9643** (2013.01); **H03K 2217/960705** (2013.01)

(58) **Field of Classification Search**

CPC .... H03M 11/20; G06F 3/0237; G06F 3/0416; G06F 3/044

**24 Claims, 7 Drawing Sheets**



**Related U.S. Application Data**

continuation-in-part of application No. 11/160,885, filed on Jul. 14, 2005, now Pat. No. 7,256,714, which is a continuation of application No. 10/617,602, filed on Jul. 11, 2003, now Pat. No. 6,993,607.

(60) Provisional application No. 60/597,851, filed on Dec. 21, 2005, provisional application No. 60/395,368, filed on Jul. 12, 2002.

(51) **Int. Cl.**  
**G06F 3/044** (2006.01)  
**H03K 17/96** (2006.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,920,343	A	4/1990	Schwartz
5,508,700	A	4/1996	Taylor et al.
5,933,102	A	8/1999	Müller et al.
6,657,616	B2	12/2003	Sims
7,487,461	B2	2/2009	Zhai et al.
7,663,607	B2	2/2010	Hotelling
7,864,503	B2	1/2011	Chang

7,875,814	B2	1/2011	Chen
7,920,129	B2	4/2011	Hotelling
8,031,094	B2	10/2011	Hotelling
8,031,174	B2	10/2011	Hamblin
8,040,326	B2	10/2011	Hotelling
8,049,732	B2	11/2011	Hotelling
8,179,381	B2	5/2012	Frey
8,217,902	B2	7/2012	Chang
8,723,824	B2	5/2014	Myers
2004/0008129	A1	1/2004	Philipp
2004/0104826	A1	6/2004	Philipp
2008/0309635	A1	12/2008	Matsuo
2009/0315854	A1	12/2009	Matsuo
2012/0242588	A1	9/2012	Myers
2012/0242592	A1	9/2012	Rothkopf
2012/0243151	A1	9/2012	Lynch
2012/0243719	A1	9/2012	Franklin
2013/0076612	A1	3/2013	Myers

OTHER PUBLICATIONS

*The Electroquasistatics of the Capacitive Touch Panel*, May/Jun. 1990 IEEE, vol. 26, No. 3, P.T. Krein and R.D. Meadows.  
 Office Action (and English translation) for CN 200600528529, dated Jan. 19, 2011.  
 U.S. Appl. No. 61/454,936, filed Mar. 21, 2011, Myers.  
 U.S. Appl. No. 61/454,950, filed Mar. 21, 2011, Lynch.  
 U.S. Appl. No. 61/454,894, filed Mar. 21, 2011, Rothkopf.




FIG. 1A




FIG. 1C

FIG. 1B




FIG. 2

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.