

Re: Deposition of **Ray Sherman**

Date: 7/28/2021

Case: Yita L.L.C. -v- MacNeil IP L.L.C. (PTAB)

Return to: transcripts@planetdepos.com

Page	Line	Correction/Change and Reason	
25	12	Answer should be “Yes.”	I forgot that I had reviewed both versions. I reviewed both the blacked out and version and the version with the blackout removed.
51	5	Add to end of answer—“Specifically, it is the floor portion of the footwell.”	Clarification
63	8	Add to end of answer—“Much of the top edge touched the footwell walls. So the top edge conformed but the side panels did not”	Clarification
83	13-14	Add to end of answer after removing the period at the end of the second sentence—”, specifically a properly designed mold, you would get a substantially uniformly thick product if you started with a substantially uniformly thick sheet.”	Clarification

No. 388474

Re: Deposition of **Ray Sherman**

Date: 7/28/2021


Case: Yita L.L.C. -v- MacNeil IP L.L.C. (PTAB)

Return to: transcripts@planetdepos.com

DECLARATION OF DEPONENT

I, Ray Sherman, do hereby acknowledge that I have read and examined the foregoing testimony, and the same is a true, correct and complete transcription of the testimony given by me and any corrections appear on the above Errata sheet which is a part of this declaration. I declare under penalty of perjury that the foregoing is true and correct. Executed on the date indicated below.

Signature

  
\_\_\_\_\_

Date

8/12/21  
\_\_\_\_\_