Yita, LLC v. MacNeil IP

Petitioner's Demonstratives for Ora

IPR2020-01139 (U.S. Patent No. 8,3 IPR2020-01142 (U.S. Patent No. 8,8



Instituted Grounds

Asserted

IPR2020-01139					
Ground 1	'186 patent, claims 1 -7	Rabbe (EX1005), Yung (EX			
IPR2020-01142					
Ground 1	'834 patent, claims 1 , 4, 5 , 8, 9 , 12, 13 -15	Rabbe, Yung			
Ground 2	'834 patent, claims 2, 3, 6, 7, 10, 11	Rabbe, Yung, Gruenwa			



The challenged independent claims - '186 |

Pre.	A vehicle floor tray thermoformed from a sheet of thermoplastic polymeric material of substantially uniform thickness, comprising	
1[a]	a central panel substantially conforming to a floor of a vehicle foot well	
1[b]	the central panel of the floor tray having at least one longitudinally disposed lateral side and at least one transversely disposed lateral side	
1[c]	a first panel integrally formed with the central panel of the floor tray, upwardly extending from the transversely disposed lateral side of the central panel of the floor tray, and closely conforming to a first foot well wall	
1[d]	the first panel of the floor tray joined to the central panel of the floor tray by a curved transition	
1[e]	a second panel integrally formed with the central panel of the floor tray and the first panel, upwardly extending from the longitudinally disposed lateral side of the central panel of the floor tray, and closely conforming to a second foot well wall	
1[f]	the second panel of the floor tray joined to the central panel of the floor tray and to the first panel of the floor tray by curved transitions	

1	[g]	a reservoir dis
1	.[h]	a plurality of u
1	L[i]	each of the ba
1	L[j]	the central part baffles each had point on the big being thermoff substantially un tray
1	L[k]	the baffles eac
1	L[I]	the baffles add collected in th induced by a c reservoir
1	[m]	any portion of a path formed



The challenged independent claims - '834 |

1[h]

at least 90 percent of that one-third of the outer surfaces of the first, second and third tray walls which are closest to the respective top margins of the first, second or third tray walls being within one-eighth of an inch of the respective foot well walls

5[h]

the first, second and third tray walls each having an upper margin, at least 90 percent of that one-half of the outer surfaces of the first, second and third tray walls which are closest to the respective upper margins of the first, second or third tray walls being within one-eighth of an inch of the respective foot well walls

9[h]

at least 50 percent of the outer surfaces of the first, second and third tray walls being within one-eighth of an inch of the respective foot well walls

- '834 paten "closely conform" a the outer s
 - '834 pa
- '834 paten
 - Therm
 - Integrate
 the wa
 - Therm "polym
- Independe conforman



The challenged independent claims - '834 |

Pre.	A system including a vehicle and a floor tray for consumer installation into a predetermined foot well of the vehicle, the system comprising	
1[a]	a vehicle foot well having a floor, a substantially longitudinally disposed first foot well wall upstanding from the floor, a substantially transversely disposed second foot well wall upstanding from the floor and joined to the first foot well wall, a substantially longitudinally disposed third foot well wall upstanding from the floor and joined to the second foot well wall; and	
1[b]	a vehicle floor tray molded from a sheet of polymeric material of substantially uniform thickness	
1[c]	a central panel of the tray substantially conforming to the floor of the vehicle foot well	
1[d]	a substantially longitudinally disposed first tray wall joined to the central panel by a curved transition and standing up from the central panel to substantially conform to the first foot well wall	

1[e]	a substantially panel and to the from the central second foot we
1[f]	a substantially panel and to th up from the ce
1[g]	the central par surface facing t surface, a thick walls measured substantially un
1[h]	at least 90 pero and third tray v second or third

 Claim 5 is nearly identical to claim 1, with the only substantive difference being in the last limitation. Claim 9 is nea substantive d

9[h]

the first, second and third tray walls each having an upper margin, at least 90 percent of that one-half of the outer surfaces of the first, second and third tray walls which are closest to the respective upper margins of the first, second or

at least 50 perobeing within or



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

