


VSIQXM E00042515







VSI_00037348

VSIQXM E00042516




GUIDELINER V3'S
COIL REINFORCED
GUIDE EXTENSION
PROVIDES SUPERIOR
KINK RESISTANCE &
FLEXIBILITY






GuideLiner® V3

Manufacturer "B"




Testing completed by Vascular Solutions, Inc. Data on file.

GUIDELINER V3'S PUSH ROD CREATES A CONSISTENT, FULL-LENGTH 0.056" DELIVERY LUMEN



Standard 6F Guide Catheter with 0.070" (1.78mm) ID

0.014" (0.36mm) push rod



0.020" (0.51mm) push rod

GuideLiner® V3


Manufacturer "B"


VSI_00037349

VSIQXM E00042517










GuideLiner V3 Ordering Specifications					
Model	Size	Required Guide Catheter I .D.	GuideLiner I.D.	Rapid Exchange Length	Working Length
5570	5.5F	6F I.D. ≥0.066" (1.68mm)	0.051" (1.30mm)	25cm	150cm
5571	6F	6F I.D. ≥0.070" (1.78mm)	0.056" (1.42mm)	25cm	150cm
5572	7F	7F I.D. ≥0.078" (1.98mm)	0.062" (1.57mm)	25cm	150cm
5573	8F	8F I.D. ≥0.088" (2.24mm)	0.071" (1.80mm)	25cm	150cm

^{*}Packaged in quantities of 1 unit per box.

GuideLiner V3 Dimensions



Please see the Instructions for Use for a complete listing of the indications, contraindications, warnings and precautions.

CAUTION: Federal Law (U.S.A.) restricts this device to sale by or on the order of a physician.

GuideLiner is a registered trademark of Vascular Solutions, Inc.

 $\hbox{@2014\,Vascular\,Solutions, Inc.\,All\,rights\,reserved.}~$ ML2860 Rev. A 01/14



Vascular Solutions, Inc. 6464 Sycamore Court North Minneapolis, Minnesota 55369 USA

Customer Service: United States: 888.240.6001 International: (001) 763.656.4298 customerservice@vasc.com www.vasc.com

VSI_00037350

VSIQXM_E00042518

