

# NEWTON'S TELECOM DICTIONARY

**The Official Dictionary of  
Telecommunications & the Internet**

- IP Telephony • LANs & Intranets • Call Centers & Computer Telephony
- Fiber Optics, SONET and DWDM • Satellites
- Voice, Data, Image & Video Networking • Wired and Wireless Telecom • VoIP • T-1, T-3, T-4, E-1, E-3 • ISDN & ADSL • Cable Modems • Cellular, PCS & GSM • Windows 95, 98, NT, NetWare, Apple, Sun & Unix Networking • Ecommerce

Updated  
**15<sup>th</sup>**  
Expanded  
Edition

**by Harry Newton**



# **NEWTON'S TELECOM DICTIONARY**

The Official Dictionary of  
Telecommunications & the Internet

**15th Updated, Expanded and Much  
Improved Edition**

**NEWTON'S TELECOM DICTIONARY**

copyright © 1999 Harry Newton  
email: [Harry\\_Newton@HarryNewton.com](mailto:Harry_Newton@HarryNewton.com)  
personal web site: [www.harrynewton.com](http://www.harrynewton.com)

All rights reserved under International and Pan-American Copyright conventions, including the right to reproduce this book or portions thereof in any form whatsoever.

Published in the United States by  
Miller Freeman, Inc.  
Tenth floor  
12 West 21 Street  
New York, NY 10010  
212-691-8215 Fax 212-691-1191  
1-800-999-0345 and 1-800-LIBRARY

ISBN Number 1-57820-031-8

February, 1999

Manufactured in the United States of America

Fifteenth Expanded and Updated Edition  
Cover Design by Saul Roldan and Regula Hoffman  
Matt Kelsey, Publisher  
Christine Kern, Manager

Printed at Command Web, Secaucus, New Jersey  
[www.commandweb.com](http://www.commandweb.com)

International service which provides cablegram communication to International destinations through the use of a computerized message switching center in New York City.

**Cablehead** The point where a marine cable connects to terrestrial facilities.

**CableLabs** Cable Television Laboratories, Inc. A research and development consortium of cable television system operators established in 1988. CableLabs plans and funds research and development projects to help member companies and the cable industry take advantage of opportunities and meet challenges in the telecommunications industry. A good deal of emphasis is placed on digital cable and cable modem technologies. [www.cablelabs.com](http://www.cablelabs.com)

**Cableport** Intel Corporation's new technology, which brings high speed multimedia-rich interactive services to personal computers in the home via cable.

**Cablespan** A Tellabs Operations, Inc. product which deliver two-way voice and data services over coaxial cable used by cable TV operators. Tellabs is in Lisle, Illinois.

**Cableway** An opening in a work surface that allows access to cords or cables from below, or mounting of an electrical receptacle or telephone jack. Cableways typically come with removable plastic grommets.

**Cabling** The combination of all cables, wire, cords, and connecting hardware installed. A term used to refer collectively to the installed wiring in a given space.

**CABS** Carrier Access Billing Specifications

**CABS BOS** Carrier Access Billing Specifications - Billing Output Specifications

**CAC** 1. Carrier Access Code. The digits you must dial in North America to reach the long distance carrier of your choice. Those digits fit the following format 101XXXX.

2. Customer Administration Center. A type of terminal used by a PBX user to maintain and troubleshoot his PBX.

3. Connection Admission Control is defined as the set of actions taken by the network during the call setup phase (or during call re-negotiation phase) in order to determine whether a connection request can be accepted or should be rejected (or whether a request for re-allocation can be accomplished).

**CACH** Call Appearance Call Handling.

**Cache** From the French "cacher," which translates "to press or hide," especially in terms of tools or provisions. In the context of computer systems and networks, information is cached by placing it closer to the user or user application in order to make it more readily and speedily accessible, and transparently so. At the same time, information which is cached places less strain on limited computer I/O (Input/Output) resources and limited network resources. Let's consider two specific definitions, the first of which relates to computer systems and the second of which relates to computer networks. Let's also consider a combination of the first two, in the context of the Internet.

1. In the context of a computer system, cache memory generally is a partition of SRAM (Static Random Access Memory). Since much of computing is highly repetitive or predictable in nature, and since solid state components (silicon chips) are much faster than mechanical disk drives, the speed of information access can be enhanced if certain information can be stored in RAM. That information typically is in the form of program information, memory addresses, or data. Thereby, the information can be stored in anticipation of your need for it, and can be presented to you faster than if the computer needed to access the hard drive through the execution of an I/O function. The cache memory sits (logically and, perhaps physically) between the CPU and the main memory (RAM).

Caching works because of a phenomenon known as the locality principle which states that a von Neumann CPU (i.e., one that performs instructions and makes database calls sequentially, one after another) tends to access the same memory locations over and over again. A cache works like this. When the CPU needs data from memory, the system checks to see if the information is already in the cache. If it is, it grabs that information; this is called a cache hit. If it isn't, it's called a cache miss and the computer has to fetch the information by accessing the main memory or hard disk, which is slower. Data retrieved during a cache miss is often written into the cache in anticipation of further need for it. Let's assume that you open a CD-ROM application with hyperlinks. As the system can reasonably assume that you will exercise the hyperlink options, the information associated with them can be stored in cache memory. If you do, indeed, exercise those options, it's a cache hit and the data is there waiting for you. The cache also will hold information that you recently accessed, in anticipation of your wanting to back up, or access it again. Caching can take place through partitioned or segmented cache memory, which can be in the form of L1 (Level 1) primary cache and L2 (Level 2) secondary cache. L1 cache memory is accessed first, L2 second, the main memory (RAM) and then hard drive last. Also, one cache might hold program instructions and the other might hold data. Generally when the cache is exhausted, it is flushed and the data is written back to main memory, to be replaced with the next cache according to a replacement algorithm. Cache refreshing and flushing mechanism is designed differently by different vendors. It behaves slightly different. However it mainly depends on main memory type, like write back or WB, write through WT, write protected or WP, write combining or WC and uncached or UC. See also Cache Memory.

2. In the context of a computer network such as a LAN, or the combination of the Internet and World Wide Web, data can be cached in a server which is close to you. In anticipation of your imminent request for that data in a logical sequence of data access, it will be transmitted from the main server to the remote server. Thereby, the data is accessible to you more quickly than if it had to be transmitted across the entire network each time you had a need for it. Should you access a certain set of data frequently, it might be permanently stored on a server in proximity, and refreshed by the main server from time to time in order to ensure its currency (i.e. that it remains up to date).

3. In the context of an Internet client/server application, caching really shows its stuff. First, the network uses distributed cache servers to house the WWW information that users in your region use frequently. As you access a Web site, your speed of access and response is improved because the data is housed on a server closer to you. The data then is loaded into cache memory on your client computer workstation. As you move forward, from page to page and link to link, your client caches the information provided by the cache server, with all of this happening in anticipation of your next move. As you move backward, the same thing happens, in anticipation of that next move, as well. Just in case you don't believe the client side of this story, go to Internet Explorer or Netscape, and click on cache. (The fastest way to regain space on your hard disk is to flush the cache which these programs dump to your hard disk.)

**Cache Coherency** Managing a cache so that data is not lost or overwritten. See also Cache.

**Cache Controller** A chip, such as the Intel 82385, that



Caching works because of a phenomenon known as the locality principle which states that a von Neumann CPU (i.e., one that performs instructions and makes database calls sequentially, one after another) tends to access the same memory locations over and over again. A cache works like this. When the CPU needs data from memory, the system checks to see if the information is already in the cache. If it is, it grabs that information; this is called a cache hit. If it isn't, it's called a cache miss and the computer has to fetch the information by accessing the main memory or hard disk, which is slower. Data retrieved during a cache miss is often written into the cache in anticipation of further need for it. Let's assume that you open a CD-ROM application with hyperlinks. As the system can reasonably assume that you will exercise the hyperlink options, the information associated with them can be stored in cache memory. If you do, indeed, exercise those options, it's a cache hit and the data is there waiting for you. The cache also will hold information that you recently accessed, in anticipation of your wanting to back up, or access it again. Caching can take place through partitioned or segmented cache memory, which can be in the form of L1 (Level 1) primary cache and L2 (Level 2) secondary cache. L1 cache memory is accessed first, L2 second, the main memory (RAM) and then hard drive last. Also, one cache might hold program instructions and the other might hold data. Generally when the cache is exhausted, it is flushed and the data is written back to main memory, to be replaced with the next cache according to a replacement algorithm. Cache refreshing and flushing mechanism is designed differently by different vendors. It behaves slightly different. However it mainly depends on main memory type, like write back or WB, write through WT, write protected or WP, write combining or WC and uncached or UC. See also Cache Memory.

2. In the context of a computer network such as a LAN, or the combination of the Internet and World Wide Web, data can be cached in a server which is close to you. In anticipation of your imminent request for that data in a logical sequence of data access, it will be transmitted from the main server to the remote server. Thereby, the data is accessible to you more quickly than if it had to be transmitted across the entire network each time you had a need for it. Should you access a certain set of data frequently, it might be permanently stored on a server in proximity, and refreshed by the main server from time to time in order to ensure its currency (i.e. that it remains up to date).

3. In the context of an Internet client/server application, caching really shows its stuff. First, the network uses distributed cache servers to house the WWW information that users in your region use frequently. As you access a Web site, your speed of access and response is improved because the data is housed on a server closer to you. The data then is loaded into cache memory on your client computer workstation. As you move forward, from page to page and link to link, your client caches the information provided by the cache server, with all of this happening in anticipation of your next move. As you move backward, the same thing happens, in anticipation of that next move, as well. Just in case you don't believe the client side of this story, go to Internet Explorer or Netscape, and click on cache. (The fastest way to regain space on your hard disk is to flush the cache which these programs dump to your hard disk.)

**Cache Coherency** Managing a cache so that data is not lost or overwritten. See also Cache.

**Cache Controller** A chip, such as the Intel 82385, that

manages the retrieval, storage and delivery of data to and from memory or the hard disk. Cache controllers may reside in either clients or servers. See also Cache.

**Cache Engine** A cache engine is a carrier-class, high-speed dedicated Internet appliance that performs Web content caching and retrieval. When a user accesses a Web page, the cache engine locally stores the page's graphics and HTML text. When another user later requests the same Web page, the content is pulled from the cache engine. This process improves download time for the user and reduces bandwidth use on the network. Here is an explanation of a cache engine from Cisco, which makes one. How does the cache engine work? The cache engine communicates with a Cisco router, which redirects Web requests to the cache engine using the Web Cache Control Protocol (WCCP), a new standard feature of Cisco IOS software. The WCCP also enables load balancing of traffic across multiple cache engines and ensures fault-tolerant, fail-safe operation. What are the benefits of Web caching? By reducing the amount of traffic on WAN links and overburdened Web servers, caching provides significant benefits to ISPs, enterprise networks and end users. Those benefits include cost savings due to a reduction on WAN usage and dramatic improvements in response times for end users. The cache engine also provides network administrators with a simple method to enforce a site-wide access policy through URL filtering. See also Cache.

**Cache Hit** When the data you want is actually in cache. Thus you don't have to access your hard disk and your computing is faster. See Cache, Cache Miss and Cache Memory.

**Cache Memory** Available RAM (Random Access Memory) or SRAM (Static RAM) that you set up to allow your computer to "remember" stuff — so the next time your computer wants that information, it can find it fast from RAM, instead of searching through a slower hard disk I/O (Input/Output) process. This high speed cache memory eliminates the CPU wait state. When the CPU reads data from main memory, a copy of this data is stored in the cache memory. The next time the CPU reads the same address, the data is transferred from the cache memory instead of from main memory. Novell's NetWare, for example, uses cache memory to improve file server access time. In NetWare, cache memory contains the directory and file caches, along with the FAT (File Allocation Table), the turbo FAT, the Hash table, and an open space for other functions. See also Cache.

**Cache Miss** When the caching software guesses wrongly and you have to read your data off your hard disk rather than reading it from the cache in memory. See also Cache, Cache Hit and Cache Memory.

**Caching** A process by which information is stored in memory or server in anticipation of next request for information. See Cache for a full explanation.

**CAD** 1. Computer Aided Dispatch.

2. Computer Aided Design. A computer and its related software and terminals used to design things. A CAD system might be as simple as computerized drafting tools or as complex as detailed layouts of integrated circuits. CAD systems often have terminals on peoples' desks and a central maxi-computer in the company's main computer room. CAD terminals are often run over LANs (local area networks) or through telephone systems. The terminals are often moved, thus having universal wiring and a universal switching system — a LAN or a phone system — is extremely useful.

**CAD/CAM** Computer Aided Design/Computer Aided

Manufacturing. See CAD.

**CADB** Calling Area Data Base. An MCI definition. An MCI System that stores reference data for various MCI Systems and reconciles MCI Calling Areas with those of Bell.

**Caddy** The shell of an optical disc. Protects it from grubby fingerprints, and includes write protection devices. AKA case.

**Cadence** In voice processing, cadence is used to refer to the pattern of tones and silence intervals generated by a given audio signal. Examples are busy and ringing tones. A typical cadence pattern is the US ringing tone, which is one second of tone followed by three seconds of silence. Some other countries, such as the UK, use a double ring, which is two short tones within about a second, followed by a little over two seconds of silence.

**CADS** Code Abuse Detection System.

**CAE** Computer Aided Engineering.

**Cage Antenna** An antenna having conductors arranged cylindrically.

**CAGR** Compound Annual Growth Rate.

**CAI** 1. Computer Assisted Instruction. Commonly known as CBT (Computer Based Training). See CBT. See also CAD for a discussion on telecom needs.

2. Common Air Interface. A standard for the interface between a radio network and equipment. A CAI allows multiple vendors to develop equipment, such as radio terminal devices (e.g., cordless phones, cellular phones and PCS terminals) and base stations (e.g., cellular antenna sites), which will interoperate. The yield is a competitive (read less expensive) market for equipment. The British CT2/Telepoint system incorporated one of the first CAI standards. See also CT2.

**CALC** Customer Access Line Charge. Also known variously as Access Charge, EUCL (End User Line Charge), and SLC (Subscriber Line Charge). See Access Charge.

**CALEA** Communications Assistance for Law Enforcement Act 1994.

**Calendar Routing** A call center term for directing calls according to the day of the week and time of day. See also SOURCE/DESTINATION ROUTING, SKILLS BASED ROUTING and END-OF-SHIFT ROUTING.

**Calibrate** To test and reset a measuring or timing device against a standard to make sure it is functioning correctly.

**Call** Everyone has a different definition for "call." My definition is simplest: Two people or two machines are on a phone line speaking to each other. That's a call. Bellcore's definition of a call: An arrangement providing for a relation between two or more simultaneously present users for the purpose of exchanging information. The ATM Forum's definition: A call is an association between two or more users or between a user and a network entity that is established by the use of network capabilities. This association may have zero or more connections. Here are some more formal definitions:

1. In communications, any demand to set up a connection.
2. A unit of traffic measurement.
3. The actions performed by a call originator.
4. The operations required to establish, maintain, and release a connection.
5. To use a connection between two stations.
6. The action of bringing a computer program, a routine, or a subroutine into effect, usually by specifying the entry conditions and the entry point.

**Call Abandons** Also called ABANDONED CALLS. Call Abandons are calls that are dropped by the calling party before their intended transaction is completed. The call may

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.