

WIKIPEDIA

Mac OS 8

Mac OS 8 is an operating system that was released by Apple Computer, Inc. on July 26, 1997.^[2] It includes the largest overhaul of the classic Mac OS experience since the release of **System 7**, approximately six years before. It places a greater emphasis on color than prior versions. Released over a series of updates, Mac OS 8 represents an incremental integration of many of the technologies which had been developed from 1988 to 1996 for Apple's overly ambitious OS named Copland. Mac OS 8 helped modernize the Mac OS while Apple developed its next-generation operating system, **Mac OS X** (renamed in 2012 to OS X and then in 2016 to macOS).

Mac OS 8 is one of Apple's most commercially successful software releases, selling over 1.2 million copies in the first two weeks.^{[2][3]} As it came at a difficult time in Apple's history, many pirate groups refused to traffic in the new OS, encouraging people to buy it instead.^[4]

Mac OS 8.0 introduces the most visible changes in the lineup, including the **Platinum** interface and a native PowerPC multithreaded Finder. Mac OS 8.1 introduces a new, more efficient file system named HFS Plus. Mac OS 8.5 is the first version of the Mac OS to require a PowerPC processor. It features PowerPC native versions of **QuickDraw**, **AppleScript**, and the **Sherlock** search utility. Its successor, **Mac OS 9**, was released on October 23, 1999.

Contents

Copland

Mac OS 8.0

Mac OS 8.1

Mac OS 8.5

Mac OS 8.5.1

Mac OS 8.6

Versions

Compatibility

See also

Notes

References

External links

Copland

Starting in 1988, Apple's next-generation operating system, which it originally envisioned to be "System 8" was codenamed Copland. It was announced in March 1994 alongside the introduction of the first PowerPC Macs. Apple intended Copland as a fully modern system, including native PowerPC code, intelligent agents, a microkernel, a customizable interface named Appearance Manager, a hardware abstraction layer, and a relational database integrated into the Finder. Copland was to be followed by Gershwin, which promised memory protection spaces and full preemptive multitasking.^[5] The system was intended to be a full rewrite of the Mac OS, and Apple hoped to beat Microsoft Windows 95 to market with a development cycle of only one year.

The Copland development was hampered by many missed deadlines. The release date was first pushed back to the end of 1995, then to mid-1996, late 1996, and finally to the end of 1997. With a dedicated team of 500 software engineers and an annual budget of \$250 million, Apple executives began to grow impatient with the project continually falling behind schedule. In August 1996, Apple chief technology officer Ellen Hancock froze development of Copland^[6] and Apple began a search for an operating system developed outside the company.^[5] This ultimately led to Apple buying NeXT and developing Rhapsody which would eventually evolve into Mac OS X in 2001 (now named macOS).

At the Worldwide Developers Conference in January 1997, Apple chief executive officer (CEO) Gil Amelio announced that, rather than release Copland as one monolithic release, Copland features would be phased into the Mac OS following a six-month release cycle. These updates began with Mac OS 7.6, released during WWDC. Mac OS 8.0, released six months later, continued to integrate Copland technologies into the Mac OS.^[7]

Mac OS 8.0

Developed under the codename "Tempo", Mac OS 8.0 was released on July 26, 1997. (after being introduced a few days earlier on July 22^[8]) The early beta releases of the product which were circulated to developers and Apple internal audiences, were branded as Mac OS 7.7, superseding the then-current release, Mac OS 7.6. The software was renamed Mac OS 8 before final release.


Major changes in this version included the Platinum theme, a Finder which was PowerPC-native and multithreaded, and greater customization of the user interface.

Other features introduced in Mac OS 8.0 include the following:^[9]

- Customization of system fonts and increased use of the user-set accent color.
- Pop-up context menus, accessed via ctrl-click with a one-button mouse.
- Pop-up (or tabbed) windows in the Finder.
- Spring-loaded folders.
- Live scrolling.
- WindowShade widget in window titlebars.
- Multithreaded Finder — file copy operations run in a separate thread and don't block the Finder UI.
- Redesigned color picker.

Mac OS 8

A version of the Classic Mac OS operating system



Screenshot of Mac OS 8.1

Developer	Apple Computer, Inc.
OS family	Macintosh
Working state	Historic, unsupported
Source model	Closed source
Released to manufacturing	July 26, 1997
Latest release	8.6 / May 10, 1999 ^[1]
Kernel type	Monolithic (68k), nanokernel (PowerPC)
Default user interface	Apple Platinum
License	Proprietary
Preceded by	System 7
Succeeded by	Mac OS 9
Official website	Apple - Products - Mac OS 8.6 (https://web.archive.org/web/19990922040915/http://apple.com:80/macOS/) at the Wayback Machine (archived September 22, 1999)
Support status	Historical, unsupported as of May 2001

- Relocation of the 'Help' menu from an icon at the right end of the menu bar to a standard textual menu positioned after the application's menus.
- A faster Apple Guide, featuring [HTML](#) help pages.
- Native support of [Apple Filing Protocol](#) over IP.
- Performance improvements to [virtual memory](#), [AppleScript](#) execution and system startup times.
- Faster desktop rebuilding.

Mac OS 8.1

Released on January 19, 1998, Mac OS 8.1 was the last version of the Mac OS to run on [Motorola 68000 series](#) processors. It addressed performance and reliability improvements. It introduced a new file system named [HFS+](#), also named [Mac OS Extended](#), which supported large file sizes and made more efficient use of larger hard drives via using a smaller block size. To upgrade, users must [reformat](#) the hard drive, which deletes the entire contents of the drive. Some third-party utilities later appeared that preserved the user's data while upgrading to HFS+. The 68040 systems do not support booting from HFS+ disks; the boot drive must be HFS.^[10]

Mac OS 8.1 was the first system to have a [Universal Disk Format](#) (UDF) driver,^[a] allowing for [DVD](#) support on the Mac for the first time. It also shipped with the new [Java](#) runtime (JDK 1.13).

Mac OS 8.1 also included an enhanced version of [PC Exchange](#), allowing Macintosh users to see the long file names (up to 255 characters) on files that were created on PCs running [Microsoft Windows](#), and supporting [FAT32](#).

Mac OS 8.1 is the earliest version of the Mac OS that can run [Carbon](#) applications. Carbon support requires a PowerPC processor and installation of the CarbonLib software from Apple's website; it is not a standard component of Mac OS 8.1. Applications needing later versions of CarbonLib will not run on Mac OS 8.1. More recent versions of CarbonLib require Mac OS 8.6.

As part of [Apple's agreement with Microsoft](#), 8.1 included [Internet Explorer 3](#) initially, but soon switched to [Internet Explorer 4](#) as its default browser.

Mac OS 8.1 was free for Mac OS 8 owners and was available in February 1998 via the [apple.com](#) website.

Mac OS 8.5

Released October 17, 1998, Mac OS 8.5 was the first version of the Mac OS to run solely on [Macs](#) equipped with a [PowerPC](#) processor. If Mac OS 8.5 is installed on a 68k system, the [Sad Mac](#) error screen will appear. As such, it replaced some, but not all, of the 680x0 code with [PowerPC](#) code, improving system performance by relying less on 680x0 emulation.

It introduced the [Sherlock](#) search utility. This allowed users to search the contents of documents on hard drives (if the user had let it index the drive), or extend a search to the Internet. [Sherlock](#) plug-ins started appearing at this time; these allowed users to search the contents of other websites.

Mac OS 8.5 includes several performance improvements. Copying files over a network was faster than prior versions and Apple advertised it as being "faster than Windows NT".^[11] [AppleScript](#) was also rewritten to use only PowerPC code, which improved [AppleScript](#) execution speed significantly.

[Font Smoothing](#), system-wide [antialiasing](#) for type was also introduced. The [HTML](#) format for online help, first adopted by the [Finder's Info Center](#) in Mac OS 8, was now used throughout. This made it easier for software companies to write online help systems. The [PPP](#) control panel was removed and replaced with [Remote Access](#), which provides the same functionality but also allows connections to [AppleTalk Remote Access](#) (ARA) servers.

The installation process was simplified considerably in Mac OS 8.5. In earlier versions the installer worked in segments and often required a user to click to continue in between stages of the installation. This was a holdover from the days when the OS was distributed on multiple floppy disks, [disk swapping](#) promoting a natural segmentation model. The Mac OS 8.5 installer generally required very little user interaction once it was started. Customisation options were also much more detailed yet simpler to manage.

From Mac OS 8.5 onward, [MacLinkPlus](#) document translation software is no longer bundled as part of the Mac OS.

Mac OS 8.5 was the first version of the Mac OS to support [themes](#), or skins, which could change the default Apple Platinum look of the Mac OS to "Gizmo" or "HiTech" themes. This radical changing of the computer's appearance was removed at the last minute, and appeared only in beta versions, though users could still make (and share) their own themes and use them with the OS. The Appearance control panel was also updated to support proportional scroll bars, and added the option for both scroll arrows to be placed at the bottom of a scroll bar.

Along with themes support, 8.5 was the first version to support [32-bit icons](#). Icons now had [24-bit color](#) (16.7 million colors) and an [8-bit alpha channel](#), allowing for transparency-translucency effects.

The *application palette* made its debut with 8.5 – the application menu at the right side of the menu bar could be resized to show the active application's name, or 'torn off' into a palette of buttons. This palette could be customized in many ways, by removing the window frame and changing the size and layout of the buttons. Apple provided no user interface to set these options, instead making them available via [AppleScript](#) and [Apple Events](#) and relying on third parties to provide a user interface for the task. By setting it to display horizontally and turning off the window border, the palette's look and function could be configured to resemble the [Windows 95](#) task bar.

Mac OS 8.5.1

Mac OS 8.5.1, released December 7, 1998, was a minor update to Mac OS 8.5 that fixes several bugs that caused crashes and data corruption.

Mac OS 8.6

Released May 10, 1999, Mac OS 8.6 added support to the [Mac OS nanokernel](#) to handle preemptive tasks via the [Multiprocessing Services 2.x](#) and later developer API. This update improved [PowerBook](#) battery life and added [Sherlock 2.1](#). This free update for Mac users running 8.5 and 8.5.1 was faster and much more stable than either version of 8.5.x and was also the first version of Mac OS to display the version number as part of the startup screen. However, there was still no process separation; the system still used cooperative multitasking between processes, and even a process that is [Multiprocessing Services-aware](#) still had a portion that ran in the "blue task", which also ran all programs that were unaware of it, and was the only task that could run 68k code.

Versions

Version	Release date	Changes	Computer	Codename	Price
8.0 (https://developer.apple.com/technotes/tn/tn1102.html)	July 26, 1997	Initial release	Power Macintosh G3	Tempo	\$99 US
8.1 (https://developer.apple.com/technotes/tn/tn1121.html)	January 19, 1998 (download) (https://web.archive.org/web/20101204003221/http://docs.info.apple.com/article.html?artnum=30345)	HFS+ file system	iMac (Bondi Blue) Rev. A	Bride of Buster	Free update
8.5 (https://developer.apple.com/technotes/tn/tn1142.html)	October 17, 1998	PowerPC required, Sherlock, Themes, 32-bit icons	iMac (Bondi Blue) Rev. B	Allegro	\$99 US
8.5.1	December 7, 1998 [1] (https://web.archive.org/web/2003020124811/http://docs.info.apple.com/article.html?artnum=26165)	Crash, memory leaks and data corruption fixes	iMac (5 flavors)	The Ric Ford (of Macintosh) Release	Free update
8.6 (https://developer.apple.com/technotes/tn/tn1163.html)	May 10, 1999 (download) (http://docs.info.apple.com/article.html?artnum=60283) Archived (https://web.archive.org/web/20101204003410/http://docs.info.apple.com/article.html?artnum=60283) December 4, 2010, at the Wayback Machine	New nanokernel to support Multiprocessing Services 2.0, battery life improvement	iBook	Veronica	

Compatibility

Macintosh model	8.0 ^[12]	8.1 ^[12]	8.5 ^[12]	8.6 ^[12]
All Centris / Quadra machines	Yes		No	
Macintosh LC 475, 575, 580				
PowerBook 190				
PowerBook 520				
PowerBook 540	Yes			
PowerBook Duo 2300				
PowerBook 5300				
PowerBook 1400				
PowerBook 2400				
PowerBook 3400				
Power Macintosh 4400				
Power Macintosh 5200				
Power Macintosh 5300				
Power Macintosh 5400				
Power Macintosh 5500				
Power Macintosh 6100				
Power Macintosh 6200				
Power Macintosh 6300				
Power Macintosh 6400				
Power Macintosh 6500				
Power Macintosh 7100				
Power Macintosh 7200				
Power Macintosh 7300				
Power Macintosh 7500				
Power Macintosh 8100				
Power Macintosh 8500				
Power Macintosh 9500				
Power Macintosh 7600				
Power Macintosh 8600				
Power Macintosh 9600				
Twentieth Anniversary Macintosh				
Power Macintosh G3 All-In-One	Yes: machine-specific version only			
Power Macintosh G3				
PowerBook G3	Yes			
iMac G3				
iMac G3 (266 MHz, 333 MHz)	Yes			
Power Macintosh G3 Blue and White				
iMac G3 (Slot Loading)	No		Yes: machine-specific version only	
Power Macintosh G4 (PCI Graphics)			Yes	
Power Macintosh G4 (AGP Graphics)	No		Yes: machine-specific version only	
iBook			No	

See also

- List of Apple operating systems

Notes

- Read and write version support for UDF version 1.02 only. Some earlier versions of the operating system could support UDF via third-party utilities as far back as 7.5, along with additional UDF version support. Future versions of UDF were not officially supported until 8.6.


References

- <https://archive.today/20130209071935/http://www.versiontracker.com/dyn/moreinfo/macos859>
- "Apple Sells 1.2 Million Copies of Mac OS 8; Best Software Product Sales Ever in First Two Weeks of Availability" (<https://web.archive.org/web/20090423083234/http://www.apple.com/ca/press/1997/08/MacOS8Sales.html>). Archived from the original (<https://www.apple.com/ca/press/1997/08/MacOS8Sales.html>) on April 23, 2009. Retrieved October 1, 2017.
- "Mac OS 8 Sales on Fire" (https://archive.today/20120718024735/http://news.cnet.com/Mac-OS-8-sales-on-fire/2100-1001_3-202222.html). Archived from the original (http://news.cnet.com/Mac+OS+8+sales+on+fire/2100-1001_3-202222.html) on August 8, 1997. "In fact, the latest word out in the Macwarez scene is that pirates shouldn't copy Apple's OS 8—Mac's latest operating system—they should buy it, since Apple so desperately needs the money."
- Linzmayr, Owen (1999). *Apple Confidential – "The Copland Crisis"*. No Starch Press. pp. 225–226.
- "How Apple Took its NeXT Step" (<http://www.businessweek.com/archives/1997/b3509223.arc.htm>). "in August, newly hired chief technologist Ellen Hancock froze development altogether."

7. Carlton, Jim (1999) [1997]. *Apple: The Inside Story of Intrigue, Egomania and Business Blunders* (2nd ed.). London: Random House Business Books. ISBN 0099270730. OCLC 925000937 (<https://www.worldcat.org/oclc/925000937>).
8. "Apple Introduces Mac OS 8--Most Significant Macintosh Operating System Release Since 1984" (<https://web.archive.org/web/19990220040108/http://product.info.apple.com/pr/press.releases/1997/q4/970722.pr.rel.macos8.html>). Apple. July 22, 1997. Archived from the original (<http://product.info.apple.com/pr/press.releases/1997/q4/970722.pr.rel.macos8.html>) on February 20, 1999. Retrieved October 2, 2019.
9. Pogue, David; Schorr, Joseph (1999). *MacWorld Mac Secrets, 5th Edition* (https://archive.org/details/mac_Macworld_Mac_Secrets_5th_Edition_1999). IDG. pp. 318 (https://archive.org/details/mac_Macworld_Mac_Secrets_5th_Edition_1999/page/n353)–319. ISBN 9780764540400.
10. "LowEndMac" (<http://lowendmac.com/2015/quadra-and-centris-mac-index/>). February 13, 2015.
11. "Apple Introduces Mac OS 8.5 - The Must-Have Upgrade" (<https://www.apple.com/ca/press/1998/10/MacOS85.html>). Retrieved May 10, 2011.
12. "Mac OS 8 and 9 compatibility with Macintosh computers" (<http://support.apple.com/kb/HT1835>). Apple Inc. Retrieved February 28, 2009.

External links

- Technical Note TN1102: Mac OS 8 (<https://web.archive.org/web/20040222135829/http://developer.apple.com/technotes/tn/tn1102.html>) at the Wayback Machine (archived February 22, 2004) from apple.com
- Technical Note TN1121: Mac OS 8.1 (<https://web.archive.org/web/20040410161222/http://developer.apple.com/technotes/tn/tn1121.html>) at the Wayback Machine (archived April 10, 2004) from apple.com
- Technical Note TN1142: Mac OS 8.5 (<https://web.archive.org/web/20040821145809/http://developer.apple.com/technotes/tn/tn1142.html>) at the Wayback Machine (archived August 21, 2004) from apple.com
- Technical Note TN1163: Mac OS 8.6 (<https://web.archive.org/web/20040619184151/http://developer.apple.com/technotes/tn/tn1163.html>) at the Wayback Machine (archived June 19, 2004) from apple.com
- Mac OS 8 Hardware Compatibility (<http://support.apple.com/kb/HT1835>)



Retrieved from "https://en.wikipedia.org/w/index.php?title=Mac_OS_8&oldid=1091275533"

This page was last edited on 3 June 2022, at 07:48 (UTC).

Text is available under the Creative Commons Attribution-ShareAlike License 3.0; additional terms may apply. By using this site, you agree to the Terms of Use and Privacy Policy. Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a non-profit organization.