

# Patent Owner Masimo Co Demonstratives For Trial

***March 15, 2022***

*Apple Inc. v. Masimo Corporation*  
*IPR2021-00193 (Patent No. 10,299,700)*  
*IPR2021-00195 (Patent No. 10,376,190)*  
*IPR2021-00208 (Patent No. 10,258,260)*  
*IPR2021-00209 (Patent No. 10,376,190)*

# Patents-At-Issue

(12) **United States Patent**  
 Poetze et al. (10) Patent No.: **US 10,376,191 B1**  
 (45) Date of Patent: \*Aug. 13, 2019

(54) MULTISTREAM DATA COLLECTION SYSTEM FOR NONINVASIVE MEASUREMENT OF BLOOD CONSTITUENTS  
 (71) Applicant: Masimo Corp., Irvine, CA (US)  
 (72) Inventors: Jeron Poetze, Rancho Santa Margarita, CA (US); Marcelo Lamego, Cupertino, CA (US); Sean Merritt, Lake Forest, CA (US); Cristiano Dabib, Lake Forest, CA (US); Hung Vo, Fountain Valley, CA (US); Johannes Brainsma, Oppeinde (NL); Ferdyan Leonardus, Irvine, CA (US); Masi Joe E. Kiani, Laguna Niguel, CA (US); Greg Oben, Trabuco Canyon, CA (US)  
 (73) Assignee: Masimo Corporation, Irvine, CA (US)  
 (\*) Notice: Subject to any disclaimer, this patent is intended to cover all articles and methods for which this patent is subject to a disclaimer.  
 (21) Appl. No.: 16/09,304  
 (22) Filed: May 10, 2019  
 (51) Int. Cl. A61B 5/1455 (2006.01); A61B 5/00 (2006.01); A61B 5/145 (2006.01)  
 (52) U.S. Cl. CPC: A61B 5/1455 (2013.01); A61B 5/00 (2013.01); A61B 5/145 (2013.01); A61B 5/1456 (2013.01)

(12) **United States Patent**  
 Poetze et al. (10) Patent No.: **US 10,299,708 B1**  
 (45) Date of Patent: \*May 28, 2019


(54) MULTISTREAM DATA COLLECTION SYSTEM FOR NONINVASIVE MEASUREMENT OF BLOOD CONSTITUENTS  
 (71) Applicant: Masimo Corporation, Irvine, CA (US)  
 (72) Inventors: Jeron Poetze, Rancho Santa Margarita, CA (US); Marcelo Lamego, Cupertino, CA (US); Sean Merritt, Lake Forest, CA (US); Cristiano Dabib, Lake Forest, CA (US); Hung Vo, Fountain Valley, CA (US); Johannes Brainsma, Oppeinde (NL); Ferdyan Leonardus, Irvine, CA (US); Masi Joe E. Kiani, Laguna Niguel, CA (US); Greg Oben, Trabuco Canyon, CA (US)  
 (73) Assignee: Masimo Corporation, Irvine, CA (US)  
 (\*) Notice: Subject to any disclaimer, this patent is intended to cover all articles and methods for which this patent is subject to a disclaimer.  
 (21) Appl. No.: 16/09,304  
 (22) Filed: May 10, 2019  
 (51) Int. Cl. A61B 5/1455 (2006.01); A61B 5/00 (2006.01); A61B 5/145 (2006.01)  
 (52) U.S. Cl. CPC: A61B 5/1455 (2013.01); A61B 5/00 (2013.01); A61B 5/145 (2013.01); A61B 5/1456 (2013.01)

(12) **United States Patent**  
 Poetze et al. (10) Patent No.: **US 10,376,190 B1**  
 (45) Date of Patent: \*Aug. 13, 2019

(54) MULTISTREAM DATA COLLECTION SYSTEM FOR NONINVASIVE MEASUREMENT OF BLOOD CONSTITUENTS  
 (71) Applicant: Masimo Corporation, Irvine, CA (US)  
 (72) Inventors: Jeron Poetze, Rancho Santa Margarita, CA (US); Marcelo Lamego, Cupertino, CA (US); Sean Merritt, Lake Forest, CA (US); Cristiano Dabib, Lake Forest, CA (US); Hung Vo, Fountain Valley, CA (US); Johannes Brainsma, Oppeinde (NL); Ferdyan Leonardus, Irvine, CA (US); Masi Joe E. Kiani, Laguna Niguel, CA (US); Greg Oben, Trabuco Canyon, CA (US)  
 (73) Assignee: Masimo Corporation, Irvine, CA (US)  
 (\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.  
 This patent is subject to a terminal disclaimer.  
 (21) Appl. No.: 16/212,537  
 (22) Filed: Dec. 6, 2018  
 (51) Int. Cl. A61B 5/1455 (2006.01); A61B 5/00 (2006.01); A61B 5/145 (2006.01)  
 (52) U.S. Cl. CPC: A61B 5/1455 (2013.01); A61B 5/00 (2013.01); A61B 5/145 (2013.01); A61B 5/1456 (2013.01)

(12) **United States Patent**  
 Poetze et al. (10) Patent No.: **US 10,258,266 B1**  
 (45) Date of Patent: \*Apr. 16, 2019

(54) MULTISTREAM DATA COLLECTION SYSTEM FOR NONINVASIVE MEASUREMENT OF BLOOD CONSTITUENTS  
 (71) Applicant: MASIMO CORPORATION, Irvine, CA (US)  
 (72) Inventors: Jeron Poetze, Rancho Santa Margarita, CA (US); Marcelo Lamego, Cupertino, CA (US); Sean Merritt, Lake Forest, CA (US); Cristiano Dabib, Lake Forest, CA (US); Hung Vo, Fountain Valley, CA (US); Johannes Brainsma, Oppeinde (NL); Ferdyan Leonardus, Irvine, CA (US); Masi Joe E. Kiani, Laguna Niguel, CA (US); Greg Oben, Trabuco Canyon, CA (US)  
 (73) Assignee: MASIMO CORPORATION, Irvine, CA (US)  
 (\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.  
 This patent is subject to a terminal disclaimer.  
 (21) Appl. No.: 16/212,537  
 (22) Filed: Dec. 6, 2018  
 (51) Int. Cl. A61B 5/1455 (2013.01); A61B 5/1456 (2013.01); A61B 5/1455 (2013.01); A61B 5/1456 (2013.01)  
 (58) Field of Classification Search: CPC: A61B 5/0026; A61B 5/1455; A61B 5/14551; A61B 5/14552; A61B 5/14552 (Continued)  
 (55) References Cited: U.S. PATENT DOCUMENTS: 3,910,701 A (1975); Henderson et al. (Continued); 4,114,094 A (1978); Shaw et al. (Continued)  
 FOREIGN PATENT DOCUMENTS: EP 419223 (1991); EP 1 518 494 (2005) (Continued)  
 OTHER PUBLICATIONS: US 8245,543 B2 (2014); Dabib et al. (withdrawn) (Continued)  
 Primary Examiner — Eric F Winkler  
 Assistant Examiner — Chu Chuan Lin  
 (74) Attorney, Agent, or Firm — Knobbe Martens Olson & Bear LLP  
 (57) **ABSTRACT**  
 The present disclosure relates to noninvasive methods, devices, and systems for measuring various blood constituents or analytes, such as glucose. In an embodiment, a light source comprises LEDs and super-luminescent LEDs. The light source emits light at least wavelengths of about 1610 nm, about 1640 nm, and about 1665 nm. In an embodiment, the detector comprises a plurality of photodetectors arranged in a special geometry comprising one of a substantially (Continued)



- ⊙ IPR202
- Patent
- ⊙ IPR202
- Patent
- ⊙ IPR202
- Patent
- ⊙ IPR202
- Patent

## '191 Patent Claim 1

1. A noninvasive optical physiological sensor comprising:  
a plurality of emitters configured to emit light in a direction towards a user;  
a plurality of detectors configured to detect light that has been attenuated by tissue of the user, wherein the plurality of detectors comprise at least four detectors;  
a housing configured to house at least the plurality of detectors in a circular portion of the housing;  
a lens configured to be located between tissue of the user and the plurality of detectors when the noninvasive optical physiological sensor is worn by the user, wherein the lens comprises a single outwardly protruding convex surface configured to cause tissue of the user to conform to at least a portion of the outwardly protruding convex surface when the noninvasive optical physiological sensor is worn by the user, and during operation of the noninvasive optical physiological sensor.

## '266 Patent Claim 1

1. A noninvasive optical physiological sensor comprising:  
a plurality of emitters configured to emit light in a direction towards a portion of a user;  
a plurality of detectors configured to detect light that has been attenuated by tissue of the user, wherein the plurality of detectors comprise at least four detectors;  
a housing configured to house at least the plurality of detectors; and  
a lens configured to be located between the tissue of the user and the plurality of detectors when the noninvasive optical physiological sensor is worn by the user, wherein the lens comprises a single outwardly protruding convex surface configured to cause tissue of the user to conform to at least a portion of the outwardly protruding convex surface when the noninvasive optical physiological sensor is worn by the user, and during operation of the noninvasive optical physiological sensor.

## '190 Patent Claim 1

1. A noninvasive optical physiological measurement device adapted to be worn by a wearer, the noninvasive optical physiological measurement device providing a measurement and communication of a physiological parameter of the wearer, comprising:

one or more light emitters;

a housing having a surface and a circular ring extending from the surface;

at least four detectors arranged on the surface and spaced apart from each other, the at least four detectors being configured to output one or more signals responsive to light received from the one or more light emitters attenuated through the tissue, the one or more signals indicative of the physiological parameter of the wearer; and

a light permeable cover arranged above at least a portion of the housing, the light permeable cover comprising a protrusion arranged to cover the at least four detectors.

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.