

<u>ा</u> ।

R

Μ

Δ

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ :		(11) International Publication Number: WO 94/1531		
G06F 15/62	A1	(43) International Publication Date: 7 July 1994 (07.07.94		
 (21) International Application Number: PCT/US (22) International Filing Date: 17 December 1993 ((81) Designated States: AU, CA, JP, European patent (AT, BE CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT SE).			
 30) Priority Data: 07/993,039 18 December 1992 (18.12.92) 71) Applicant: SHAREVISION TECHNOLOGY, INC. 1901 McCarthy Boulevard, Milpitas, CA 95035 (L 72) Inventors: CHU, Frank, J.; 6388 Bancroft Way, S CA 95129 (US). YEH, C., Lung; 20100 Chatea Saratoga, CA 95070 (US). 74) Agents: HSUE, James, S. et al.; Majestic, Parsons, S Hsue, Four Embarcadern Center, Suite 1450, San F 	[US/US JS). San Jos au Driv Siebert	Before the expiration of the time limit for amending th claims and to be republished in the event of the receipt of amendments.		
Hsue, Four Embarcadero Center, Suite 1450, San F CA 94111 (US).				
100-	UTILI			
100	UTILI	ZING VECTOR ADAPTIVE TRANSFORM		
N				
100 Video Pre Frames Processing Encode Reference Memory		106 Incoder Transmit over Modem 104 104 108 Post To Display		

A video compression system comprises a pre-processing section (102), and encoder (106), and post-processing section (114). The pre-processing section (102) employs a median decimation filter (122) which combines median filtering and decimation process. The pre-processing section (102) also employs adaptive temporal filtering and content adaptive noise reduction filtering to provide images with proper smoothness and sharpness to match the encoder characteristics. The encoder (106) employs a two pass look-ahead allocation rate buffer control scheme where the numbers of bits allocated and subsequently generated for each block may differ. In the first pass, the means square error for each block is estimated to determine the number of bits assigned to each block in a frame. In the second pass, the degree of compression is controlled as a function of the total number of bits generated for all the preceding blocks and the sum of the bits allocated to such preceding blocks.

Find authenticated court documents without watermarks at docketalarm.com.

FOR THE PURPOSES OF INFORMATION ONLY

Ľ

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	Œ	Ireland	NZ	New Zealand
BJ	Benin	П	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Кепуа	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
СН	Switzerland	KR	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	LI	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Vict Nam
GA	Gabon				

R

М

D

Δ

1

DIGITAL VIDEO COMPRESSION SYSTEM UTILIZING VECTOR ADAPTIVE TRANSFORM

Background of the Invention

This invention relates in general to encoding and decoding of video information, and in particular, to 5 a video compression system employing vector adaptive techniques that enables full-duplex transform transmission of video over ordinary analog telephone (POTS) lines.

10

DOCKE⁻

Presently, commercially available modems readily allow a maximum of 14.4 Kbps (Kilobits per second) of data to be transmitted over a regular telephone (POTS) line. Existing video compression systems employed for encoding and transmitting video over digital channels (such as T1 or ISDN) require much 15 higher bandwidth (i.e., 56 Kbps or higher). Therefore, conventional compression systems cannot be used for encoding and transmitting video over POTS lines. For this reason, dedicated and special channels must be used for existing video compression systems. The use of 20 special and dedicated channels is expensive. It is therefore desirable to provide an improved video compression system for encoding and transmitting video WU 94/15312

5

DOCKET

ARM

FC1/03/3/12413

2

information which can transmit full-duplex full-motion color video information over ordinary telephone lines.

In the Related Application, a system and method for audio, video and data conferencing is proposed which enables audio, video and computer data to be transmitted over a POTS line. In such system, bandwidth allocation for each type of data is dynamically and adaptively dependent on the amount of data present, pre-assigned priority and predetermined bandwidth requirements. In

- 10 the preferred embodiment of the Related Application, audio, computer and video data conferencing between interlinked computer systems favor assigning top priority to audio followed by computer and then video data. Concurrent audio, computer and video data 15 conferencing can be communicated over a regular POTS link. The video compression system and method of this invention will work in the context of the concept of the Related Application for transmitting video data over a POTS line.
- 20 In many of the existing video compression systems, a fixed bandwidth is allocated to video information. One of the key concerns in such existing systems is to apply video compression so that the video information transmitted can fit within such fixed
- 25 bandwidth. A spatial domain to transform domain transformation is first performed and the transform video information is stored in a rate buffer in such video compression system. In order to ensure that appropriate video compression is applied, such system 30 employs rate buffer capacity control feedback to control
- 30 employs rate buffer capacity control feedback to control the compression so that the data is transferred out from the rate buffer at a synchronous rate.

In the preferred embodiment of the Related Application, however, video information is assigned the lowest priority so that the bandwidth allocated to video information may vary from the entire bandwidth available 5

DOCKET

ARM

101/03/3/12413

3

to none at all. Therefore, the above-described conventional video compression system cannot be used in the context of this system described in the Related Application. Therefore, it is desirable to provide an improved video compression system that can accommodate variable bandwidth allocated to video.

Summary of the Invention

As indicated above, in the preferred embodiment of the Related Application, audio information has the highest priority, computer data the second priority, and 10 video information the last priority. Therefore, the transmission of video information can be stopped completely when necessary. Such system design calls for video compression which is different from the abovedescribed conventional video compression scheme. The 15 video compression system of this invention employs lookahead bit allocation rate buffer control where the data is transferred out of the rate buffer at an asynchronous rate so that the numbers of bits allocated and subsequently generated for coding a block may be and are 20 usually different from those for coding another block.

The video compression system of this invention comprises three sections. The first preprocessing section employs a median decimation filter which combines median filtering and a decimation process. An 25 adaptive temporal filter and a content adaptive noise reduction filter are employed to provide images with match the and sharpness to smoothness proper coder/decoder ("codec") characteristics.

30 The second section employs a two pass lookahead bit allocation rate buffer control scheme. Since the bandwidth available may differ from frame to frame, the video compression system of this application first checks the number of bits available for a particular 35 frame, and allocates a number of bits to the encoding of

Find authenticated court documents without watermarks at docketalarm.com.

DOCKET A L A R M



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.